

AD _____

CONTRACT NO: DMAD17-92-C-2097

TITLE: Services to develop, standardize, and validate polymerase chain reaction (PCR) protocols for the detection of leishmaniasis in clinical samples

PRINCIPAL INVESTIGATORS:

Frank A. White, III, Ph.D. (until March 1994)
Kalachar Suryanarayana, Ph.D. (since March 1994)

CONTRACTING ORGANIZATION: SRA Technologies, Inc.
8110 Gatehouse Road, Suite 600
West Tower
Falls Church, Virginia 22042

REPORT DATE: October 17, 1994

TYPE OF REPORT: Final

PREPARED FOR: U.S. Army Medical Research and Materiel Command
Fort Detrick
Frederick, Maryland 21702-5012

DISTRIBUTION STATEMENT: Approved for public release;
distribution unlimited

19950125 027

The views, opinions, or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy or decision unless so designated by other documentation.

DTIC QUALITY INSPECTED 3

REPORT DOCUMENTATION PAGE

Form Approved
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information, including suggestions for reducing this burden. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1213 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

| | | | |
|--|--|--|----------------------------|
| 1. AGENCY USE ONLY (Leave blank) | 2. REPORT DATE | 3. REPORT TYPE AND DATES COVERED | |
| | October 17, 1994 | Final: Sept. 1992 - Sept. 1994 | |
| 4. TITLE AND SUBTITLE | | 5. FUNDING NUMBERS | |
| Services to develop, standardize, and validate polymerase chain reaction (PCR) protocols for the detection of leishmaniasis in clinical samples. | | Contract DAMD17-92-C-2097 | |
| 6. AUTHOR(S) | | | |
| Frank A. White, III, Ph.D. (until March 1994) Kalachar Suryanarayana, Ph.D. (since March 1994) | | | |
| 7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) | | 8. PERFORMING ORGANIZATION REPORT NUMBER | |
| SRA Technologies, Inc. 8110 Gatehouse Road, Suite 600 West Tower Falls Church, Virginia 22042 | | 2 | |
| 9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) | | 10. SPONSORING / MONITORING AGENCY REPORT NUMBER | |
| Department of the Army U.S. Army Medical Research and Materiel Command Fort Detrick, Frederick, MD 21702-5012 | | | |
| 11. SUPPLEMENTARY NOTES | | | |
| 12a. APPROVAL FOR PUBLIC RELEASE | | 12b. DISTRIBUTION CODE | |
| Approved for public release; distribution unlimited | | | |
| 13. ABSTRACT (Maximum 200 words) | | | |
| The disease Leishmaniasis, endemic in Africa, South West Asia, and South America, is caused by transmission of a parasite of the Leishmania species via the bite of an infected sandfly. The severity of the disease ranges from cutaneous lesions to a frequently fatal visceralization of the internal organs unless treated at an early stage. Detection of the parasite is difficult because only low numbers of infected cells are found in Peripheral blood. Existing tests for Leishmania parasites are time consuming and have high (50%) false negative rates. We report here the development of a rapid polymerase chain reaction (PCR) based diagnostic capable of detecting 1-10 infected cells in 1.5×10^6 PBMCs or 2-5 mls of peripheral blood. The test has an accuracy greater than 92%, and a false negative rate of less than 8%, when validated against known clinical samples | | | |
| 14. SUBJECT TERMS | | 15. NUMBER OF PAGES | |
| Leishmania Polymerase Chain Reaction | | 122 | |
| | | 16. PRICE CODE | |
| 17. SECURITY CLASSIFICATION OF REPORT | 18. SECURITY CLASSIFICATION OF THIS PAGE | 19. SECURITY CLASSIFICATION OF ABSTRACT | 20. LIMITATION OF ABSTRACT |
| Unclassified | Unclassified | Unclassified | SAR |

FOREWORD

Opinions, interpretations, conclusions and recommendations are those of the author and are not necessarily endorsed by the U.S. Army.

() Where copyrighted material is quoted, permission has been obtained to use such material.

() Where material from documents designated for limited distribution is quoted, permission has been obtained to use the material.

(✓) Citation of commercial organizations and trade names in this report do not constitute an official Department of the Army endorsement of approval of the products or services of these organizations.

() In conducting research using animals, the investigator(s) adhered to the "Guide for the Care and Use of Laboratory Animal," prepared by the Committee on Care and Use of Laboratory Animals of the Institute of Laboratory Animal Resources, National Research Council (NIH Publication No. 86-23, Revised 1985)

() For the protection of human subjects, the investigator(s) have adhered to policies of applicable Federal Law 45 CFR 46.

(✓) In conducting research utilizing recombinant DNA technology, the investigator(s) adhered to current guidelines promulgated by the National Institutes of Health.

Signature
PI Signature

| | |
|----------------------|-------------------------------------|
| Accession For | |
| NTIS CRA&I | <input checked="" type="checkbox"/> |
| DTIC TAB | <input type="checkbox"/> |
| Unannounced | <input type="checkbox"/> |
| Justification _____ | |
| By _____ | |
| Distribution / _____ | |
| Availability Codes | |
| Dist | Avail and/or Special |
| A-1 | |

October 17, 1994
Date

Table of Contents

| | |
|--|----|
| 1. Objectives | 1 |
| 2. Introduction | 2 |
| 2.1 Polymerase Chain Reaction (PCR) Assay. | 3 |
| 2.1.1 Quality Control For PCR | 4 |
| 2.1.2 Design of an Appropriate Testing Algorithm | 5 |
| 2.1.3 Optimization of Reaction Parameters | 5 |
| 2.1.4 Design of PCR Primers and Probes | 7 |
| 3. Methods and Results | 8 |
| 3.1 Sample Preparation | 8 |
| 3.1.1 Sample Preparation by Total Leukocyte Separation | 9 |
| 3.1.2 Cell Lysis | 10 |
| 3.1.3 PCR Cycling Conditions | 10 |
| 3.2 PCR Product Detection | 12 |
| 3.2.1 Capture Plate Procedure | 12 |
| 3.2.2 PCR Product Detection by HPLC | 15 |
| 3.3 PCR Primer Selection and Development | 16 |
| 3.3.1 PCR Primers Against Old World Species of <i>Leishmania</i> | 20 |
| 3.3.2 PCR Primers with Multiple Inosine Substitutions for New World Species of <i>Leishmania</i> | 29 |
| 3.4 Decatenation of <i>Leishmania</i> kDNA Minicircles | 36 |
| 3.5.1 Decatenation Protocol | 36 |
| 3.5.2 Results of the Decatenation Experiments | 37 |
| 3.5 Construction of Copy Control for <i>L. tropica</i> | 38 |
| 3.6 Heterologous DNA Testing | 40 |
| 3.7 PCR Results on Patient Samples | 42 |
| 4. Conclusions | 44 |
| 5. Bibliography | 47 |
| 6. Appendix | 48 |
| I. RLIMS Report on <i>Leishmania</i> Samples Tested (pp. 1-57) | |
| II. Manuscript submitted for publication (pp. 2-15) | |

List of Figures:

| | |
|--|----|
| Figure 1: Detection of <i>L. tropica</i> by PCR | 13 |
| Figure 2: Capture Plate PCR Product Analysis | 14 |
| Figure 3: Sequence Alignment of <i>Leishmania</i> kDNA | 18 |

List of Charts:

| | |
|--|----|
| Chart 1: PCR primers tested against <i>L. tropica</i> | 22 |
| Chart 2: PCR primers tested against <i>L. donovani</i> | 23 |
| Chart 3: <i>L. tropica</i> (6.3.94) Testing of cultures with JW 11i/12i primer set | 24 |
| Chart 4: <i>L. donovani</i> (stock 1073) Testing of JW 11/12 and JW 11i/12i primer sets | 25 |
| Chart 5: <i>L. donovani</i> (stock 7-13-94) Testing with primer sets JW 11/12 and JW 11i/12i | 26 |
| Chart 6: <i>L. chagasi</i> (testing with primer sets JW 11/12 and JW 11i/12i | 27 |
| Chart 7: <i>L. chagasi</i> (stock 7.13.94) Testing with primer sets JW 11/12 and JW 11i/12i | 28 |
| Chart 8: PCR primers against <i>L. braziliensis</i> | 31 |
| Chart 9: <i>L. braziliensis</i> (testing of primer combinations) | 32 |
| Chart 10: <i>L. panamensis</i> (testing of primer combinations) | 33 |
| Chart 11: <i>L. braziliensis</i> (comparison of standard vs optimized PCR conditions | 35 |
| Chart 12: Testing of <i>L. tropica</i> copy control plasmid with different primers | 39 |
| Chart 13: Testing of DC-LT-1 as the sense primer for <i>L. tropica</i> | 41 |

1. Objectives

As set forth in the Statement of Work for contract DAMD17-92-C-2097 entitled "Services to develop, standardize, and validate polymerase chain reaction (PCR) protocols for the detection of Leishmaniasis in clinical samples", the objective of this study is comprised of two phases. In the first phase, the contractor shall "Develop and standardize the technology known as the polymerase chain reaction (PCR) for the detection of leishmaniasis in clinical samples". Phase II defines the task of the contractor to "Validate PCR testing protocols developed as a result of the first objective in a large select military population of approximately 2,500 to 3,000 individuals". The mid term report (October 20, 1993) described the development of a polymerase chain reaction (PCR) assay for the detection of leishmaniasis and testing of a limited number of clinical samples. This final report includes the summary of the previous report and the additional work carried out to optimize the PCR methods for Old World and New World species of *Leishmania* and testing of additional clinical samples from different geographic areas.

2. Introduction

Leishmaniasis, a very important zoonotic disease of humans in the developing countries, became a problem of considerable concern in the United States, following Operation Desert Storm (ODS) (1). The etiologic agent of leishmaniasis is a protozoan of the genus *Leishmania*. Members of the genus *Leishmania* are grouped broadly into the New World (*L. mexicana* and *L. braziliensis* complexes) and Old World (*L. donovani* and *L. tropica*) species. Four species and at least 15 subspecies are generally recognized. All are similar in morphology and life history. The parasites which infect humans are transmitted by the Old and New World sandflies, *Phlebotomus* and *Lutzomyia*, respectively. In the insect vector, the protozoan is found as the flagellated or promastigote form. Upon introduction into the human host, and if phagocytized by a macrophage, the parasite transforms into the non-flagellated, ovoid form, the amastigote.

Three major types of pathologies result from active infection with *Leishmania*. Cutaneous leishmaniasis is characterized by fairly localized cutaneous lesions. If the organism spreads from the site of infection to the nasal cavity and naso-pharyngeal region, the severely disfiguring mucocutaneous leishmaniasis can result. The most severe form of the disease occurs if the parasite metastasizes through the reticuloendothelial system, to infect the spleen, bone marrow, and other tissues. Visceral leishmaniasis, or Kala-azar, is frequently fatal, if untreated.

Increased travel between the industrialized countries of the West and the developing nations, by businessmen, military personnel and tourists, mandates the development of more appropriate tools for laboratory diagnosis of this potentially very serious disease. Effective drug treatments to control the infection are available, but a proper diagnosis is required before starting treatment. To apply laboratory diagnostic methods in developing nations,

simplified assay formats are desirable. A further reason to pursue development of nucleic acid based tests which are simplified and amenable to large scale screening is their potential for preventing the dissemination of these and similar parasitic infections through the blood donor pool.

For the purposes of this study, the primary interest is in Old World species, as these are the organisms native to the geographic region where ODS took place. The strains *L. tropica*, *L. major*, and *L. donovani* predominate in south west Asia, and are the 3 species against which most of the PCR primer sets described in this report were tested. When patient samples were used as positive controls, the majority of these were from geographic regions where *L. donovani* predominates. During the course of this contract, however, several New World and Old World species have also been examined, as well as patient samples from South and Central America, Africa and India.

2.1 Polymerase Chain Reaction (PCR) Assay

The polymerase chain reaction (PCR) is *in vitro* DNA replication. Rather than the DNA double helix being unwound by replication-associated enzyme complexes, DNA is heat-denatured in the presence of a thermostable DNA dependent DNA polymerase, oligonucleotide primers complementary to target sequences to be amplified, and deoxynucleoside building blocks for DNA synthesis. Alternating cycles of denaturation, primer annealing (hybridization), and extension, result in the accumulation of double-stranded DNA fragments of discrete length, termed amplicons. This process operates under defined conditions and for a limited number of cycles as a quantitative exponential amplification of the target sequences. PCR thus results in a vast increase in copies of the target sequence and probably constitutes the most sensitive analytical technique currently available for molecular diagnostics,

being capable of detection of a single copy of nucleic acid per reaction.

2.1.1 Quality Control For PCR

SRA has more than 6 years experience using PCR in both a diagnostic and a developmental testing atmosphere, and is well versed in techniques required to minimize or eliminate the chances of contamination from different sources (2,3). Both physical and biochemical methods of avoiding cross contamination that SRA has followed in testing *Leishmania* specimens have been described in the mid-term report (October 20, 1993). In brief, these measures include, physical separation of pre- and post- amplification laboratories equipped with dedicated equipments, including certified Biosafety cabinets equipped with HEPA filters for all steps involving potentially infectious materials; strict QC of all reagents; single-use frozen aliquots of critical reagents; use of either positive displacement pipettors with single-use tips and pistons or special commercially-available pipet tips with an aerosol-barrier; proper use of positive and negative controls, hot start method for PCR and use of the enzyme uracil-N-glycosylase (uracil DNA glycosylase, UNG), in a method analogous to the excision repair system of living cells (4).

In this method, dUTP substitutes for dTTP in all PCR reactions, and UNG is included in all PCR reactions. Prior to temperature cycling, this moderately heat stable enzyme selectively excises uracil residues which have been incorporated into DNA during previous amplifications. During the initial heating step in PCR, the DNA backbone of any contaminating previously amplified material is broken at these apyrimidinic sites, thus preventing the U-containing DNA from serving as a template for polymerization. Since native DNA templates do not contain U residues and since Taq DNA polymerase efficiently incorporates dUTP as well as dTTP during PCR, this technique can be made to operate without decreasing sensitivity or specificity of PCR reactions. Pretreatment of all .

PCR reactions eliminates the most common cause of a false positive result - carryover of amplified DNA from a previous amplification. SRA has incorporated this technique into PCR protocols for the amplification of HIV-1 and HTLV-I/II, as well as all PCR methods which have been used by us to amplify *Leishmania* sequences.

2.1.2 Design of an Appropriate Testing Algorithm

In the course of conducting PCR testing prior to the advent of UNG-mediated carryover prevention, we found it necessary to design PCR testing algorithms to minimize the chance of false positive test results arising from PCR product contamination (5). Specifically, we have tested (and continue to test) all specimens as duplicate reactions plus a negative control spatially unique to the duplicate reaction set, with a primary primer set. Reaction products are subjected to hybridization analysis using an oligonucleotide probe to sequences bracketed by but not overlapping the primers. A result of "reactive" is then defined as the detection of specific hybridization signal in both duplicates, with no specific signal in the corresponding negative control reaction. The detection of specific hybrids in only one duplicate is defined as a result of "non-diagnostic," necessitating repeat testing. "Non-reactive" refers to the absence of specific signal in both duplicates, with low copy number positive controls being detected. In spite of the introduction of sophisticated biochemical methods for detection of product cross-contamination, the ever-present possibilities for operator error support the continued use of carefully-designed PCR testing algorithms.

2.1.3 Optimization of Reaction Parameters

In addition to the techniques designed to eliminate contamination and resulting false positives, all PCR reactions are optimized for both specificity and product yield. These procedures include empirical determination of optimal oligonucleotide ratios and

concentrations, magnesium ion concentration, Taq polymerase concentration, and annealing temperature. Despite these precautions, some non-specific annealing of PCR primers does occur, even with single copy gene detection, and more so with the detection of retrovirus or parasite DNA in the presence of a high background of human genomic DNA. Since annealing of primers to template is not 100% specific under all conditions encountered during the course of a PCR reaction, it is necessary to adjust reaction conditions to maximize synthesis of specific product.

While post-PCR hybridization detection ensures that non-specific products will not be detected, the synthesis of these spurious amplicons affects the amplification process. Non-specific reaction products do incorporate PCR primers such that subsequent amplification cycles result in their specific amplification as "quasi-specific" templates. This detracts from the overall efficiency of the reaction, as both non-specific and specific products compete for primer and Taq binding. Careful adjustment of reactant concentrations to strike a balance between maximization of primer hybridization and minimization of non-specific annealing can significantly increase PCR product yield and also extend sensitivity into the < 10 copy range. In our experience, with some primer sets, rigorous optimization can extend the detection limit 2 to 3 orders of magnitude. SRA has pioneered the development of HPLC protocols for quantitation of PCR products (6). The analytical precision of HPLC analysis allows more precise determination of PCR product yield, with very fast turnaround, often allowing complete optimization of reaction conditions for a new primer set within two days.

At the start of this contract, HPLC was used to evaluate PCR reaction products. While it has the aforementioned advantages of precise quantitation, it does not have the sensitivity of our current microplate based capture assays. A basic protocol for

using the HPLC for PCR product detection is provided, in the Methods and Results section.

2.1.4 Design of PCR Primers and Probes

Design of synthetic oligonucleotide primers and probes is facilitated by the use of computer software dedicated to that purpose (e.g., Oligo, National Biosciences; Primer Detective, Clontech). After candidate sequences are designed, these sequences are compared to DNA sequences of both related and unrelated organisms by computer homology searches from the Genbank database using the Lasergene DNASTar program running on a Macintosh IIci. These preliminary steps reduce the chance of PCR artifacts (primer-dimers) due to primers that share significant sequence homology, or secondary structure that would reduce the overall efficiency of the PCR amplification. In addition, with highly variable sequences or sequences which are only partially known (e.g., *Leishmania* minicircle kDNA), it has been suggested that PCR primers preferentially end in 3'-T, to minimize the effects of possible 3'-mismatch (7). Other strategies to lessen the effect of random non-homologies with the target sequence include the synthesis of primers with degenerate positions and/or inosine substitutions (8). However, excessive degeneracy should be avoided, in order to maintain specificity. We have exploited this latter technique in the design of some "second generation" primers that show improved detection of New World *Leishmania* strains in our testing.

In the case of *Leishmania*, almost 20 different PCR primer combinations have been evaluated to date. These include multiple sets that amplify sequences found in the kinetoplast (kDNA) minicircles, one set directed against sequences found in the kDNA maxicircles (equivalent to mitochondrial DNA), one set directed against ribosomal RNA sequences (rRNA), and one set specific for conserved sequences from one nuclear gene (DHFR). Finally, it should be noted that, even though primer and probe sequences have

been carefully chosen based on predicted homology to the desired sequences and the lack of homology to other (especially human) sequences in GenBank, it is still necessary to test these primer sets against actual specimens of related and unrelated organisms. This has been done for all primer sets that show acceptable sensitivity against the *Leishmania* strains of interest.

3. Methods and Results

While there has been significant improvement in the sensitivity of the PCR detection protocol over the two year course of this contract, the basic elements of the procedure employed are common to many of the PCR protocols already in use by SRA. Sample preparation steps and the basic PCR protocols remain essentially unchanged from that described at the start of the contract, since they were validated previously. Similarly, the capture plate procedure for PCR product detection was developed for other applications and its adaptation to this use was governed solely by the design and implementation of *Leishmania*-specific probes. The PCR reaction and detection protocols are given in the following sections, along with a detailed discussion of results obtained with the various PCR primer sets tested to date.

3.1 Sample Preparation

The sensitivity of PCR permits the detection of the low level of parasites in the peripheral blood, at least during active infection. In many cases, however, peripheral blood samples from a given individual were negative, while splenic or bone marrow aspirates were positive by PCR. Although the major specimen type is whole blood, the protocol given below works equally well for bone marrow and splenic aspirates, as well as cutaneous lesion lavage specimens, thus simplifying the overall test.

We have successfully employed differential lysis for the selective removal of RBC's from blood and bone marrow samples prior to DNA extraction for PCR. This method is based on the specific RBC-lytic activity of saponin, and is quite simple, requiring only the use of a tabletop centrifuge. The blood is gently mixed with 0.3% saponin (Mallinckrodt) in slightly hypotonic saline and allowed to remain at ambient temperature for 5 minutes, during which time RBC's are lysed. Centrifugation recovers leukocytes, which are again washed with saponin to remove residual RBC's. Some specimens need to be washed more than 1-2 times depending upon the amount of contaminated RBC's lysed with saponin. The final cell pellet contained total leukocytes, and appeared to be free of inhibition to PCR, by either heme or the saponin itself. The cell pellet was then lysed by the addition of proteinase K, and, following heat inactivation of the proteinase K, the crude lysate was either used directly in diagnostic PCR reactions or stored frozen until the PCR reaction was set up.

3.1.1 Sample Preparation by Total Leukocyte Separation

1. For specimens received in LeukoPREP tubes
 - a. Centrifuge at 3000 rpm for 20 min. Pipet off the supernatant into a 50 mL polypropylene centrifuge tube
 - b. Count cells using ZAP-OGLOBIN. (40 μ L specimen + 20 mL Isoton II + 5-6 drops ZAP-OGLOBIN)
 - c. Add 20 mL of 0.1% saponin in 0.6% NaCl. Mix well by inversion. Maintain at room temperature 5 min.
 - d. Centrifuge at 1500 rpm for 15 min. Decant the supernatant.
2. Whole Blood specimens
 - a. Count cells using ZAP-OGLOBIN. (40 μ L specimen + 20 mL Isoton II + 5-6 drops ZAP-OGLOBIN)
 - b. Add 10 volumes of 0.1% saponin in 0.6% NaCl. Mix well by inversion. Maintain at room temperature 5 min.

- c. Centrifuge 1500 rpm for 15 minutes. Decant the supernatant.
- d. Resuspend the pellet with 15 mL 0.1% saponin in 0.6% NaCl
- e. Centrifuge 1500 rpm for 15 minutes. Decant the supernatant.

3.1.2 Cell Lysis

1. Use the cell count taken at the beginning of this procedure and determine lysis buffer volume for 30×10^6 cells/ ml. Add the determined volume of lysis buffer containing 2X proteinase K. Vortex briefly.
3. Incubate in a water bath at 55° C - 60° C. for 1 h. Vortex briefly. If a large number of cells are being lysed, it may be necessary to vortex several times during this hour or extend the incubation time.
4. Transfer lysate to 1.5 mL screw-cap microcentrifuge tube. Label tube with specimen number, date lysed, tech initials.
NOTE: Lysates prepared by this protocol should be labelled with an "S."
5. Heat-inactivate the proteinase K by keeping the tubes at 95° C for 15 min. in dry-bath.
6. Quench on ice. Store at -20° C in freezer boxes in pre-PCR lab.

3.1.3 PCR Cycling Conditions

1. Prepare lower layer PCR mix as follows:

| | |
|---------------------------|---------|
| H ₂ O | 10.9 μl |
| 10X buffer (Promega) | 4.0 μl |
| MgCl ₂ (25 mM) | 4.0 μl |
| dNTP (AUCG) | 16.0 μl |
| UNG | 0.1 μl |
| JW11/B-JW12 (10 μM each) | 5.0 μl |
| ----- | |
| TOTAL | 40.0 μl |

2. Prepare an upper layer PCR mix as follows:

| | |
|----------------------|---------|
| H ₂ O | 7.9 μl |
| 10X buffer (Promega) | 1.0 μl |
| UNG | 0.1 μl |
| Taq polymerase | 1.0 μl |
| ----- | |
| TOTAL | 10.0 μl |

3. Aliquot 40 μL of the lower mix to each tube.
4. Add one bead of ampliwax. Number tubes. Place in the heating block at 65° C for up to 5 minutes to melt the wax. Allow to cool.
5. Pipet 10 μL of the upper mix in the tube.
6. Add 50 μL of the appropriate specimen lysate to each tube. Do not add positive control template in the pre-PCR lab.
7. In the positive control lab add 50 μL *Leishmania* lysate of known copy numbers (1, 10 and 100) to the appropriate PCR tubes.
8. Immediately carry the reactions to the cycler. Proofread the program before starting. Fill out cycler log book.

CYCLER CONDITIONS

PRIMERS JW 11/B-12 or JW 11i/B-12i

Time Delay file
94° C 5' 0"

Step Cycles
97° C 0'15"
55° C 1' 0"
72° C 1' 0"
CYCLES 10

Step Cycles
92° C 0'15"
55° C 1' 0"
72° C 1' 0"
CYCLES 30

SOAK 72° C

NOTE: products be frozen immediately upon removal from the cycler, unless they can be assayed within 1 h due to the presence of un-denatured UNG and it's ability to degrade PCR products at room temperature and 4° C over time.


3.2 PCR Product Detection

PCR products were analyzed using the affinity-based hybrid capture assay. We have used two slightly different detection systems with equivalent results. Earlier testings, utilized an Alkaline Phosphatase (AP) labeled specific oligonucleotide and a chemiluminescent substrate (Lumiphos) and later testings used the same oligo labeled with Horseradish Peroxidase (HRP) and a colorimetric substrate (OPD). The sensitivity obtained with either probe system is approximately equivalent. One distinct advantage with using an HRP probe is that the color produced from even 3 to 10 initial copies, after 40 cycles of amplification, is readily discernible by eye. Thus, it becomes possible to interpret results visually, by comparison with standards. Such an approach is acceptable for qualitative, though not quantitative, assays, and may be advantageous for application in developing nations. An example of the sensitivity of this system showing the detection of *L. tropica* by PCR using the AP-labeled probe and capture plate system is given in Figure 1.

3.2.1 Capture Plate Procedure

For simplicity, only the alkaline phosphatase (AP)-coupled protocol is described here. The primary differences include, obviously, use of a horseradish peroxidase (HRP) labeled oligonucleotide probe, OPD for colorimetric detection, and the use of clear rather than opaque plastic microwells in an ELISA-type plate reader rather than a luminometer. A diagram of the principles of operation of the capture plate is given in Figure 2.

Figure 1: Detection of *Leishmania tropica* minicircle DNA by PCR




Dilutions of total DNA extracted from *L. tropica* promastigotes were prepared to correspond to the indicated numbers of parasites per reaction. Amplification was performed for 40 cycles using primers designed to amplify Old World Leishmania, and designated as sequences JW11 ($5'$ -CCTATTTACACCAACCCMAGTTT, where M denotes a mixed base position; C, T) and JW12 ($5'$ -CGGTAGGGCGTTCGCGAAATT, where M denotes A, T). Specific detection of the amplified sequences by alkaline phosphatase-labelled JW14 ($5'$ -ATTGAACGGGTTCTGTATGCATTTCGAA) was performed in a 96 well plate, with chemiluminescent detection.

Figure 2: Capture Plate PCR Product Analysis


- ① PCR reaction is run using 1 biotinylated primer
Specific product is produced




- ② PCR products are denatured by heating




- ③ The biotinylated strand is captured in an avidin-coated microplate well



- ④ A specific synthetic oligonucleotide coupled to Alkaline Phosphatase is allowed to hybridize to the bound PCR product



- ⑤ A chemiluminescent substrate is added. The breakdown of this substrate produces light, which is detected by a microplate luminometer



1. Prepare an avidin-coated and blocked microwell plate according to the following procedure.
 - a. Pipet 120 μ l of 100 g/ml avidin D (Vector Labs) into each well of a high-binding plate (e.g., MaxiSorp, Nunc; Immulon 4, Dynatech). Incubate overnight at ambient temperature.
 - b. Remove the solution, and wash 4 times with Wash Buffer (1% Tween 20 in PBS).
 - c. Pipet 200 μ l of 1% casein (Hammarstein Grade, BDH) in PBS into each well. Incubate for 1 h to overnight at ambient temperature.
 - d. Remove the solution. Store the plate frozen, under which conditions it remains stable for at least several weeks.
2. Heat denature PCR products by incubation at 95° C for 5 min., followed by quick-cooling to approximately 4° C.
3. Pipet 90 μ l of Hybridization Buffer (1% casein in PBS) containing 1 pmol of AP- or HRP- conjugated probe JW-14 (Synthetic Genetics) into each well.
4. Pipet 10 μ l of PCR product into the appropriate well.
5. Incubate at 42° C for 20 min. to allow both hybridization and capture.
6. Remove the hybridization solution and discard. Wash the plate 4 times with Wash Buffer.
7. Pipet 100 μ l LumiPhos into each well. For HRP-labeled probes, 100 μ l of OPD is used as the substrate.
8.
 - a. AP-labeled Probes: Incubate at 37° C for 30 min. Read immediately in the ML1000 microplate luminometer (Dynatech).
 - b. HRP-labeled Probes: Incubate at room temperature for 15 min and OD₄₉₀ is read in a Molecular Devices ELISA plate reader.

3.2.2 PCR Product Detection by HPLC

1. Inject 30 μ l of each PCR product onto a TSK-DEAE NPR column. For greater precision, an automatic sample injector should be used, such as the ISS-200 (Perkin Elmer).

2. The following gradient (requiring approximately 9 minutes per run) is used to separate specific and non-specific PCR products:
 - a. Equilibrate column 5 minutes at 46% A.
 - b. Ramp linearly to 54% A over 0.1 minute following injection.
 - c. Ramp linearly to 60% A over 3.9 minutes.
 - d. Ramp linearly to 75% A over 1 minute.
 - e. Return to 46% A over 0.1 minute.

Buffer A: 25 mM Tris-Cl, pH 9.0, 1.0 M NaCl, 1% acetonitrile
Buffer B: 25 mM Tris-Cl, pH 9.0, 1% acetonitrile

3. Products are detected by UV absorbance monitoring at 260 nm.
4. Integration of chromatographic peaks is by an automatic integrator (Perkin Elmer Nelson Model 1020). Specific peaks are identified by characteristic retention times as compared with strong positives and molecular weight standards (2.5 µg of 250 µg/ml HaeIII digest of pBR322).
5. If quantitation is desired, data should be plotted as "peak area vs. log initial copy number." A linear plot should be obtained over the range of 30 to 30,000 initial DNA template copies. Linear regression permits the estimation of copy number in unknown samples.

3.3 PCR Primer Selection and Development

The principle area of development for this contract has been in the design and testing of various *Leishmania*-specific PCR primer and probe combinations. For all designs, the following rational was used. Since the *Leishmania* parasites are suspected to be present in very low numbers in peripheral blood of infected individuals, it was deemed that maximal sensitivity was the key requirement for the assay.

Toward this end, it was reasoned that directing the PCR primers against a "pre-amplified" target was, if possible, the best way to increase signal strength, and hence assay sensitivity, going into

the PCR reactions themselves. Then the reaction conditions would be optimized as described previously in the Introduction to produce the maximum specific yield from each primer set. For these reasons, several PCR primer sets directed against *Leishmania* target sequences that exist in more than one copy per parasite were designed. These included sequences in the ribosomal RNA (rRNA) genes, present in 5-20 copies per organism, nuclear Dihydrofolate Reductase (DHFR) genes, that exist in 2-10 copies per parasite, certain maxicircle sequences, present in 10-100 copies per organism, and several different minicircle sequences.

The minicircle sequences offer the highest possible target number as they are present in 100-10000 copies per organism. One significant problem targeting minicircle sequences, however, is the extreme sequence heterogeneity and the observation that multiple distinct "families" of minicircles exist not only within a given parasite, but also between differing species of *Leishmania*, with the largest differences found between the New World and Old World strains. A diagram showing a comparison of the "conserved" sequence regions of a number of *Leishmania* strains is presented in Figure 3. A summary of the sequences tested is given in Table 1.

The sequences of the individual primers are given in the first section of the table, along with the target of amplification. In the JW11/12 primer set, the sequences indicated in parenthesis are mixed base positions in the synthetic oligonucleotides. The I in several other sequences indicate an inosine (I) base substitution at that position, that allows hybridization with any other base. An NW in the amplification target site indicates those sequences are specific for New World *Leishmania* strains. The JW and TW series of primers were designed in-house at SRA Technologies utilizing computer software for PCR primer design (Primer Detective, Oligo) and evaluated against potential cross-reactive sequences in Genbank using the Lasergene DNAsstar molecular biology software package running on a Mac IIci. Primer set DC 11/12, also

Figure 3: Sequence alignment of conserved region of *Leishmania* minicircle kDNA

Alignment Workspace of Leish consensus II
Tuesday, March 30, 1993 5:46 PM

| | 10 | 20 | 30 | 40 | 50 | 60 | 70 | 80 | 90 | 100 | |
|--------------|---|-----|---|----|----|----|----|----|----|-----|--|
| A-A-C | C | A | ATCCGGGACCCCCCTATTACACCACCCCTAGTTT-CGGCCCCGGAGGGCAAAAAATCGG | | | | | | | | |
| NDB-AMA. SEQ | CCAAC--AAAC--GCGACTC AAAAGAACAGCCGAAGCNGCCCTATTTACACCAACCCCTAGTTT-CACCCGGAGG--CGGAAATTCCC | 94 | | | | | | | | | |
| NDB-BRA. SEQ | AGAGGCC TAGTTTATCGAGTC--TAACCTAGCGAGACTGGCGGCCCATATAAACACCAACCCCTAATT--GTGACGGGGAGGC | 95 | | | | | | | | | |
| NDB-GUY. SEQ | AGAGGCC TAGTTCACCGAGG--TACCCGAGTGGGGTGCGGCCCATATAAACACCAACCCCTAATT--GTGACGGGGAGGGCAAAAACG- | 95 | | | | | | | | | |
| NDB-MAJ. SEQ | C-ACAC--AACCCGGACCCCGAGAATTAACTCCGACCCCTAGTTTACACCAACCCCTAATT--GTGACGGGGAGGGCAAAAACG- | 94 | | | | | | | | | |
| NDB-PAN. SEQ | AGAGGCC TAGTTTGTCAATCC--TACCCGAACTAGCGGGCCCATATAAACACCAACCCCTAATT--GTGACGGGGAGGGCAAAAACG- | 95 | | | | | | | | | |
| NDB-PER. SEQ | AGAGGCCACATTAAATGATCC--TAACCCGAGTGGGGTGCGGCCCATATAAACACCAACCCCTAATT--GTGACGGGGAGGGCAAAAACG- | 95 | | | | | | | | | |
| SCH-ADL. SEQ | A-A--AGCGGGAGGGAGCCATATAAACACCAACCCCTAATT--CCCCGAAAATCGTAAAAATCG | 67 | | | | | | | | | |
| SCH-AET. SEQ | C-A--ATCCGAACACCCGGCTATTTAACACCAACCCCTAGTTTGACCGCTCGACCCCCACAAATCG | 70 | | | | | | | | | |
| SCH-CON. SEQ | C-A--ATCCGGGACCCGGCCATTTAACACCAACCCCTAGTTTGCGCCCTCCAGGGACCCGATTTTTG | 68 | | | | | | | | | |
| SCH-DON. SEQ | A-T--TTCAGCCACACCCGGCCATTTAACACCAACCCCTAGTTTGCGCCCTCCAGGGACCCGATTTTTG | 70 | | | | | | | | | |
| SCH-MAJ. SEQ | T-A--ATCCCCGCTATGGCCCTATTTAACACCAACCCCTAGTTTGCGCCCTCCAGGGACCCGATTTTTG | 68 | | | | | | | | | |
| SCH-TRO. SEQ | C-A--ATCCGGGACCCGGCCATTTAACACCAACCCCTAGTTTGCGCCCTCCAGGGACCCGATTTTTG | 69 | | | | | | | | | |
| | CGATTTGGGATTTGACCG--GGTTCTGCAITGCCATTTCGGTTTCCGAGAACGCCCTACCCGGAGGCC-TAAATTAA-TCTCGGGC | | | | | | | | | | |
| NDB-AMA. SEQ | CGAAATCCGGAAAATAT-GACCG-GTTTCTGAC-CATTTTG-CGAAACGCCCTACCCGGAGGCC-AAGAAATTGGG | 180 | | | | | | | | | |
| NDB-BRA. SEQ | CGAATTGGGGATTTGACCG-GTTTCTGTATGCCATTTCGGTTTCCGAGAACGCCCTACCCAGGG-CA | 179 | | | | | | | | | |
| NDB-GUY. SEQ | TGATTTCCGGAGATTTGACCG-GTTTCTGTATGCCAAAACCGATTTCGAGAACGCCCTACCCAGGG-CA | 179 | | | | | | | | | |
| NDB-MAJ. SEQ | CAATTGCGGAAAATGACCG-GTTTCTGACCCATTTCGAGAACGCCCTACCCAGGGACCAAATGTTGA | 187 | | | | | | | | | |
| NDB-PAN. SEQ | TGATTTCCGGGATTTTGACCG-GTTTCTGTATGCCATTTCGGTTTCCGAGAACGCCCTACCCAGGG-CA | 179 | | | | | | | | | |
| NDB-PER. SEQ | CGATTTCCGGGATTTTGACCG-GTTTCTGTATGCCATTTCGGATTTCGAGAACGCCCTACCCAGGG-CA | 179 | | | | | | | | | |
| SCH-ADL. SEQ | CGATTTTGGCAATTAT-GACCG-GTTTCTGATGC-AATTTCGGTTT-CGAGAACGCCCTACCCGGAGGGCA-TAAAAGAAAAGCCGGGGA | 161 | | | | | | | | | |
| SCH-AET. SEQ | CATTTTGGGGCTATTTGACCG-GTTTCTGTATGCCATTTCGGTTTCCGAGAACGCCCTACCCGGAGGGCA-TACTAGGTTCAATCTCGAAC | 168 | | | | | | | | | |
| SCH-CON. SEQ | CATTTTGGGCAATTAT-GACCG-GATTTCGACCCC-AATTTCGGTTTCCGAGAACGCCCTACCCGGAGGGCACTAAATTCAATCCCGGAC | 165 | | | | | | | | | |
| SCH-DON. SEQ | CATTTTGGGGATTTTGACCG-GATTTCGACCCC-AATTTCGGTTTCCGAGAACGCCCTACCCGGAGGGCACTAAATTCAATCCCGGAC | 165 | | | | | | | | | |
| SCH-MAJ. SEQ | CATTTTGGGCAATTAT-GACCG-GATTTCGACCCC-AATTTCGGTTTCCGAGAACGCCCTACCCGGAGGGCACTAAATTCAATCCCGGTC | 165 | | | | | | | | | |
| SCH-TRO. SEQ | CATTTTGGGCAATTAT-GACCG-GATTTCGATGC-AATTTCGGTTTCCGAGAACGCCCTACCCGGAGGGCACTAAATTCAATCCCGGAC | 166 | | | | | | | | | |
| | CGTCCGGCCCTATTTACCCAACCCCGAGTTGCCGC--C-A-AGGCCCTAGTTTC--ACCAATCTAACXGAGTCXGXGTGGCGGCCXX | | | | | | | | | | |
| NDB-AMA. SEQ | -----CGGGTCCATTTC-TCAAG--CCCATT-TTATGA-----ATAGGCCCTAGTTA-TCGAGCTAACCTCAGGGAGGTGGCGGCCCA | 251 | | | | | | | | | |
| NDB-BRA. SEQ | AGTACG---ATTTCG-CCTATT-TTATGA-----AAGGCCCTAGTTCC--ACGAGCTAACCTCAGGGAGGTGGCGGCCCA | 255 | | | | | | | | | |
| NDB-GUY. SEQ | GGTACG---ATTTCGACTCATT-TTATAA-----AAGGCCCTAGTTCC--ACGAGCTAACCTCAGGGAGGTGGCGGCCCA | 255 | | | | | | | | | |
| NDB-MAJ. SEQ | --TTGGGCACTTTTG-ACCCACACAAACCCG-GCC-----ACCCAGAGAATTAAATCCCGACCC | 258 | | | | | | | | | |
| NDB-PAN. SEQ | GGTACG---ATTTCGACTAATT-TTGATA-----AAGGCCCTAGTTT--GTCATCTTAGCCAAATCCAGGTGGCGGCCCA | 255 | | | | | | | | | |
| NDB-PER. SEQ | AGTACG---ATTTCGACTAGTT-TTATCA-----AAGGCCACATTTC-AATGATCTAACCGACTGGGGTGCGGCCCA | 255 | | | | | | | | | |
| SCH-ADL. SEQ | GGCCAGCCCTATTTACCCAACCCCTAGTTTCC-CGAAATCGTAAATTAGGAAATTGGCAAATTATGAAACGGGTTCTGATGCA | 260 | | | | | | | | | |
| SCH-AET. SEQ | CACCCGGCCCTATTTACCCAACCCCGAGTTTGCGCCCTCC | 210 | | | | | | | | | |
| SCH-CON. SEQ | CACCCGGCCCTATTTACCCAACCCCGAGTTTGCGCCCTCA | 202 | | | | | | | | | |
| SCH-DON. SEQ | CACCCGGCCCTATTTACCCAACCCCGAGTTTGCGCCCTCA | 210 | | | | | | | | | |
| SCH-MAJ. SEQ | CACCCGGCCCTATTTACCCAACCCCGAGTTTGCGCCCTCA | 206 | | | | | | | | | |
| SCH-TRO. SEQ | CACCCGGCCCTATTTACCCAACCCCGAGTTTGCGCCCTCA | 261 | | | | | | | | | |
| | <u>CXATXTTACA</u> | | | | | | | | | | |
| | 310 | | | | | | | | | | |
| NDB-AMA. SEQ | CTATTTTACA | 261 | | | | | | | | | |
| NDB-BRA. SEQ | CTATATTACA | 265 | | | | | | | | | |
| NDB-GUY. SEQ | CTATATTACA | 265 | | | | | | | | | |
| NDB-MAJ. SEQ | --ATTTCG | 265 | | | | | | | | | |
| NDB-PAN. SEQ | CTATATTACA | 265 | | | | | | | | | |
| NDB-PER. SEQ | CTATATTACA | 265 | | | | | | | | | |
| SCH-ADL. SEQ | CGGTTTGCA | 270 | | | | | | | | | |
| SCH-AET. SEQ | | 270 | | | | | | | | | |
| SCH-CON. SEQ | | 202 | | | | | | | | | |
| SCH-DON. SEQ | | 210 | | | | | | | | | |
| SCH-MAJ. SEQ | | 206 | | | | | | | | | |
| SCH-TRO. SEQ | | 261 | | | | | | | | | |

Published sequences of *Leishmania* minicircle conserved regions were compared using LaserGene (DNAStar, LTD), generating the underlined consensus sequence. The sequences designated "NDB" are the complementary strands to those reported by De Bruijn, et al (11); those designated "SCH" have been reported by Schoone, et al (9). The following abbreviations were used to refer to species and subspecies: AMA: *amazonensis*; BRA: *braziliensis*; GUY: *guyanensis*; MAJ: *major*; PAN: *panamensis*; PER: *peruviana*; ADL: *adleri*; AET: *aethopica*; CON: Schoone consensus sequence; DON: *donovani*.

Table 1. Sequences of *Leishmania* Specific PCR Primers.

| Primer Name | Primer Sequences | Primer Location |
|-------------|---------------------------------|-----------------|
| JW11 | CCTATTTACACCAACCCC (C/T) AGTTT | minicircle |
| JW12 | CGGGTAGGGCGTTCTGCGAAA (A/T) T | minicircle |
| TW01 | GCGTCTCCGACCCTCATCTCAAGG | DHFR (nuclear) |
| TW02 | GACACCCTCCTCTCTATACGGC | DHFR (nuclear) |
| TW03 | ATTGAAATAATAAAAGGTTCGAGC | maxicircle |
| TW04 | AATTACAAATAATAGATCCTGCG | maxicircle |
| JW16 | GAATTCGATTTCGCAGAACGCCCT | minicircle |
| JW17 | GAATTCAAACGGGGTTGGTGTAAGAT | minicircle |
| R222 | TATTGGAGATTATGGAGCTG | rRNA gene |
| R332 | GGCCGGTAAAGGCCGAATAG | rRNA gene |
| LK1S | CCTATTTACACCAACCCC | minicircle |
| LK2R | GGGTAGGGCGTTCTGCGA | minicircle |
| LS1 | GGGGTTGGTGTAAAATAG | minicircle |
| LS2 | CCAGTTCCCGCCCCG | minicircle |
| B1 | GGGGTTGGTGTAAATATAGTGG | minicircle NW |
| B2 | CTAATTGTGCACGGGGAGG | minicircle NW |
| B3 | CCCGACATGCCTCTGGGTAG | minicircle NW |
| PROBE P1 | CAGAAACCCCGTTCAAAAT | minicircle NW |
| JW-11-i | CCTATTTACACCAACCCCIAGTTT | minicircle |
| JW-12-i | CGGGTAGGGCGTTCTGCGAAAT | minicircle |
| C-JW11-1 | CCTATTTACACCAACCCIAITI | minicircle |
| C-JW11-2 | CCTATTTACACCAACCCIAIT | minicircle |
| C-JW11-3 | CCTATTTACACCAACCCIAI | minicircle |
| C-JW12-1 | CGGGIAGGGCGTTCTGCGAAAI | minicircle |
| C-JW12-2 | CGGGTAGGGCGTTCTGCGAAAA | minicircle |
| C-JW14-1 | ATTGAACGGGTTCTGTATICITTTTCGAA | minicircle |
| C-JW14-2 | ATTIGAACGGGTTCTGIAIICIATTTTIGAA | minicircle |
| C-JW14-3 | GAACGGGTTCTGIAIICIATTTTCGTTT | minicircle |
| JW-21 | TGAACGGGTTCTGIAIICATT | minicircle |
| JW-22 | GGGGTTGGTGTAAAATAGGICIG | minicircle |
| JW-24 | CATTTTCIIITTCGCAGAACGCCCTACC | minicircle |
| DC-11 | CCCTATTTACACCAACCCCAAGTT | minicircle |
| DC-12 | CGGGTAGGGCGTTCTGCGAAATT | minicircle |
| DC-LT-1 | ACCACCCGGCCATTTTA | minicircle |
| DC-LT-2 | ATGTAGTAGCCCTCCGGGT | minicircle |

designed in-house at SRA, is similar to JW 11/12 primer set except that the mixed base positions (bold face) were a perfect match for *L. tropica* kDNA sequence. The sources of the other primer sequences are as follows: *R222/332* (ref. 9); *LK1S/2R* (Personal communication from G. van Eys to Maj. E. Nuzum) and *LS1/LS2* (ref. 10).

3.3.1 PCR primer sets against Old World species of *Leishmania*

During Phase I of this project, we tested the sensitivities of JW 11/12 primer set against the strains of Old World *Leishmania*. Table 2 indicates the detection limits of primer set JW 11/12 when compared against control strains of *Leishmania* parasites.

Table 2: Detection of various *Leishmania* species using the minicircle-specific PCR primers JW 11/12.

| Species of <i>Leishmania</i> | # <i>Leishmania</i> Detected with (JW 11/12) | | | |
|----------------------------------|---|-----|----|---|
| | 1000 | 100 | 10 | 1 |
| 746 (<i>L. panmensis</i>) | + | + | | |
| 842 (<i>L. mexicana</i>) | + | | | |
| 1031 (<i>L. guyanensis</i>) | + | + | + | + |
| 1041 (<i>L. major</i>) | + | | | |
| 1063 (<i>L. tropica</i>) | + | + | + | + |
| 1077 (<i>L. major</i>) | + | + | + | |
| 2053 (<i>L. donovani</i>) | + | + | | |
| 669 (<i>L. amazonensis</i>) | + | | | |
| 746 (<i>L. panamensis</i>) | + | + | + | |
| 1003 (<i>L. braziliensis</i>) | + | + | | |
| 2086a (<i>L. braziliensis</i>) | + | + | + | |
| 2086b (<i>L. braziliensis</i>) | + | + | + | |

Note: A plus (+) indicates that signal at least 5-fold above assay background was consistently obtained against that species, with lower numbers indicating greater sensitivity)

The sensitivity of various combinations of inosine-substituted primer sets against *L. tropica* and *L. donovani* is presented in Charts 1 and 2, respectively. The sensitivity of JW 11/12 and JW 11i/12i primer sets was retested during the Phase II of the project. Two separate sets of *L. tropica* cultures (stock 1063/5-24-94 and a stock of three cultures (6-3-94) grown at WRAIR were used for this testing. Chart 3 summarizes the results of this testing. The results indicate a sensitivity limit of 10 parasites for both primer sets against *L. tropica*. Table 3 summarizes the results of testing various combinations of primer sets against *L. tropica*.

Table 3: Sensitivity of various primer sets against *L. tropica*

| Primer Combinations | Detection Limits on <i>L. tropica</i> |
|---------------------|---------------------------------------|
| JW11/12 | Approximately 1-100 parasites |
| TW03/04 | Approximately 100 parasites |
| TW01/02 | Greater than 1000 parasites |
| R222/332 | Greater than 1000 parasites |
| JW16/17 | Greater than 1000 parasites |
| LK1S/2R | Greater than 1000 parasites |
| LS1/2 | Greater than 1000 parasites |
| B1/B2 | Greater than 1000 parasites |
| JW11i/JW12i | Approximately 1-100 parasites |
| JW21/JW22 | Approximately 100 parasites |
| DC11/12 | Approximately 100 parasites |
| DC-LT-1/DC-LT-2 | Approximately 1 parasite |

Similar testing was done with other Old World species of *Leishmania* during the course of this contract. The results are presented in Charts 4 and 5 for *L. donovani* and in Charts 6 and 7, for *L. chagasi*. These combinations were tested using our optimized PCR protocols and the HRP-coupled capture plate assay.

Chart 1. PCR Primers Tested Against *L. tropica*




Chart 2. PCR Primers Against *L. donovani*




Chart 3. *L. tropica* (6/3/94) Testing of cultures with JW 11i/12i primer set




Chart 4. *L. donovani* (Stock 1073) Testing of JW 11/12 and JW 11i/12i primer sets




Chart 5. *L. donovani* (stock 7-13-94) Testing with primer sets JW 11/12 and JW 11i/12i




Chart 6. *L. chagasi* (testing with primer sets JW 11/12 and JW 11i/12i)





Chart 7. *L. chagasaki* (stock 7-13-94) Testing with primer sets JW 11/12 and JW 11i/12i



To date, the most consistent and sensitive primer sets against the strains of old world Leishmanias examined are JW 11/12 and JW 11i/12i. The sensitivity limit is less than one parasite, for *L. donovani* and *L. chagasi*. However for *L. tropica*, the detection limit is one parasite with the newly tested primer set, DC-LT-1 and DC-LT-2; and it varies from 1-100 parasites with JW 11/12 and JW 11i/12i primer sets. As can be readily seen from the previous tables and charts, the inosine substituted primer set JW 11i/12i, seem to provide slightly higher sensitivity against control samples from *L. donovani* (presumably the causative agent of Kala-Azar) and *L. chagasi*. Their sensitivity, however remains the same, particularly against *L. tropica*. Other primer sets, except DC-LT-1/DC-LT-2 (a primer set designed in-house with sequences optimized to *L. tropica*), that have been tested to date are significantly less sensitive when tested against *L. tropica* parasites (Table 3).

3.3.2 PCR Primers with Multiple Inosine Substitutions for New World species of *Leishmania*

During the course of this study, a number of samples from South and Central America, both as controls and as patients with suspicious disease, were provided for testing. It became readily obvious when testing against control strains provided by MAJ M. Grogl that the sensitivity of the basic JW11/12 PCR primer set was much better against Old World than the New World strains. It was the opinion of the Leishmania Working Group that in addition to the original requirement for a PCR based detection test that was sensitive against the Old World strains prevalent in South West Asia, it would be useful to have a test usable against at least some of the New World strains of *Leishmania* for use with patient samples obtained from service personnel stationed in South and Central America. Toward these ends, it was decided to try designing PCR primers with multiple inosine substitutions at those DNA base positions that differ between characterized New and Old World *Leishmania* strains (see Figure 3).

A collection of inosine-substituted primers based on the most sensitive PCR primer set tested to date (JW11/12) was developed and tested in various pairwise combinations. The results of these tests for *L. braziliensis* comparing the pairwise combinations of these primers are given in Chart 8. These combinations were tested using our optimized PCR protocol and the HRP-coupled capture plate assay against 10 and 100 parasite equivalents of parasite DNA for *L. braziliensis*. Higher signal indicates greater PCR yield, and therefore, greater sensitivity of that particular PCR primer combination against the species of *Leishmania* in question. Based on the results obtained from this experiment, primer pair combinations were retested during Phase II of this contract, against two New World species of *Leishmania*, namely *L. braziliensis* and *L. panamensis*. All primer combinations efficiently detected one parasite under the conditions used for testing. Two primer sets, c-JW11-3/c-JW12-1 and c-JW11-3/c-JW12-2, showed a sensitivity, 2- to 5-fold higher than others (Charts 9 and 10). The sequences of the second primer set is compared below with the original JW 11/12 primer set.

JW-11 CCTAT~~TTT~~ACACCAACCCCC (A/T) AGTTT

JW-12 CGGGTAGGGCGTTCTGCGAAA (A/T) T

C-JW-11-3 CCTAT~~TTT~~ACACCAACCCCC~~I~~*A*

JW-12-2 CGGGTAGGGCGTTCTGCGAAA

The sequence differences are indicated in *bold italics*. The A/T indicates a mixed base composition at this position. Using this primer set, while not sufficiently different to be a truly independent second set, PCR conditions were reoptimized for *L. braziliensis*, as a representative of New World species of *Leishmania*. The reoptimized parameters included the testing of annealing temperatures of the primers and the concentrations of magnesium ions in the PCR mix. The results of three typical experiments are presented in Table 4. Additionally, a comparison of the standard PCR conditions and conditions optimized for *L. braziliensis* is presented

Chart 8. PCR primers against *L. brasiliensis*




Chart 9. *L. braziliensis* (Testing of primer combinations)





Chart 10. *L. panamensis* (Testing primer combinations)



in Chart 11. Further HPLC analysis of the PCR products of this optimization is needed to confirm the absence of any non-specific amplification products.


Table 4. Results of PCR optimization for *L. braziliensis*
 (the values represent colorimetric readout (A_{490})
 from HRP capture plate assay of PCR products)

| Annealing temperature | 45° C | 50° C | 55° C | 60° C |
|---------------------------------|-----------------------|---|--------|--------|
| 10 parasites (Test 1) | 2.726 | 3.046 | 2.679 | 0.430 |
| Annealing temperature | 45° C | 48° C | 50° C | 53° C |
| 10 parasites (Test 2) | 2.423 | 2.593 | 2.235 | 1.079 |
| 1 parasite | 0.526 | 0.940 | 0.999 | 0.430 |
| MgCl ₂ concentration | 1.5 mM | 2.0 mM | 2.5 mM | 3.0 mM |
| 10 parasites (Test 3) | 2.768 | 2.739 | 2.792 | 2.698 |
| 1 parasite | 1.139 | 1.143 | 0.703 | 0.713 |
| New Parameters | Annealing Temp. 50° C | MgCl ₂ conc. 2-2.25 mM (same as before) | | |

Briefly, the more conservatively inosine-substituted primers give at least equivalent sensitivity to the JW 11/12 primer set for *L. tropica*, *L. chagasi* and *L. donovani*. Some of the more extensively inosine-substituted primers give increased sensitivity against the New World strain *L. braziliensis*, but show reduced signal when tested against the Old World strains of *L. tropica* and *L. donovani*. Based on these results, it was decided that since sensitivity against the Old World strains was of primary importance, the use of the more extensively inosine-substituted primers (eg. C-JW11-3/C-JW12-2) would be restricted to samples with origins in geographic regions where New World stains of *Leishmania* predominate.

Another idea for an additional primer set was explored, using JW-21/JW-22 primer set and JW-24 probe (modification of the conserved

Chart 11. *L. braziliensis* (comparison of standard vs optimized PCR conditions)



regions of of the original JW-11/12 primer set and JW-14 probe; Table 2). Unfortunately, the results of such testings were disappointing in terms of sensitivity when compared to the basic JW 11/12 primer set.

3.4 Decatenation of *Leishmania* kDNA minicircles

Additional experiments were done to further increase the sensitivity of the PCR detection test. One set of experiments proposed in SRA's response to the contract proposal was the use of procedures to "decatenate" the *Leishmania* kinetoplast DNA, theoretically releasing most of the minicircle and maxicircle DNA fragments into solution. This could potentially increase the chance of detection of *Leishmania* parasites by making more target DNA templates accessible for PCR. After evaluating a number of potential treatments our results are reported below.

3.4.1 Decatenation Protocol

Protocol 1

Equal quantities of *Leishmania* parasite lysates were used for each treatment. Controls were lysates stored at -20° C. Treatments included;

1. Incubation at 37° C overnight.
2. Digestion with the restriction enzymes DraI, EcoRI, or BamHI at 37° C overnight using 20-50 units of enzyme. These enzymes have each been reported to introduce a single specific cut in some minicircles, linearizing the DNA.
3. Treatment with Topoisomerase II (20 units) overnight at 37° C. Topoisomerase II introduces double stranded transient breaks in DNA allowing decatenation of concatenated circles and reduction of supercoiling induced torsional strain in circular molecules, facilitating denaturation of the circular DNA.
4. Limited digestion with an inorganic Iron nuclease to introduce random double stranded breaks in all DNA present in the reaction.

5. Following treatments, each lysate was serially diluted 10 fold to give a range of 10 to 0.001 parasite equivalents, and subjected to PCR analysis as described.

Protocol 2 (tested for *L. tropica*)

Total DNA from *L. tropica* was prepared by extracting lysate of the parasites with phenol:chloroform and precipitation with ethanol.

1. Equal quantities of total DNA and cell lysates representing 1000 parasites were treated with 10 Units of Topoisomerase II (Topogen, Inc.) and 10-20 Units of restriction enzyme XhoI (this enzyme works better than other restriction enzymes and some times even better than Topoisomerase II for unrelated purified kDNA)
2. The samples treated with Topoisomerase were incubated for 60 min, 90 min and 120 minutes at 37° C and those treated with XhoI were incubated for 1-2 h at 37° C.
3. The reaction was stopped by heat treatment at 95° C for 5 minutes. Serial 10-fold dilutions (1000 - 0.1 parasites) were prepared and subjected for routine PCR amplification using JW 11i/12i primer set. Following amplification, the samples were detected using JW14-HRP probe as described.
4. Undigested DNA and lysate controls were also included with the assay.

3.4.2 Results of the Decatenation Experiments

Unfortunately, multiple experiments failed to show any significant difference in PCR product yield, and hence sensitivity of the reaction, when compared to untreated controls with the equivalent amounts of DNA or lysate in the reaction mix. The results of all tests were within +/- 20% of the signal produced by the untreated controls at each dilution point. A reproducible dose-response curve was not always obtained upon repeated testing to confirm the effect of decatenation (data not shown). Based on these results, we believe further experimentation along these lines is not currently warranted.

3.5. Construction of copy control plasmid for *L. tropica*:

In view of the problems encountered in decatenation of kDNA, either from the total genomic DNA or from the specimen lysates, it was considered important to construct a copy control plasmid to test the sensitivity of the PCR assay developed for *Leishmania*. Such a copy number control not only would determine the analytical sensitivity of the assay, as copy number per reaction, rather than parasite number per reaction, but also would elucidate the meaning of weakly positive reactions. The best control would be derived from the strain(s) of interest, especially, *L. tropica*, where the sensitivity of the assay varies from 1 to 100 parasites. The primers bordering the constant regions, outside the JW 11/12 primer binding regions, were chosen for this purpose. The sequence of two such primers and their location in relation to JW 11/12 is presented below:

DC-LT-1: 5' -ACCACCCGGCCCTATTTA-3'

:::::::

5' -CCTATTTACACCAACCCC (C/T) AGTTT-3' (JW 11)

DC-LT-2: 5' -ATGTAGTAGCCCTCCGGGT-3'


:::::

5' -CGGGTAGGGGCGTTCTGCGAAA (A/T) T-3' (JW 12)

Primers DC-LT-1 and DC-LT-2 are up stream of JW 11 and JW 12 primers, respectively, but overlap 5-10 nucleotides towards their 3' end with the 5' ends of JW 11/12. Therefore, the amplicons generated with these primers are slightly larger than JW 11/12 amplicons and would carry the original JW 11/12 sequences for further amplification.

The PCR products of DC-LT-1/LT-2 primer set using *L. tropica* lysate was cloned into a TA cloning vector (pCRII; Invitrogen Inc.) and the recombinant clones were checked for the presence of the cloned PCR product. The screening was done by conventional screening methods and also by PCR amplification procedures using both set of primers. The purified copy control plasmid (pDCL-3) was used to measure the

Chart 12. Testing of *L. tropica* copy control plasmid with different primers




analytical sensitivity of PCR reactions for *L. tropica*. The result of one such test is presented in Chart 12. All primer sets tested (JW 11/12 and JW 11i/12i (the original primer sets); DC 11/12 (in-house primer set, similar to JW 11/12, with mixed base position matching to *L. tropica* sequence and DC-LT-1 and DC-LT-2 (the primer set used for cloning the PCR products), amplify the *L. tropica* copy control plasmid pDCL-3 very efficiently and the analytical sensitivity of detection is about 100 copies (lowest copy number used in the assay). The absolute signal strength with primer sets JW 11i/12i and DC-LT-1/LT-2 is about 2-fold higher compared with JW 11/12 and DC 11/12 indicating the sensitivities of assay may possibly be less than 100 copies (not tested).

The new primer set DC-LT-1/LT-2, although contains about 5-10 nucleotides from the 5' terminal regions of the original JW 11 and 12 primers, is unique from all other primer sets tested so far, in that, it completely lacks the mixed base sequences. The preliminary tests indicate that the sensitivity of this primer set and the combination of DC-LT-1 (sense primer) with JW 12 (antisense) provides a better sensitivity (detection of one parasite), compared to other primer sets used in the assay, in amplifying *L. tropica* sequences (Chart 13). It appears that the extreme degree of sequence variability present in *L. tropica*, prevents consistent amplification with JW 11/12 and other primers, which always include the mixed-base region; and primers outside this mixed base position seem to favour a reasonably good efficiency of amplification. Further tests are needed to confirm the superior performance of the new primer set, DC-LT-1/LT-2, before adopting it, over JW 11/12 or JW 11i/12i primer sets, for evaluation of clinical samples.

3.6 Heterologous DNA Testing

It was suggested in the Statement of Work and by the Leishmania Working Group that we test a variety of heterologous DNAs using our PCR detection technique to ensure specificity of the primers and

Chart 13. Testing of DC-LT-1 as the sense primer for *L. tropica*



probes being used. A list of possible organisms was provided by the Leishmania Working Group and included the following;

Trypanosoma cruzi, *T. gambiense*, *T. rhodesiense*, *T rangeli*. *Leptomonas*, *Criithidia*, *Herpetomonas*, *Toxoplasma*, *Plasmodium falciparum*, *Babesia*, *Pneumocystis carinii*, *Herpes*, *Salmonella*, *Histoplasma capsulatum*, *Mycobacterium tuberculosis*, HIV, and Hepatitis B and C.

After receiving information from MAJ Grogl regarding the availability of certain heterologous DNAs from the ATCC, we obtained the necessary permit applications to purchase samples of these organisms as many of them are classified as Class II, III, and IV pathogens. Testing the DNA obtained by protocols appropriate for DNA isolation from each type of organism at 1 µg concentrations in our standard PCR reactions did not produce any detectable signal from any of the organisms listed. Additional tests against blind negative control patients with Malaria and several other tropical diseases also produced no false positive reactions, indicating that the current PCR primers and conditions are specific for *Leishmania* kDNA and do not cross-react to any significant degree with the heterologous DNAs tested.

3.7 PCR Results on Patient Samples

During the course of the contract period, a number of patient samples have been received and tested using the PCR protocols described in this report. A complete listing of all samples tested to date is included in Appendix I of this report.

These samples partitioned into several categories including: (1) positive and negative control samples obtained from patients with known diseases including Kala-Azar, Malaria, HIV infection, etc; (2) canine samples used for potential animal model work; (3) spiked controls; and (4) a large number of "rule out" patient samples. The

latter category was comprised of samples (blood, bone marrow, and on occasion, spleen, liver, skin and other tissue specimens) from patients who present with clinical symptoms that may indicate *Leishmania* infection.

While the unknown patient samples represented the most important aspect of the assay development, they are also the most difficult to evaluate in terms of test accuracy. A large number of the unknown patient samples (1068) have tested negative while in comparison only a few (272) have tested positive. In most cases, positive results were confirmed by clinical data, such as, IFA, culture, etc (LTC E. Nuzum, personal communication). In contrast, some of the negative PCR results can be considered "biological false negatives". In some cases, very few or no circulating parasite-infected cells are present in the patient samples. This is particularly true with patients undergoing successful treatment or those exhibiting cutaneous lesions without visceralization of the disease. From the latter patients, aspirates of the lesion itself may test positive by PCR whereas peripheral blood samples may test negative.

This result is to be distinguished from a "technical false negative" which is defined as a sample that contains *Leishmania* DNA, but presents a false negative result when tested by PCR. These results are extremely rare and may be explained in several ways. As indicated previously (Charts 1, 2, 8, 9 and 10) different species of *Leishmania* exhibit differing limits of detection using our current PCR protocol. It is possible that in some cases, the particular species of *Leishmania* present in a given sample is at a level undetectable using our current primer sets. Another possible explanation is the presence of inhibitory material in the patient sample that prevents PCR amplification of the *Leishmania* DNA. This possibility was evaluated in all suspected "biological false negative" results seen to date by re-assaying the sample with a fixed level of *Leishmania* control DNA spiked into the sample. In all cases, the spiked DNA was detected with approximately the same signal

strength as seen from a parallel reaction containing the same level of *Leishmania* control DNA in reaction buffer, effectively ruling out the presence of significant inhibition in those samples.

During the course of Phase I of this contract, a number of blind negative samples have been assayed and results were clean (0/15 samples tested) with no false positives. Additionally, samples from patients with Malaria or other tropical diseases, prevalent in the region, where the *Leishmania* parasites are found, were also tested. In all cases, no positive reactions were seen. These results reflect the degree of care taken and the effectiveness of the containment procedures followed at our laboratory in preventing cross contamination.

In comparison, results obtained from a panel of 64 blinded control samples taken from patients with Kala-Azar disease at various stages, representing several geographical locations (Kenya, India, Brazil), the following statistics were obtained (provided by COL J. Berman); When samples come from samples prior to patient therapy, $\geq 92\%$ are positive by PCR assay, therefore yielding a false negative rate of $\leq 8\%$, depending upon the source of the patient sample. If the patient has completed therapy by 2-6 months, 0-4 patients (0%) are positive, indicating the effectiveness of the therapy at removing detectable levels of *Leishmania* DNA from peripheral blood. Interestingly, the detection rate for purely cutaneous disease was approximately 11% (1 out of 9), indicating the absence of detectable *Leishmania* DNA in peripheral blood if the disease is confined to skin lesions. However, aspirates taken from cutaneous lesions of these patients do test positive by PCR, confirming the presence of parasitic DNA in an actively infected lesion.

4. Conclusions

The need for sensitivity in detecting the very low levels of *Leishmania* present in peripheral blood suggests that the optimal

target sequence would be "pre-amplified", such as DNA present in multiple copies in each parasite. The kinetoplast DNA (kDNA) found in *Leishmania* and related organisms presents a good example of this kind of target. One inherent limitation this target sequence presents, however, is the genetic diversity of kDNA. Differences exist throughout this sequence, not only between different species of *Leishmania*, but also potentially within a given organism. The concatenated nature of the target, where some minicircles may not be available to the PCR primers and therefore amplification, presents yet another potential problem reducing sensitivity for the PCR reaction. Within these limitations, some regions of conserved DNA sequence have been observed across multiple *Leishmania* species, although there is more similarity within the New and Old World species than there is between these divisions.

Utilizing DNA sequence information and computer homology searches, multiple PCR primers have been designed within these kDNA sequences, and tested to produce specific PCR products with no significant cross-reaction with non-*Leishmania* DNA. The reaction conditions have been optimized to detect one parasite equivalents in peripheral blood and evaluated with blinded negative and positive control patient samples from various geographical locations. The testing procedures described reliably detect *Leishmania* in samples from most of the infected patients (> 90%) tested and resulted in no false positive diagnosis.

Based on the results obtained during this contract period, SRA Technologies has developed and validated a sensitive and specific PCR based diagnostic test for Leishmaniasis. While we received only 1420 patient samples (Appendix I) to screen for *Leishmania* infection, and there are certain biological factors regarding the low level of Leishmanial DNA present in peripheral blood in some cases, we are confident that the test can be applied successfully on a large scale basis.

Among the information gained as a result of our development and validation of the assay, are novel observations regarding the level of *Leishmania* parasites (as indicated by the presence of *Leishmania* DNA detectable by the PCR assay). It is evident even from our limited number of samples, that *Leishmania* are either absent, or present in extremely low levels (less than 1 parasite or infected cell in 1.5×10^6 PBMCs or 1.5-2 mls of blood) in cases of cutaneous disease, or in patients during and after suitable anti-Leishmanial therapies. These biological effects may limit the use of any test that detects *Leishmania* in peripheral blood to cases of visceral disease prior to treatment. The test could be used, however, to monitor the success of therapy due to the observation that the parasites are largely cleared from circulation following successful therapy. Despite these limitations, the PCR based test described in this report exhibits sensitivity of one parasite equivalents or a single infected cell in 8 mls of blood, as demonstrated by spiking control experiments. Our attempts to develop a true second diagnostic primer set for *Leishmania* species was generally unsuccessful.

The progress of this work has been reported to the Leishmania working group and the COR in 15 reports and various memoranda (reporting results of sample analyses). One manuscript detailing the application of this technology for the detection and diagnosis of Leishmanial infections has been submitted for publication (Appendix II).

5. Bibliography

1. CDC. 1992. Viscerotropic leishmaniasis in persons returning from Operation Desert Storm - 1990-91. *CDC MMWR*. **41**:131-143.
2. Kwok, S. 1990. Procedures to minimize PCR-product carry-over, p. 142-15. In: M. A. Innis, D. H. Gelfand, J. J. Sninsky, and T. J. White (eds.), *PCR protocols. A guide to methods and applications*. Academic Press Inc., San Diego, CA.
3. Cimino, G. D., K. C. Metchette, J. W. Tessman, J. E. Hearst, and S. T. Issacs. 1991. Post-PCR sterilization: a method to control carryover contamination for the polymerase chain reaction. *Nucleic Acids Res.* **19**(1):99-107.
4. Longo, M. C., M. S. Berninger, and J. L. Hartley. 1990. Use of uracil DNA glycosylase to control carry-over contamination in polymerase chain reactions. *Gene* **93**(1):125-128.
5. Wages, J. M., M. Hamdallah, M. A. Calabro, A. K. Fowler, C. N. Oster, R. R. Redfield, and D. S. Burke. 1991. Clinical performance of a polymerase chain reaction testing algorithm for diagnosis of HIV-1 infection in peripheral blood mononuclear cells. *J. Med. Virol.* **33**:58-63.
6. Wages, J. 1992. HPLC for quantitative PCR analysis. L.C. Views, Fall 1992, pp. 1-3.
7. Kwok, S., D. E. Kellogg, N. McKinney, D. Spasic, L. Goda, C. Levenson, and J. J. Sninsky. 1990. Effects of primer-template mismatches on the polymerase chain reaction; Human immunodeficiency virus type 1 model studies. *Nucleic Acids Res.* **18**(4):999-1005.
8. Cassol, S., T. Salas, N. Lapointe, M. Arella, J. Rudnik, and M. O'Shaughnessy. 1991. Improved detection of HIV-1 envelope sequences using optimized PCR and inosine-substituted primers. *Mol. Cell. Probes* **5**:157-160.
9. van Eys, G. J., G. J. Schoone, N. C. Kroon, and S. B. Ebeling. 1992. Sequence analysis of small subunit ribosomal RNA genes and its use for detection and identification of *Leishmania* parasites. *Mol. Biochem. Parasitol.* **51**(1):133-142.
10. Smyth, A. J., A. Ghosh, M. Q. Hassan, D. Basu, M. H. L. De Bruijn, S. Adhya, K. K. Mallik, and D. C. Barker. 1992. Rapid and sensitive detection of *Leishmania* kinetoplast DNA from spleen and blood samples of kala-azar patients. *Parasitol.* **105**:183-192.

6. Appendix I: List of *Leishmania* specimens tested

SRA Technologies has developed an in-house Relational Laboratory Information Manage (RLIMS), running in Oracle under UNIX, that is used to index and archive all patient information. This information includes patient ID numbers, sample type, date of test done, primers/probes used, date of analysis, interpretation of the test results and diagnostic report. As per the request of the *Leishmania* working group, all *Leishmania* data (both clinical as well as research) has been entered into our RLIMS system. A printout of all the *Leishmania* specimens analyzed by PCR during the course of this

| Spec ID | Patient Name | PCR Assay Results: LM | | | | PCR Assay Results: JW 14 | | | | Comments | | | | Final Result |
|---------|----------------------------|-----------------------|---------------|-----------|-------|--------------------------|------------|------------|----------|----------|--------|----------|----------|--------------|
| | | FPC + SSN | Spec Received | Type Date | Study | Panel | Assay Date | Virus | Primer | Tube # | Tube # | Int | | |
| 11221 | GATES, JOHN | -267-84-7560 | BL | 04-FEB-92 | LM | 90006 | 15-MAY-92 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE | |
| 11346 | COLWELL, ROBERT | 20-333-60-5644 | BM | 11-FEB-92 | LM | 90006 | 25-MAY-92 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE | |
| 11347 | COLWELL, ROBERT | 20-333-60-5644 | BL | 11-FEB-92 | LM | 90006 | 15-MAY-92 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE | |
| 11480 | OGDEN, RUSSEL W | 20-467-45-9394 | BL | 20-FEB-92 | LM | 90006 | 15-MAY-92 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE | |
| 11480.A | OGDEN, RUSSEL W | 20-467-45-9394 | BM | 20-FEB-92 | LM | 90006 | 26-MAY-92 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE | |
| 11481 | MORRIS, TABITHA | 20-491-78-6750 | BL | 20-FEB-92 | LM | 90006 | 15-MAY-92 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE | |
| 11481.A | MORRIS, TABITHA | 20-491-78-6750 | BM | 20-FEB-92 | LM | 90006 | 25-MAY-92 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE | |
| 11618 | PATIENT #1 03-MAR-92, LE - | BL | 03-MAR-92 | LM | 90006 | 15-MAY-92 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE | | |
| 11619 | PATIENT #2 03-MAR-92, LE - | BL | 03-MAR-92 | LM | 90006 | 15-MAY-92 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE | | |
| 11620 | PATIENT #3 03-MAR-92, LE - | BL | 03-MAR-92 | LM | 90006 | 15-MAY-92 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE | | |
| 11621 | PATIENT #4 03-MAR-92, LE - | BL | 03-MAR-92 | LM | 90006 | 15-MAY-92 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE | | |
| 11683 | SMITH, HERBERT J | 20-264-56-5136 | BL | 05-MAR-92 | LM | 90006 | 15-MAY-92 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE | |
| 11684 | SERGOTT, PATRICK J | 20-355-60-6724 | BL | 05-MAR-92 | LM | 90006 | 15-MAY-92 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE | |
| 11685 | SMTTH, HERBERT J | 20-264-56-5136 | BM | 05-MAR-92 | LM | 90006 | 25-MAY-92 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE | |
| 11686 | SERGOTT, PATRICK J | 20-355-60-6724 | BM | 05-MAR-92 | LM | 90006 | 25-MAY-92 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE | |
| 11829 | PATIENT #1 12-MAR-92, LE - | BM | 12-MAR-92 | LM | 90006 | 25-MAY-92 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE | | |
| 11830 | PATIENT #2 12-MAR-92, LE - | BL | 12-MAR-92 | LM | 90006 | 15-MAY-92 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE | | |
| 11831 | PATIENT #3 12-MAR-92, LE - | BL | 12-MAR-92 | LM | 90006 | 15-MAY-92 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE | | |
| 11970 | KAPPLAN, LEISHMANIA | - | BL | 19-MAR-92 | LM | 90006 | 15-MAY-92 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE | |
| 11971 | KAPPLAN, LEISHMANIA | - | BM | 19-MAR-92 | LM | 90006 | 25-MAY-92 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE | |
| 11972 | PATIENT #2 19-MAR-92, LE - | BL | 19-MAR-92 | LM | 90006 | 15-MAY-92 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE | | |
| 11973 | SANTATEERRARA, LEISHMANIA | - | BM | 19-MAR-92 | LM | 90006 | 25-MAY-92 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE | |
| 11974 | PATIENT #3 19-MAR-92, LE - | BL | 19-MAR-92 | LM | 90006 | 15-MAY-92 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE | | |
| 12083 | ROBERTS, MICHAEL J | -009-50-3733 | BL | 30-MAR-92 | LM | 90006 | 15-MAY-92 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE | |

| Spec ID | Patient Name | PCR Assay Results: LM | | | | PCR Assay Results: JW 14 | | | | Tube # 1 | | | | Tube # 2 | | | | Comments | | Final Result | |
|---------|----------------------------|-----------------------|-------------|--------------------|-----------|--------------------------|-----------|---------------------|---------------------|----------|----------|-----|-----|----------|---|---|---|----------|----------|--------------|----------|
| | | FPC + | SSN | Spec Received Type | Date | Study | Panel | Assay Date | Virus | Primer | Tube # 1 | # 2 | Int | - | - | - | - | - | - | - | - |
| 12129 | AMBORGJ, | - | | BM | 01-APR-92 | LM | 90006 | 25-MAY-92 | LEISHMANIA JW 11/12 | - | - | - | - | - | - | - | - | - | - | NR | NEGATIVE |
| 12130 | ROBERTS, MICHAEL J | - | 009-50-3733 | BM | 01-APR-92 | LM | 90006 | 25-MAY-92 | LEISHMANIA JW 11/12 | - | - | - | - | - | - | - | - | - | - | NR | NEGATIVE |
| 12131 | PATIENT #1 01-APR-92, LE - | | | BL | 01-APR-92 | LM | 90006 | 15-MAY-92 | LEISHMANIA JW 11/12 | - | - | - | - | - | - | - | - | - | - | NR | NEGATIVE |
| 12153 | PATIENT #2 03-APR-92, LE - | | | BL | 03-APR-92 | LM | 90006 | 15-MAY-92 | LEISHMANIA JW 11/12 | - | - | - | - | - | - | - | - | - | - | NR | NEGATIVE |
| 12154 | RILEY, SYLVIA | 20-220-74-4985 | BM | 03-APR-92 | LM | 90006 | 25-MAY-92 | LEISHMANIA JW 11/12 | - | - | - | - | - | - | - | - | - | - | NR | NEGATIVE | |
| 12155 | BATCHELDER, SHAWN | 20-595-62-7906 | BM | 03-APR-92 | LM | 90006 | 25-MAY-92 | LEISHMANIA JW 11/12 | - | - | - | - | - | - | - | - | - | - | NR | NEGATIVE | |
| 12156 | PATIENT #1 03-APR-92, LE - | | | BL | 03-APR-92 | LM | 90006 | 15-MAY-92 | LEISHMANIA JW 11/12 | - | - | - | - | - | - | - | - | - | NR | NEGATIVE | |
| 12272 | PATIENT #1 10-APR-92, LI - | | | BL | 10-APR-92 | LM | 90006 | 15-MAY-92 | LEISHMANIA JW 11/12 | - | - | - | - | - | - | - | - | - | NR | NEGATIVE | |
| 12273 | PATIENT #2 10-APR-92, LE - | | | BL | 10-APR-92 | LM | 90006 | 15-MAY-92 | LEISHMANIA JW 11/12 | - | - | - | - | - | - | - | - | - | NR | NEGATIVE | |
| 12243 | PATIENT # 14-APR-92, LE - | | | BL | 14-APR-92 | LM | 90006 | 15-MAY-92 | LEISHMANIA JW 11/12 | - | - | - | - | - | - | - | - | - | NR | NEGATIVE | |
| 12379 | PATIENT #1 15-APR-92, LE - | | | BL | 15-APR-92 | LM | 90006 | 15-MAY-92 | LEISHMANIA JW 11/12 | - | - | - | - | - | - | - | - | - | NR | NEGATIVE | |
| 12380 | PIRKEY, JASON | 20-461-77-7490 | BL | 15-APR-92 | LM | 90006 | 15-MAY-92 | LEISHMANIA JW 11/12 | - | - | - | - | - | - | - | - | - | - | NR | NEGATIVE | |
| 12381 | PIRKEY, JASON | 20-461-77-7490 | BM | 15-APR-92 | LM | 90006 | 25-MAY-92 | LEISHMANIA JW 11/12 | - | - | - | - | - | - | - | - | - | - | NR | NEGATIVE | |
| 12403 | PATIENT 17-APR-92, LEISH - | | | BL | 17-APR-92 | LM | 90006 | 15-MAY-92 | LEISHMANIA JW 11/12 | - | - | - | - | - | - | - | - | - | NR | NEGATIVE | |
| 12404 | PATIENT 17-APR-92, LEISH - | | | BM | 17-APR-92 | LM | 90006 | 25-MAY-92 | LEISHMANIA JW 11/12 | - | - | - | - | - | - | - | - | - | NR | NEGATIVE | |
| 12481 | PATIENT #B1 20-APR-92, L - | | | BL | 20-APR-92 | LM | 90006 | 15-MAY-92 | LEISHMANIA JW 11/12 | - | - | - | - | - | - | - | - | - | NR | NEGATIVE | |
| 12482 | PATIENT 20-APR-92, LEISH - | | | BM | 20-APR-92 | LM | 90006 | 25-MAY-92 | LEISHMANIA JW 11/12 | - | - | - | - | - | - | - | - | - | NR | NEGATIVE | |
| 12522 | DARLING, RALPH | 20-324-40-5525 | BL | 21-APR-92 | LM | 90006 | 15-MAY-92 | LEISHMANIA JW 11/12 | - | - | - | - | - | - | - | - | - | - | NR | NEGATIVE | |
| 12565 | PATIENT #1 23-APR-92, LE - | | | BL | 23-APR-92 | LM | 90006 | 15-MAY-92 | LEISHMANIA JW 11/12 | - | - | - | - | - | - | - | - | - | NR | NEGATIVE | |
| 12566 | PATIENT #1 23-APR-92, LE - | | | BM | 23-APR-92 | LM | 90006 | 25-MAY-92 | LEISHMANIA JW 11/12 | - | - | - | - | - | - | - | - | - | NR | NEGATIVE | |
| 12607 | PATIENT #2 27-APR-92, LE - | | | BL | 27-APR-92 | LM | 90006 | 15-MAY-92 | LEISHMANIA JW 11/12 | - | - | - | - | - | - | - | - | - | NR | NEGATIVE | |
| 12608 | PATIENT #1 27-APR-92, LE - | | | BM | 27-APR-92 | LM | 90006 | 25-MAY-92 | LEISHMANIA JW 11/12 | - | - | - | - | - | - | - | - | - | NR | NEGATIVE | |
| 12668 | PATIENT 30-APR-92, LEISH - | | | BL | 30-APR-92 | LM | 90006 | 15-MAY-92 | LEISHMANIA JW 11/12 | + | + | + | RE | | | | | | POSITIVE | | |
| 12669 | PATIENT 30-APR-92, LEISH - | | | BM | 30-APR-92 | LM | 90006 | 25-MAY-92 | LEISHMANIA JW 11/12 | + | + | + | RE | | | | | | POSITIVE | | |

| Spec ID | Patient Name | PCR Assay Results: LM | | | PCR Assay Results: JW 14 | | | Tube # 1 | | | Tube # 2 | | | Comments | | | Final Result | |
|---------|-------------------------------|-----------------------|-------------------------|-------|--------------------------|------------|------------|----------|-----|-----|----------|-----|-----|----------|-----|-----|--------------|--|
| | | FPC + SSN | Spec Received Type Date | Study | Panel | Assay Date | Virus | Primer | # 1 | # 2 | Int | # 1 | # 2 | Int | # 1 | # 2 | Comments | |
| 12723 | PATIENT #1 04 -MAY-92, LE - , | BM | 04-MAY-92 | LM | 90006 | 25-MAY-92 | LEISHMANIA | JW 11/12 | - | - | - | NR | NR | NR | NR | NR | NEGATIVE | |
| 12724 | PATIENT #2 04 -MAY-92, LE - , | BL | 04-MAY-92 | LM | 90006 | 22-MAY-92 | LEISHMANIA | JW 11/12 | - | - | - | NR | NR | NR | NR | NR | NEGATIVE | |
| 12725 | PATIENT #3 04 -MAY-92, LE - , | BM | 04-MAY-92 | LM | 90006 | 25-MAY-92 | LEISHMANIA | JW 11/12 | - | - | - | NR | NR | NR | NR | NR | NEGATIVE | |
| 12726 | PATIENT #4 04 -MAY-92, LE - , | BL | 04-MAY-92 | LM | 90006 | 22-MAY-92 | LEISHMANIA | JW 11/12 | - | - | - | NR | NR | NR | NR | NR | NEGATIVE | |
| 12780 | PATIENT 05-MAY-92, LEISH - , | BM | 05-MAY-92 | LM | 90006 | 22-MAY-92 | LEISHMANIA | JW 11/12 | - | - | - | NR | NR | NR | NR | NR | NEGATIVE | |
| 12781 | PATIENT 05-MAY-92, LEISH - , | BL | 05-MAY-92 | LM | 90006 | 22-MAY-92 | LEISHMANIA | JW 11/12 | - | - | - | NR | NR | NR | NR | NR | NEGATIVE | |
| 12928 | STONE, LEISHMANIA | BL | 12-MAY-92 | LM | 90006 | 22-MAY-92 | LEISHMANIA | JW 11/12 | - | - | - | NR | NR | NR | NR | NR | NEGATIVE | |
| 13403 | 701, LEISHMANIA | BL | 08-JUN-92 | LM | 90007 | 10-JUN-92 | LEISHMANIA | JW 11/12 | - | - | - | IND | IND | IND | IND | IND | NEGATIVE | |
| 13404 | 702, LEISHMANIA | BL | 08-JUN-92 | LM | 90007 | 10-JUN-92 | LEISHMANIA | JW 11/12 | - | - | - | NR | NR | NR | NR | NR | NEGATIVE | |
| 13405 | 711, LEISHMANIA | BL | 08-JUN-92 | LM | 90007 | 10-JUN-92 | LEISHMANIA | JW 11/12 | + | + | + | RE | RE | RE | RE | RE | POSITIVE | |
| 13406 | 712, LEISHMANIA | BL | 08-JUN-92 | LM | 90007 | 10-JUN-92 | LEISHMANIA | JW 11/12 | - | - | - | NR | NR | NR | NR | NR | NEGATIVE | |
| 13407 | 713, LEISHMANIA | BL | 08-JUN-92 | LM | 90007 | 10-JUN-92 | LEISHMANIA | JW 11/12 | - | - | - | NR | NR | NR | NR | NR | NEGATIVE | |
| 13408 | 718, LEISHMANIA | BL | 08-JUN-92 | LM | 90007 | 10-JUN-92 | LEISHMANIA | JW 11/12 | - | - | - | NR | NR | NR | NR | NR | NEGATIVE | |
| 13409 | 725, LEISHMANIA | BL | 08-JUN-92 | LM | 90007 | 10-JUN-92 | LEISHMANIA | JW 11/12 | - | - | - | NR | NR | NR | NR | NR | NEGATIVE | |
| 13410 | 729, LEISHMANIA | BL | 08-JUN-92 | LM | 90007 | 10-JUN-92 | LEISHMANIA | JW 11/12 | - | - | - | NR | NR | NR | NR | NR | NEGATIVE | |
| 13411 | 738, LEISHMANIA | BL | 08-JUN-92 | LM | 90007 | 10-JUN-92 | LEISHMANIA | JW 11/12 | - | - | - | IND | IND | IND | IND | IND | NEGATIVE | |
| 13412 | 740, LEISHMANIA | BL | 08-JUN-92 | LM | 90007 | 10-JUN-92 | LEISHMANIA | JW 11/12 | - | - | - | NR | NR | NR | NR | NR | NEGATIVE | |
| 13413 | 761, LEISHMANIA | BL | 08-JUN-92 | LM | 90007 | 10-JUN-92 | LEISHMANIA | JW 11/12 | - | - | - | NR | NR | NR | NR | NR | NEGATIVE | |
| 13414 | 767, LEISHMANIA | BL | 08-JUN-92 | LM | 90007 | 10-JUN-92 | LEISHMANIA | JW 11/12 | - | - | - | NR | NR | NR | NR | NR | NEGATIVE | |
| 13415 | 768, LEISHMANIA | BL | 08-JUN-92 | LM | 90007 | 10-JUN-92 | LEISHMANIA | JW 11/12 | - | - | - | NR | NR | NR | NR | NR | NEGATIVE | |
| 13416 | 778, LEISHMANIA | BL | 08-JUN-92 | LM | 90007 | 10-JUN-92 | LEISHMANIA | JW 11/12 | - | - | - | NR | NR | NR | NR | NR | NEGATIVE | |
| 13417 | 779, LEISHMANIA | BL | 08-JUN-92 | LM | 90007 | 10-JUN-92 | LEISHMANIA | JW 11/12 | - | - | - | NR | NR | NR | NR | NR | NEGATIVE | |

PCR Assay Results: LM
Probe JW 14

| Spec ID | Patient Name | Spec Received | | | | Panel | Assay Date | Virus | Primer | Tube # | Comments | Final Result |
|---------|------------------|---------------|-----|------|-----------|-------|-----------------|---------------------|--------|--------|----------|--------------|
| | | FPC + | SSN | Type | Date | | | | | | | |
| 13418 | 780, LEISHMANIA | - | - | BL | 08-JUN-92 | LM | 90007 10-JUN-92 | LEISHMANIA JW 11/12 | - | - | NR | NEGATIVE |
| 13419 | 789, LEISHMANIA | - | - | BL | 08-JUN-92 | LM | 90007 10-JUN-92 | LEISHMANIA JW 11/12 | - | - | NR | NEGATIVE |
| 13420 | 790, LEISHMANIA | - | - | BL | 08-JUN-92 | LM | 90007 10-JUN-92 | LEISHMANIA JW 11/12 | - | - | NR | NEGATIVE |
| 13421 | 795, LEISHMANIA | - | - | BL | 08-JUN-92 | LM | 90007 10-JUN-92 | LEISHMANIA JW 11/12 | - | - | NR | NEGATIVE |
| 13422 | 796, LEISHMANIA | - | - | BL | 08-JUN-92 | LM | 90007 10-JUN-92 | LEISHMANIA JW 11/12 | - | - | NR | NEGATIVE |
| 13423 | 803, LEISHMANIA | - | - | BL | 08-JUN-92 | LM | 90007 10-JUN-92 | LEISHMANIA JW 11/12 | - | - | NR | NEGATIVE |
| 13424 | 806, LEISHMANIA | - | - | BL | 08-JUN-92 | LM | 90007 10-JUN-92 | LEISHMANIA JW 11/12 | - | - | NR | NEGATIVE |
| 13425 | 807, LEISHMANIA | - | - | BL | 08-JUN-92 | LM | 90007 09-JUN-92 | LEISHMANIA JW 11/12 | - | - | NR | NEGATIVE |
| 13426 | 815, LEISHMANIA | - | - | BL | 08-JUN-92 | LM | 90007 10-JUN-92 | LEISHMANIA JW 11/12 | - | - | NR | NEGATIVE |
| 13427 | 816, LEISHMANIA | - | - | BL | 08-JUN-92 | LM | 90007 10-JUN-92 | LEISHMANIA JW 11/12 | - | - | NR | NEGATIVE |
| 13428 | 817, LEISHMANIA | - | - | BL | 08-JUN-92 | LM | 90007 10-JUN-92 | LEISHMANIA JW 11/12 | - | - | NR | NEGATIVE |
| 13429 | 955, LEISHMANIA | - | - | BL | 08-JUN-92 | LM | 90007 10-JUN-92 | LEISHMANIA JW 11/12 | - | - | NR | NEGATIVE |
| 13430 | 960, LEISHMANIA | - | - | BL | 08-JUN-92 | LM | 90007 24-JUL-92 | LEISHMANIA JW 11/12 | - | - | NR | NEGATIVE |
| 13431 | 962, LEISHMANIA | - | - | BL | 08-JUN-92 | LM | 90007 10-JUN-92 | LEISHMANIA JW 11/12 | - | - | NR | NEGATIVE |
| 13432 | 963, LEISHMANIA | - | - | BL | 08-JUN-92 | LM | 90007 10-JUN-92 | LEISHMANIA JW 11/12 | - | - | NR | NEGATIVE |
| 13433 | 967, LEISHMANIA | - | - | BL | 08-JUN-92 | LM | 90007 10-JUN-92 | LEISHMANIA JW 11/12 | - | - | NR | NEGATIVE |
| 13434 | 1004, LEISHMANIA | - | - | BL | 08-JUN-92 | LM | 90007 10-JUN-92 | LEISHMANIA JW 11/12 | - | - | NR | NEGATIVE |
| 13435 | 1008, LEISHMANIA | - | - | BL | 08-JUN-92 | LM | 90007 10-JUN-92 | LEISHMANIA JW 11/12 | - | - | NR | NEGATIVE |
| 13436 | 1012, LEISHMANIA | - | - | BL | 08-JUN-92 | LM | 90007 10-JUN-92 | LEISHMANIA JW 11/12 | - | - | NR | NEGATIVE |
| 13437 | 1013, LEISHMANIA | - | - | BL | 08-JUN-92 | LM | 90007 10-JUN-92 | LEISHMANIA JW 11/12 | - | - | NR | NEGATIVE |
| 13438 | 1020, LEISHMANIA | - | - | BL | 08-JUN-92 | LM | 90007 10-JUN-92 | LEISHMANIA JW 11/12 | - | - | NR | NEGATIVE |
| 13439 | 1025, LEISHMANIA | - | - | BL | 08-JUN-92 | LM | 90007 10-JUN-92 | LEISHMANIA JW 11/12 | - | - | NR | NEGATIVE |

PCR Assay Results: LM
Probe JW 14

| Spec ID | Patient Name | Spec Received | | | Panel Assay | | | Primer | Tube | | | Comments | Final Result |
|---------|-----------------------|----------------|------|-----------|-------------|-----------------|------------|----------|------|-----|-----|----------|--------------|
| | | FPC + SSN | Type | Date | Study | Date | Virus | | # 1 | # 2 | Int | | |
| 13440 | 1026, LEISHMANIA | - | BL | 08-JUN-92 | LM | 90007 24-JUN-92 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE | NEGATIVE |
| 13441 | 1033, LEISHMANIA | - | BL | 08-JUN-92 | LM | 90007 10-JUN-92 | LEISHMANIA | JW 11/12 | + | - | IND | NEGATIVE | NEGATIVE |
| 13442 | 1037, LEISHMANIA | - | BL | 08-JUN-92 | LM | 90007 10-JUN-92 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE | NEGATIVE |
| 13443 | 1038, LEISHMANIA | - | BL | 08-JUN-92 | LM | 90007 10-JUN-92 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE | NEGATIVE |
| 13444 | 1045, LEISHMANIA | - | BL | 08-JUN-92 | LM | 90007 10-JUN-92 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE | NEGATIVE |
| 13445 | 1051, LEISHMANIA | - | BL | 08-JUN-92 | LM | 90007 10-JUN-92 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE | NEGATIVE |
| 13446 | 1055, LEISHMANIA | - | BL | 08-JUN-92 | LM | 90007 10-JUN-92 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE | NEGATIVE |
| 13447 | 1058, LEISHMANIA | - | BL | 08-JUN-92 | LM | 90007 10-JUN-92 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE | NEGATIVE |
| 13448 | 1064, LEISHMANIA | - | BL | 08-JUN-92 | LM | 90007 10-JUN-92 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE | NEGATIVE |
| 13449 | 1073, LEISHMANIA | - | BL | 08-JUN-92 | LM | 90007 10-JUN-92 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE | NEGATIVE |
| 13450 | 1076, LEISHMANIA | - | BL | 08-JUN-92 | LM | 90007 10-JUN-92 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE | NEGATIVE |
| 13451 | 1099, LEISHMANIA | - | BL | 08-JUN-92 | LM | 90007 10-JUN-92 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE | NEGATIVE |
| 13452 | 1092, LEISHMANIA | - | BL | 08-JUN-92 | LM | 90007 10-JUN-92 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE | NEGATIVE |
| 13453 | 1095, LEISHMANIA | - | BL | 08-JUN-92 | LM | 90007 10-JUN-92 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE | NEGATIVE |
| 13454 | 1098, LEISHMANIA | - | BL | 08-JUN-92 | LM | 90007 10-JUN-92 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE | NEGATIVE |
| 23573 | LAROCHE, | - | BL | 07-JUN-93 | LM | 90008 08-JUN-93 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE | NEGATIVE |
| 23574 | HENDRICK, PETER | - | BL | 07-JUN-93 | LM | 90008 08-JUN-93 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE | NEGATIVE |
| 23575 | PATIENT #1 07-JUN-93, | - | BL | 07-JUN-93 | LM | 90008 08-JUN-93 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE | NEGATIVE |
| 23576 | PATIENT #2 07-JUN-93, | - | BM | 07-JUN-93 | LM | 90008 08-JUN-93 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE | NEGATIVE |
| 23677 | CHIPLEY, JOSHUA W | 20-564-33-6887 | BL | 11-JUN-93 | LM | 90008 15-JUN-93 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE | NEGATIVE |
| 23678 | CHIPLEY, JOSHUA W | 20-564-33-6887 | BL | 11-JUN-93 | LM | 90008 15-JUN-93 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE | NEGATIVE |
| 2000501 | 31601, | - | BL | 09-JUN-93 | LM | 90008 15-JUN-93 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE | NEGATIVE |
| 2000502 | 31601, | - | BM | 09-JUN-93 | LM | 90008 15-JUN-93 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE | NEGATIVE |

| Spec ID | Patient Name | PCR Assay Results: | | | Tube | | | # 1 | # 2 | Int | Comments | Final Result | | |
|---------|-------------------|--------------------|-----|---------------|------|------|-------|-------|-----------|------------|----------|--------------|---|----|
| | | FPC + | SSN | Spec Received | Type | Date | Study | Panel | Assay | Date | Virus | Primer | | |
| 2000503 | 31621, | - | BL | 11-JUN-93 | LM | | | 90008 | 15-JUN-93 | LEISHMANIA | JW 11/12 | + | + | RE |
| 2000504 | 31622, | - | BL | 14-JUN-93 | LM | | | 90008 | 15-JUN-93 | LEISHMANIA | JW 11/12 | + | + | RE |
| 2000505 | 31623, | - | BL | 11-JUN-93 | LM | | | 90008 | 15-JUN-93 | LEISHMANIA | JW 11/12 | + | + | RE |
| 2000506 | 31624, | - | BL | 11-JUN-93 | LM | | | 90008 | 15-JUN-93 | LEISHMANIA | JW 11/12 | + | + | RE |
| 2000507 | CHIPLEY, JOSHUA W | 20-564-33-6887 TE | | 11-JUN-93 | LM | | | 90008 | 15-JUN-93 | LEISHMANIA | JW 11/12 | - | - | NR |
| 2000508 | CHIPLEY, JOSHUA W | 20-564-33-6887 TE | | 11-JUN-93 | LM | | | 90008 | 15-JUN-93 | LEISHMANIA | JW 11/12 | - | - | NR |
| 26642 | 54F, | - | BL | 25-OCT-93 | LM | | | 90010 | 29-OCT-93 | LEISHMANIA | JW 11/12 | + | + | RE |
| 26643 | 65F, | - | BL | 25-OCT-93 | LM | | | 90010 | 29-OCT-93 | LEISHMANIA | JW 11/12 | - | - | NR |
| 26644 | 71F, | - | BL | 25-OCT-93 | LM | | | 90010 | 29-OCT-93 | LEISHMANIA | JW 11/12 | - | - | NR |
| 26645 | 72F, | - | BL | 25-OCT-93 | LM | | | 90010 | 29-OCT-93 | LEISHMANIA | JW 11/12 | - | - | NR |
| 26646 | 73/74F, | - | BL | 25-OCT-93 | LM | | | 90010 | 29-OCT-93 | LEISHMANIA | JW 11/12 | - | - | NR |
| 26647 | 77F, | - | BL | 25-OCT-93 | LM | | | 90010 | 29-OCT-93 | LEISHMANIA | JW 11/12 | - | - | NR |
| 26648 | 102F, | - | BL | 25-OCT-93 | LM | | | 90010 | 29-OCT-93 | LEISHMANIA | JW 11/12 | - | - | NR |
| 26716 | VAUGHAN, GEORGE | 20-543-62-6961 OR | | 27-OCT-93 | LM | | | 90010 | 29-OCT-93 | LEISHMANIA | JW 11/12 | - | - | NR |
| 2000692 | 328710, | - | BL | 14-OCT-93 | LM | | | 90010 | 22-OCT-93 | LEISHMANIA | JW 11/12 | - | - | NR |
| 2000693 | 328711, | - | BL | 14-OCT-93 | LM | | | 90010 | 22-OCT-93 | LEISHMANIA | JW 11/12 | - | - | NR |
| 2000694 | 328712, | - | BL | 14-OCT-93 | LM | | | 90010 | 22-OCT-93 | LEISHMANIA | JW 11/12 | - | - | NR |
| 2000695 | 32871, | - | BL | 14-OCT-93 | LM | | | 90010 | 22-OCT-93 | LEISHMANIA | JW 11/12 | - | - | NR |
| 2000696 | 32872, | - | BL | 14-OCT-93 | LM | | | 90010 | 22-OCT-93 | LEISHMANIA | JW 11/12 | - | - | NR |
| 2000697 | 32873, | - | BL | 14-OCT-93 | LM | | | 90010 | 22-OCT-93 | LEISHMANIA | JW 11/12 | - | - | NR |
| 2000698 | 32874, | - | BL | 14-OCT-93 | LM | | | 90010 | 22-OCT-93 | LEISHMANIA | JW 11/12 | - | - | NR |
| 2000699 | 32875, | - | BL | 14-OCT-93 | LM | | | 90010 | 22-OCT-93 | LEISHMANIA | JW 11/12 | - | - | NR |
| 2000704 | 32876, | - | BL | 14-OCT-93 | LM | | | 90010 | 22-OCT-93 | LEISHMANIA | JW 11/12 | - | - | NR |
| 2000705 | 32877, | - | BL | 14-OCT-93 | LM | | | 90010 | 22-OCT-93 | LEISHMANIA | JW 11/12 | - | - | NR |

PCR Assay Results: LM

| Spec ID | Patient Name | PCR Assay Results: LM | | | | PCR Assay Results: JW 14 | | | | PCR Assay Results: JW 14 | | | | Final Result | | | |
|---------|------------------|-----------------------|---------------|-----------|-------|--------------------------|------------|------------|----------|--------------------------|----------|-----|------------|--------------|----------|-----|----------|
| | | FPC + SSN | Spec Received | Type Date | Study | Panel | Assay Date | Virus | Primer | Tube # 1 | Tube # 2 | Int | Comments | Tube # 1 | Tube # 2 | Int | Comments |
| 2000706 | 32878, | - | BL | 14-OCT-93 | LM | 90010 | 22-OCT-93 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE | | | | |
| 2000707 | 32879, | - | BL | 14-OCT-93 | LM | 90010 | 22-OCT-93 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE | | | | |
| 2000708 | BACHMAN, JOHN | 20-205-42-4875 | TC | 20-OCT-93 | LM | 90010 | 29-OCT-93 | LEISHMANIA | JW 11/12 | + | + | RE | POSITIVE | | | | |
| 2000709 | VAUGHAN, GEORGE | 20-543-62-6961 | BL | 21-OCT-93 | LM | 90010 | 29-OCT-93 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE | | | | |
| 2000710 | VAUGHAN, GEORGE | 20-543-62-6961 | BM | 21-OCT-93 | LM | 90010 | 29-OCT-93 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE | | | | |
| 2000711 | VAUGHAN, GEORGE | 20-543-62-6961 | BM | 21-OCT-93 | LM | 90010 | 29-OCT-93 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE | | | | |
| 26879 | NERONE, MARCUS A | 20-257-17-3841 | BL | 03-NOV-93 | LM | 90011 | 08-NOV-93 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE | | | | |
| 26880 | NERONE, MARCUS A | 20-257-17-3841 | BM | 03-NOV-93 | LM | 90011 | 08-NOV-93 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE | | | | |
| 2000712 | VAUGHAN, GEORGE | 20-543-62-6961 | LI | 01-NOV-93 | LM | 90011 | 08-NOV-93 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE | | | | |
| 27156 | BRANDES, RONALD | 20-317-48-7871 | BL | 17-NOV-93 | LM | 90012 | 29-NOV-93 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE | | | | |
| 27157 | BRANDES, RONALD | 20-317-48-7871 | BM | 17-NOV-93 | LM | 90012 | 29-NOV-93 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE | | | | |
| 27165 | VAUGHAN, GEORGE | 20-543-62-6961 | TC | 18-NOV-93 | LM | 90012 | 29-NOV-93 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE | | | | |
| 27166 | NERONE, MARCUS A | 20-257-17-3841 | BL | 18-NOV-93 | LM | 90012 | 29-NOV-93 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE | | | | |
| 2000713 | NERONE, MARCUS A | 20-257-17-3841 | TC | 09-NOV-93 | LM | 90012 | 29-NOV-94 | LEISHMANIA | JW 11/12 | - | - | IND | INDETERMIN | | | | |
| 2000714 | BRANDES, RONALD | 20-317-48-7871 | TC | 17-NOV-93 | LM | 90012 | 29-NOV-93 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE | | | | |
| 2000715 | ELLIOTT, E | - | TC | 17-NOV-93 | LM | 90012 | 29-NOV-93 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE | | | | |
| 2000716 | ELLIOTT, E | - | TC | 17-NOV-93 | LM | 90012 | 29-NOV-93 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE | | | | |
| 2000766 | BRANDES, RONALD | 20-317-48-7871 | LM | 23-NOV-93 | LM | 90012 | 02-DEC-93 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE | | | | |
| 2000767 | BRANDES, RONALD | 20-317-48-7871 | LI | 23-NOV-93 | LM | 90012 | 02-DEC-93 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE | | | | |
| 2000768 | BRANDES, RONALD | 20-317-48-7871 | TC | 23-NOV-93 | LM | 90012 | 02-DEC-93 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE | | | | |
| 2000769 | BRANDES, RONALD | 20-317-48-7871 | TC | 23-NOV-93 | LM | 90012 | 02-DEC-93 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE | | | | |
| 27882 | HAYES, JAMES | -380-80-7107 | BL | 21-JAN-94 | LM | 90013 | 01-JAN-94 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE | | | | |
| 27883 | HAYES, JAMES | - | BL | 21-JAN-94 | LM | 90013 | 13-JAN-94 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE | | | | |
| 2000771 | 40211, | - | | | | 90013 | 26-JAN-94 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE | | | | |

| Spec ID | Patient Name | PCR Assay Results: LM | | | | | | | | | | PCR Assay Results: JW 14 | | | | PCR Assay Results: JW | | | |
|-----------------------------|--------------|-----------------------|---------------|-----------|-------|-------|------------|------------|----------|--------|--------|--------------------------|--------|--------|----------|-----------------------|--|--|--|
| | | FPC + SSN | Spec Received | Type Date | Study | Panel | Assay Date | Virus | Primer | Tube # | Tube # | Comments | Tube # | Tube # | Comments | Final Result | | | |
| Z0000772 40212, | - | BL | 21-JAN-94 | LM | - | 90013 | 26-JAN-94 | LEISHMANIA | JW 11/12 | - | - | NR | - | - | - | NEGATIVE | | | |
| Z0000773 40213, | - | BL | 21-JAN-94 | LM | - | 90013 | 26-JAN-94 | LEISHMANIA | JW 11/12 | - | - | NR | - | - | - | NEGATIVE | | | |
| Z0000774 40214, | - | BL | 21-JAN-94 | LM | - | 90013 | 26-JAN-94 | LEISHMANIA | JW 11/12 | - | - | NR | - | - | - | NEGATIVE | | | |
| Z0000775 40215, | - | BL | 21-JAN-94 | LM | - | 90013 | 26-JAN-94 | LEISHMANIA | JW 11/12 | - | - | NR | - | - | - | NEGATIVE | | | |
| Z0000776 40216, | - | BL | 21-JAN-94 | LM | - | 90013 | 26-JAN-94 | LEISHMANIA | JW 11/12 | - | - | NR | - | - | - | NEGATIVE | | | |
| Z0000777 40217, | - | BL | 21-JAN-94 | LM | - | 90013 | 26-JAN-94 | LEISHMANIA | JW 11/12 | - | - | NR | - | - | - | NEGATIVE | | | |
| Z0000778 40218, | - | BL | 21-JAN-94 | LM | - | 90013 | 26-JAN-94 | LEISHMANIA | JW 11/12 | - | - | NR | - | - | - | NEGATIVE | | | |
| Z0000779 40219, | - | BL | 21-JAN-94 | LM | - | 90013 | 26-JAN-94 | LEISHMANIA | JW 11/12 | - | - | NR | - | - | - | NEGATIVE | | | |
| Z0000780 402110, | - | BL | 21-JAN-94 | LM | - | 90013 | 26-JAN-94 | LEISHMANIA | JW 11/12 | - | - | NR | - | - | - | NEGATIVE | | | |
| Z0000781 402111, | - | BL | 21-JAN-94 | LM | - | 90013 | 26-JAN-94 | LEISHMANIA | JW 11/12 | - | - | NR | - | - | - | NEGATIVE | | | |
| Z0000782 402112, | - | BL | 21-JAN-94 | LM | - | 90013 | 26-JAN-94 | LEISHMANIA | JW 11/12 | - | - | NR | - | - | - | NEGATIVE | | | |
| Z0000783 402113, | - | BL | 21-JAN-94 | LM | - | 90013 | 26-JAN-94 | LEISHMANIA | JW 11/12 | - | - | NR | - | - | - | NEGATIVE | | | |
| Z0000784 402114, | - | BL | 21-JAN-94 | LM | - | 90013 | 26-JAN-94 | LEISHMANIA | JW 11/12 | - | - | NR | - | - | - | NEGATIVE | | | |
| Z0000785 ZUPEC, JEFFREY | - | BL | 24-JAN-94 | LM | - | 90013 | 26-JAN-94 | LEISHMANIA | JW 11/12 | - | - | NR | - | - | - | NEGATIVE | | | |
| Z0000786 ZUPEC, JEFFREY | - | BL | 24-JAN-94 | LM | - | 90013 | 26-JAN-94 | LEISHMANIA | JW 11/12 | - | - | NR | - | - | - | NEGATIVE | | | |
| Z0000787 HALLMAN, JAMES | -419-62-6827 | LI | 25-JAN-94 | LM | - | 90013 | 27-JAN-94 | LEISHMANIA | JW 11/12 | - | - | NR | - | - | - | NEGATIVE | | | |
| 28479 RAYNER, GREGORY | -377-62-7801 | BL | 28-JAN-94 | LM | - | 90014 | 24-FEB-94 | LEISHMANIA | JW 11/12 | - | - | NR | - | - | - | NEGATIVE | | | |
| 28480 RAYNER, GREGORY | -377-62-7801 | BM | 28-JAN-94 | LM | - | 90014 | 24-FEB-94 | LEISHMANIA | JW 11/12 | - | - | NR | - | - | - | NEGATIVE | | | |
| 28976 SCHUENEMAN, MATTHEW D | - | BL | 14-FEB-94 | LM | - | 90014 | 01-MAR-94 | LEISHMANIA | JW 11/12 | - | - | NR | - | - | - | NEGATIVE | | | |
| 28977 SCHUENEMAN, MATTHEW D | - | BL | 14-FEB-94 | LM | - | 90014 | 01-MAR-94 | LEISHMANIA | JW 11/12 | - | - | NR | - | - | - | NEGATIVE | | | |
| 29034 HAYNESWORTH, WILLIE | -340-72-3179 | BM | 22-FEB-94 | LM | - | 90014 | 01-MAR-94 | LEISHMANIA | JW 11/12 | - | - | NR | - | - | - | NEGATIVE | | | |
| 29141 LYNN, KENNY | -465-35-8434 | OT | 17-FEB-94 | LM | - | 90014 | 01-MAR-94 | LEISHMANIA | JW 11/12 | + | + | NR | - | - | - | POSITIVE | | | |
| 29142 CRIBBS, JAMES | -262-29-5975 | BM | 17-FEB-94 | LM | - | 90014 | 01-MAR-94 | LEISHMANIA | JW 11/12 | - | - | NR | - | - | - | NEGATIVE | | | |
| Z0000788 40261, | - | BL | 27-JAN-94 | LM | - | 90014 | 24-FEB-94 | LEISHMANIA | JW 11/12 | - | - | NR | - | - | - | NEGATIVE | | | |

| Spec ID | Patient Name | PCR Assay Results: LM | | | | PCR Assay Results: JW 14 | | | | Comments | | | | Final Result | |
|---------|------------------|-----------------------|---------------|-----------|-------|--------------------------|------------|---------------|--------|----------|----------|-----|--|--------------|----------|
| | | EPC + S/N | Spec Received | Type Date | Study | Panel | Assay Date | Virus | Primer | Tube # 1 | Tube # 2 | Int | | | |
| Z000789 | 40262, | - | BM | 27-JAN-94 | LM | 90014 | 24-FEB-94 | LEISHMANIA JW | 11/12 | - | - | NR | | | NEGATIVE |
| Z000790 | 40271, | - | BM | 28-JAN-94 | LM | 90014 | 24-FEB-94 | LEISHMANIA JW | 11/12 | - | - | NR | | | NEGATIVE |
| Z000791 | 40321, | - | TC | 01-FEB-94 | LM | 90014 | 24-FEB-94 | LEISHMANIA JW | 11/12 | - | - | NR | | | NEGATIVE |
| Z000792 | 40331, | - | BL | 02-FEB-94 | LM | 90014 | 24-FEB-94 | LEISHMANIA JW | 11/12 | - | - | NR | | | NEGATIVE |
| Z000793 | 40332, | - | BL | 02-FEB-94 | LM | 90014 | 24-FEB-94 | LEISHMANIA JW | 11/12 | - | - | NR | | | NEGATIVE |
| Z000795 | 40341, | - | BL | 04-FEB-94 | LM | 90014 | 24-FEB-94 | LEISHMANIA JW | 11/12 | - | - | NR | | | NEGATIVE |
| Z000796 | 40342, | - | BM | 04-FEB-94 | LM | 90014 | 24-FEB-94 | LEISHMANIA JW | 11/12 | - | - | NR | | | NEGATIVE |
| Z000797 | 40343, | - | BM | 04-FEB-94 | LM | 90014 | 24-FEB-94 | LEISHMANIA JW | 11/12 | - | - | NR | | | NEGATIVE |
| Z000798 | BV4 DO, | - | SM | 04-FEB-94 | LM | 90014 | 24-FEB-94 | LEISHMANIA JW | 11/12 | + | + | RE | | | POSITIVE |
| Z000799 | BP1 DO, | - | SM | 04-FEB-94 | LM | 90014 | 24-FEB-94 | LEISHMANIA JW | 11/12 | - | - | NR | | | NEGATIVE |
| Z000800 | JH, | - | SM | 04-FEB-94 | LM | 90014 | 24-FEB-94 | LEISHMANIA JW | 11/12 | - | - | NR | | | NEGATIVE |
| Z000801 | B5 DO, | - | SM | 04-FEB-94 | LM | 90014 | 24-FEB-94 | LEISHMANIA JW | 11/12 | - | - | NR | | | NEGATIVE |
| Z000802 | A5 DO, | - | SM | 04-FEB-94 | LM | 90014 | 24-FEB-94 | LEISHMANIA JW | 11/12 | - | - | NR | | | NEGATIVE |
| Z000820 | WILLIAMS, THOMAS | -441-46-2127 | OT | 18-FEB-94 | LM | 90014 | 01-MAR-94 | LEISHMANIA JW | 11/12 | - | - | NR | | | NEGATIVE |
| Z000822 | LYON, KENNY | -465-35-8434 | OT | 23-FEB-94 | LM | 90014 | 01-MAR-94 | LEISHMANIA JW | 11/12 | - | - | NR | | | NEGATIVE |
| 28852 | WADDELL, DIRK | 20-343-56-3223 | OT | 08-FEB-94 | LM | 90015 | 14-FEB-94 | LEISHMANIA JW | 11/12 | - | - | NR | | | NEGATIVE |
| 28876 | 40401, | - | BL | 09-FEB-94 | LM | 90015 | 14-FEB-94 | LEISHMANIA JW | 11/12 | - | - | NR | | | NEGATIVE |
| 28877 | 40402, | - | BM | 09-FEB-94 | LM | 90015 | 14-FEB-94 | LEISHMANIA JW | 11/12 | - | - | NR | | | NEGATIVE |
| 28910 | LYON, KENNY | -465-35-8434 | BL | 10-FEB-94 | LM | 90015 | 14-FEB-94 | LEISHMANIA JW | 11/12 | - | - | NR | | | NEGATIVE |
| Z000803 | 40391, | - | BL | 07-FEB-94 | LM | 90015 | 14-FEB-94 | LEISHMANIA JW | 11/12 | - | - | NR | | | NEGATIVE |
| Z000804 | 40392, | - | BL | 07-FEB-94 | LM | 90015 | 14-FEB-94 | LEISHMANIA JW | 11/12 | - | - | NR | | | NEGATIVE |
| Z000805 | 40393, | - | BL | 07-FEB-94 | LM | 90015 | 14-FEB-94 | LEISHMANIA JW | 11/12 | - | - | NR | | | NEGATIVE |
| Z000806 | 40394, | - | BL | 07-FEB-94 | LM | 90015 | 14-FEB-94 | LEISHMANIA JW | 11/12 | - | - | NR | | | NEGATIVE |
| Z000807 | 40395, | - | BL | 07-FEB-94 | LM | 90015 | 14-FEB-94 | LEISHMANIA JW | 11/12 | - | - | NR | | | NEGATIVE |

| Spec ID | Patient Name | PCR Assay Results: LM | | | | | | PCR Assay Results: JW 14 | | | | | |
|---------|--------------|-----------------------|---------------|-----------|-------|-------|------------|--------------------------|----------|----------|----------|----------|------------------------------|
| | | FPC + SSN | Spec Received | Type Date | Study | Panel | Assay Date | Virus | Primer | Tube # 1 | Tube # 2 | Comments | Final Result |
| Z000808 | 40396, | - | BL | 07-FEB-94 | LM | 90015 | 14-FEB-94 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE |
| Z000809 | 40397, | - | BL | 07-FEB-94 | LM | 90015 | 14-FEB-94 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE |
| Z000810 | 40398, | - | BL | 07-FEB-94 | LM | 90015 | 14-FEB-94 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE |
| Z000811 | 40399, | - | BL | 07-FEB-94 | LM | 90015 | 14-APR-94 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE |
| Z000812 | 403910, | - | BL | 07-FEB-94 | LM | 90015 | 14-FEB-94 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE |
| Z000813 | 403911, | - | BL | 07-FEB-94 | LM | 90015 | 14-FEB-94 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE |
| Z000814 | 403912, | - | BL | 07-FEB-94 | LM | 90015 | 14-FEB-94 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE |
| Z000815 | 403913, | - | BL | 07-FEB-94 | LM | 90015 | 14-FEB-94 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE |
| Z000816 | 403914, | - | BL | 07-FEB-94 | LM | 90015 | 14-FEB-94 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE |
| Z000817 | 40411, | - | OT | 10-FEB-94 | LM | 90015 | 14-FEB-94 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE |
| 292255 | 40551, | - | BL | 25-FEB-94 | LM | 90016 | 21-MAR-94 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE |
| 292256 | 40552, | - | BL | 25-FEB-94 | LM | 90016 | 21-MAR-94 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE |
| 292257 | 40553, | - | BL | 25-FEB-94 | LM | 90016 | 21-MAR-94 | LEISHMANIA | JW 11/12 | - | - | NR | 70% OF TOTAL VOLUME NEGATIVE |
| 292258 | 40554, | - | BL | 25-FEB-94 | LM | 90016 | 21-MAR-94 | LEISHMANIA | JW 11/12 | - | - | NR | 95% OF TOTAL VOLUME NEGATIVE |
| 292259 | 40555, | - | BL | 25-FEB-94 | LM | 90016 | 21-MAR-94 | LEISHMANIA | JW 11/12 | - | - | NR | 45% OF TOTAL VOLUME NEGATIVE |
| 292260 | 40556, | - | BL | 25-FEB-94 | LM | 90016 | 21-MAR-94 | LEISHMANIA | JW 11/12 | - | - | NR | 30% OF TOTAL VOLUME NEGATIVE |
| 292261 | 40557, | - | BL | 25-FEB-94 | LM | 90016 | 21-MAR-94 | LEISHMANIA | JW 11/12 | - | - | NR | 35% OF TOTAL VOLUME NEGATIVE |
| 292262 | 40558, | - | BL | 25-FEB-94 | LM | 90016 | 21-MAR-94 | LEISHMANIA | JW 11/12 | - | - | NR | 35% OF TOTAL VOLUME NEGATIVE |
| 292264 | 405510, | - | BL | 25-FEB-94 | LM | 90016 | 21-MAR-94 | LEISHMANIA | JW 11/12 | - | - | NR | 40% OF TOTAL VOLUME NEGATIVE |
| 292265 | 405511, | - | BL | 25-FEB-94 | LM | 90016 | 21-MAR-94 | LEISHMANIA | JW 11/12 | - | - | NR | 50% OF TOTAL VOLUME NEGATIVE |
| 292266 | 405512, | - | BL | 25-FEB-94 | LM | 90016 | 21-MAR-94 | LEISHMANIA | JW 11/12 | - | - | NR | 50% OF TOTAL VOLUME NEGATIVE |
| 292267 | 405513, | - | BL | 25-FEB-94 | LM | 90016 | 21-MAR-94 | LEISHMANIA | JW 11/12 | - | - | NR | 55% OF TOTAL VOLUME NEGATIVE |
| 292268 | 405514, | - | BL | 25-FEB-94 | LM | 90016 | 21-MAR-94 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE |
| 292269 | 405515, | - | BL | 25-FEB-94 | LM | 90016 | 21-MAR-94 | LEISHMANIA | JW 11/12 | - | - | NR | 75% OF TOTAL VOLUME NEGATIVE |

PCR Assay Results: LM
Probe JW 14

| Spec ID | Patient Name | Spec Received | | Panel | Assay Date | Virus | Primer | Tube | | Comments | Final Result | |
|---------|--------------|---------------|-----|-------|------------|-------|-----------------|---------------|-------|----------|--------------|------------------------------|
| | | FPC + | SSN | | | | | # 1 | # 2 | | | |
| 29270 | 405516, | - | - | BL | 25-FEB-94 | LM | 90016 21-MAR-94 | LEISHMANIA JW | 11/12 | - | NR | 70% OF TOTAL VOLUME NEGATIVE |
| 29271 | 405517, | - | - | BL | 25-FEB-94 | LM | 90016 21-MAR-94 | LEISHMANIA JW | 11/12 | - | NR | 20% OF TOTAL VOLUME NEGATIVE |
| 29272 | 405518, | - | - | BL | 25-FEB-94 | LM | 90016 21-MAR-94 | LEISHMANIA JW | 11/12 | - | NR | 31% OF TOTAL VOLUME NEGATIVE |
| 29273 | 405519, | - | - | BL | 25-FEB-94 | LM | 90016 21-MAR-94 | LEISHMANIA JW | 11/12 | - | NR | 55% OF TOTAL VOLUME NEGATIVE |
| 29274 | 405520, | - | - | BL | 25-FEB-94 | LM | 90016 21-MAR-94 | LEISHMANIA JW | 11/12 | - | NR | 27% OF TOTAL VOLUME NEGATIVE |
| 29275 | 405521, | - | - | BL | 25-FEB-94 | LM | 90016 21-MAR-94 | LEISHMANIA JW | 11/12 | - | NR | 40% OF TOTAL VOLUME NEGATIVE |
| 29276 | 405522, | - | - | BL | 25-FEB-94 | LM | 90016 21-MAR-94 | LEISHMANIA JW | 11/12 | - | NR | NEGATIVE |
| 29277 | 405523, | - | - | BL | 25-FEB-94 | LM | 90016 21-MAR-94 | LEISHMANIA JW | 11/12 | - | NR | 20% OF TOTAL VOLUME NEGATIVE |
| 29278 | 405524, | - | - | BL | 25-FEB-94 | LM | 90016 21-MAR-94 | LEISHMANIA JW | 11/12 | - | NR | NEGATIVE |
| 29279 | 405525, | - | - | BL | 25-FEB-94 | LM | 90016 21-MAR-94 | LEISHMANIA JW | 11/12 | - | NR | 75% OF TOTAL VOLUME NEGATIVE |
| 29280 | 405526, | - | - | BL | 25-FEB-94 | LM | 90016 21-MAR-94 | LEISHMANIA JW | 11/12 | - | NR | NEGATIVE |
| 29281 | 405527, | - | - | BL | 25-FEB-94 | LM | 90016 21-MAR-94 | LEISHMANIA JW | 11/12 | - | NR | NEGATIVE |
| 29282 | 405528, | - | - | BL | 25-FEB-94 | LM | 90016 21-MAR-94 | LEISHMANIA JW | 11/12 | - | NR | NEGATIVE |
| 29283 | 405529, | - | - | BL | 25-FEB-94 | LM | 90016 24-MAR-94 | LEISHMANIA JW | 11/12 | - | NR | NEGATIVE |
| 29284 | 405530, | - | - | BL | 25-FEB-94 | LM | 90016 24-MAR-94 | LEISHMANIA JW | 11/12 | - | NR | NEGATIVE |
| 29285 | 405531, | - | - | BL | 25-FEB-94 | LM | 90016 24-MAR-94 | LEISHMANIA JW | 11/12 | - | NR | NEGATIVE |
| 29286 | 405532, | - | - | BL | 25-FEB-94 | LM | 90016 24-MAR-94 | LEISHMANIA JW | 11/12 | - | NR | 25% OF TOTAL VOLUME NEGATIVE |
| 29287 | 405533, | - | - | BL | 25-FEB-94 | LM | 90016 24-MAR-94 | LEISHMANIA JW | 11/12 | - | NR | 30% OF TOTAL VOLUME NEGATIVE |
| 29288 | 405534, | - | - | BL | 25-FEB-94 | LM | 90016 24-MAR-94 | LEISHMANIA JW | 11/12 | - | NR | 50% OF TOTAL VOLUME NEGATIVE |
| 29289 | 405535, | - | - | BL | 25-FEB-94 | LM | 90016 24-MAR-94 | LEISHMANIA JW | 11/12 | - | NR | NEGATIVE |
| 29290 | 405536, | - | - | BL | 25-FEB-94 | LM | 90016 24-MAR-94 | LEISHMANIA JW | 11/12 | - | NR | 40% OF TOTAL VOLUME NEGATIVE |
| 29291 | 405537, | - | - | BL | 25-FEB-94 | LM | 90016 24-MAR-94 | LEISHMANIA JW | 11/12 | - | NR | 25% OF TOTAL VOLUME NEGATIVE |
| 29292 | 405538, | - | - | BL | 25-FEB-94 | LM | 90016 24-MAR-94 | LEISHMANIA JW | 11/12 | - | NR | 40% OF TOTAL VOLUME NEGATIVE |
| 29293 | 405539, | - | - | BL | 25-FEB-94 | LM | 90016 24-MAR-94 | LEISHMANIA JW | 11/12 | - | NR | 45% OF TOTAL VOLUME NEGATIVE |

PCR Assay Results: LM
Probe JW 14

| Spec ID | Patient Name | Spec Received | | | | Panel | Assay Date | Virus | Primer | Tube | | Comments | Final Result |
|---------|----------------------|---------------|------|-----------|-------|-------|------------|------------|----------|------|-----|----------|-------------------------------|
| | | FPC + SSN | Type | Date | Study | | | | | # 1 | # 2 | Int | |
| 29294 | 405540, | - | BL | 25-FEB-94 | LM | 90016 | 24-MAR-94 | LEISHMANIA | JW 11/12 | - | - | NR | 55% OF TOTAL VOLUME NEGATIVE |
| 29295 | 405541, | - | BL | 25-FEB-94 | LM | 90016 | 24-MAR-94 | LEISHMANIA | JW 11/12 | - | - | NR | 35% OF TOTAL VOLUME NEGATIVE |
| 29296 | 405542, | - | BL | 25-FEB-94 | LM | 90016 | 24-MAR-94 | LEISHMANIA | JW 11/12 | - | - | NR | 35% OF TOTAL VOLUME NEGATIVE |
| 29297 | 405543, | - | BL | 25-FEB-94 | LM | 90016 | 24-MAR-94 | LEISHMANIA | JW 11/12 | - | - | NR | 20% OF TOTAL VOLUME NEGATIVE |
| 29298 | 405544, | - | BL | 25-FEB-94 | LM | 90016 | 24-MAR-94 | LEISHMANIA | JW 11/12 | - | - | NR | 45% OF TOTAL VOLUME NEGATIVE |
| 29299 | 405545, | - | BL | 25-FEB-94 | LM | 90016 | 24-MAR-94 | LEISHMANIA | JW 11/12 | - | - | NR | 35% OF TOTAL VOLUME NEGATIVE |
| 29300 | 405546, | - | BL | 25-FEB-94 | LM | 90016 | 24-MAR-94 | LEISHMANIA | JW 11/12 | - | - | NR | 25% OF RTOTAL VOLUME NEGATIVE |
| 29301 | 405547, | - | BL | 25-FEB-94 | LM | 90016 | 24-MAR-94 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE |
| 29302 | 405548, | - | BL | 25-FEB-94 | LM | 90016 | 24-MAR-94 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE |
| 29303 | 405549, | - | BL | 25-FEB-94 | LM | 90016 | 24-MAR-94 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE |
| 29304 | MALDONADO, TONY | - | BL | 25-FEB-94 | LM | 90016 | 24-MAR-94 | LEISHMANIA | JW 11/12 | +/- | + | RE | POSITIVE |
| 29384 | CHERSERY, CHENGETICH | - | OT | 03-MAR-94 | LM | 90016 | 24-MAR-94 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE |
| 29385 | PORONJO, MARY | - | OT | 04-MAR-94 | LM | 90016 | 24-MAR-94 | LEISHMANIA | JW 11/12 | - | - | NR | POSITIVE |
| 29387 | SAMOSN, GRACE | - | OT | 04-MAR-94 | LM | 90016 | 24-MAR-94 | LEISHMANIA | JW 11/12 | +/- | + | RE | POSITIVE |
| 29388 | KIPKEMEI, CHEROP | - | OT | 04-MAR-94 | LM | 90016 | 24-MAR-94 | LEISHMANIA | JW 11/12 | + | + | RE | POSITIVE |
| 29389 | BARTENJO, CHRISTINE | - | OT | 04-MAR-94 | LM | 90016 | 24-MAR-94 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE |
| 29390 | KANDAGOR, PERIS | - | OT | 04-MAR-94 | LM | 90016 | 24-MAR-94 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE |
| 29375 | GOULD, MICHAEL | -227-74-3133 | BM | 04-MAR-94 | LM | 90017 | 19-APR-94 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE |
| 29386 | GOULD, MICHAEL | -227-74-3133 | BL | 04-MAR-94 | LM | 90017 | 19-APR-94 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE |
| 29391 | MAHER, JEROME | -361-42-2793 | BL | 04-MAR-94 | LM | 90017 | 19-APR-94 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE |
| 29392 | MAHER, JEROME | -361-42-2793 | BM | 04-MAR-94 | LM | 90017 | 19-APR-94 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE |
| 29393 | WOOD, STEVE W | -594-20-7800 | BL | 04-MAR-94 | LM | 90017 | 19-APR-94 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE |
| 29394 | WOOD, STEVE W | -594-20-7800 | BM | 04-MAR-94 | LM | 90017 | 19-APR-94 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE |
| 29823 | TOOLE, JAMES | -274-40-7928 | BL | 14-MAR-94 | LM | 90017 | 19-APR-94 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE |

| Spec ID | Patient Name | PCR Assay Results: LM Probe JW 14 | | | | Panel | Assay Date | Virus | Primer | Tube # | | Comments | Final Result |
|---------|----------------------|-----------------------------------|-----|---------------|-----------|-------|------------|-----------|------------|--------|-------|----------|--------------|
| | | FPC + | SSN | Spec Received | Type Date | Study | 1 | 2 | Int | | | | |
| 29824 | TOOLE, JAMES | -274-40-7928 | BL | 14-MAR-94 | LM | | 90017 | 19-APR-94 | LEISHMANIA | JW | 11/12 | - | - |
| 29897 | WADDELL, DIRK | 20-343-56-3223 | BL | 21-MAR-94 | LM | | 90017 | 19-APR-94 | LEISHMANIA | JW | 11/12 | - | NR |
| 29919 | LIBERTY, SCHANEN | -450-47-5981 | BL | 22-MAR-94 | LM | | 90017 | 19-APR-94 | LEISHMANIA | JW | 11/12 | - | NR |
| 29948 | LIBERTY, SCHANEN | -450-47-5981 | BM | 22-MAR-94 | LM | | 90017 | 19-APR-94 | LEISHMANIA | JW | 11/12 | - | NR |
| 29959 | 40831, | - | BL | 25-MAR-94 | LM | | 90017 | 19-APR-94 | LEISHMANIA | JW | 11/12 | + | RE |
| 29960 | 40832, | - | BL | 25-MAR-94 | LM | | 90017 | 19-APR-94 | LEISHMANIA | JW | 11/12 | + | RE |
| 29961 | 40833, | - | BL | 25-MAR-94 | LM | | 90017 | 19-APR-94 | LEISHMANIA | JW | 11/12 | - | NR |
| 29962 | 40834, | - | BL | 25-MAR-94 | LM | | 90017 | 19-APR-94 | LEISHMANIA | JW | 11/12 | - | NR |
| 29985 | SCHVERMAN, KRISTIE L | -569-53-0637 | BL | 29-MAR-94 | LM | | 90017 | 19-APR-94 | LEISHMANIA | JW | 11/12 | - | NR |
| 30105 | SCHVERMAN, KRISTIE L | -569-53-0637 | BL | 29-MAR-94 | LM | | 90017 | 19-APR-94 | LEISHMANIA | JW | 11/12 | - | NR |
| 30201 | 40901, | - | BL | 01-APR-94 | LM | | 90017 | 19-APR-94 | LEISHMANIA | JW | 11/12 | - | NR |
| 30202 | 40902, | - | BL | 01-APR-94 | LM | | 90017 | 19-APR-94 | LEISHMANIA | JW | 11/12 | - | NR |
| 30203 | 40903, | - | BL | 01-APR-94 | LM | | 90017 | 19-APR-94 | LEISHMANIA | JW | 11/12 | - | NR |
| 30204 | 40904, | - | BL | 01-APR-94 | LM | | 90017 | 19-APR-94 | LEISHMANIA | JW | 11/12 | - | NR |
| 30205 | 40905, | - | BL | 01-APR-94 | LM | | 90017 | 19-APR-94 | LEISHMANIA | JW | 11/12 | - | NR |
| 30206 | 40906, | - | BL | 01-APR-94 | LM | | 90017 | 19-APR-94 | LEISHMANIA | JW | 11/12 | - | NR |
| 30207 | 40908, | - | BL | 01-APR-94 | LM | | 90017 | 19-APR-94 | LEISHMANIA | JW | 11/12 | - | NR |
| 30208 | 40908, | - | BL | 01-APR-94 | LM | | 90017 | 19-APR-94 | LEISHMANIA | JW | 11/12 | - | NR |
| 30209 | 40909, | - | BL | 01-APR-94 | LM | | 90017 | 19-APR-94 | LEISHMANIA | JW | 11/12 | - | NR |
| 30210 | 409010, | - | BL | 01-APR-94 | LM | | 90017 | 19-APR-94 | LEISHMANIA | JW | 11/12 | - | NR |
| 30211 | 409011, | - | BL | 01-APR-94 | LM | | 90017 | 19-APR-94 | LEISHMANIA | JW | 11/12 | - | NR |
| 30212 | 409012, | - | BL | 01-APR-94 | LM | | 90017 | 19-APR-94 | LEISHMANIA | JW | 11/12 | - | NR |
| 30213 | 409013, | - | BL | 01-APR-94 | LM | | 90017 | 19-APR-94 | LEISHMANIA | JW | 11/12 | - | NR |
| 30214 | 409014, | - | BL | 01-APR-94 | LM | | 90017 | 19-APR-94 | LEISHMANIA | JW | 11/12 | - | NR |

PCR Assay Results: LM
Probe JW 14

| Spec ID | Patient Name | Spec Received | | | | Panel | Assay Date | Virus | Primer | Tube | | Comments | Final Result |
|---------|---------------------|----------------|------|-----------|-------|-------|------------|------------|----------|------|-----|----------|------------------------------|
| | | FPC + SSN | Type | Date | Study | | | | | # 1 | # 2 | Int | |
| 30263 | PAULSEN, KIM | -571-35-8120 | BL | 06-APR-94 | LM | 90017 | 19-APR-94 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE |
| 30264 | PAULSEN, KIM | -571-35-8120 | BL | 06-APR-94 | LM | 90017 | 19-APR-94 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE |
| 30265 | CVC 39 EDTA, | - | BL | 06-APR-94 | LM | 90017 | 19-APR-94 | LEISHMANIA | JW 11/12 | + | + | RE | POSITIVE |
| 30266 | CVC 37 EDTA, | - | BL | 06-APR-94 | LM | 90017 | 19-APR-94 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE |
| 30267 | CVC 39 HEPARIN, | - | BL | 06-APR-94 | LM | 90017 | 19-APR-94 | LEISHMANIA | JW 11/12 | - | - | NR | 5% OF TOTAL VOLUME NEGATIVE |
| 30268 | CVC 40 HEPARIN, | - | BL | 06-APR-94 | LM | 90017 | 19-APR-94 | LEISHMANIA | JW 11/12 | - | - | NR | 20% OF TOTAL VOLUME NEGATIVE |
| 30269 | CVC 37 HEPARIN, | - | BL | 06-APR-94 | LM | 90017 | 19-APR-94 | LEISHMANIA | JW 11/12 | - | - | NR | 10% OF TOTAL VOLUME NEGATIVE |
| 30270 | CVC 40 EDTA, | - | BL | 06-APR-94 | LM | 90017 | 19-APR-94 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE |
| 30271 | CVC 36 HEPARIN, | - | BL | 06-APR-94 | LM | 90017 | 19-APR-94 | LEISHMANIA | JW 11/12 | - | - | NR | 10% OF TOTAL VOLUME NEGATIVE |
| 30272 | CVC 34 HEPARIN, | - | BL | 06-APR-94 | LM | 90017 | 19-APR-94 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE |
| 30273 | CVC 36 EDTA, | - | BL | 06-APR-94 | LM | 90017 | 19-APR-94 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE |
| 30274 | CVC 34 EDTA, | - | BL | 06-APR-94 | LM | 90017 | 19-APR-94 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE |
| 30289 | BALOGH, STEPHEN | -160-58-7391 | BL | 06-APR-94 | LM | 90017 | 19-APR-94 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE |
| 30290 | BALOGH, STEPHEN | -160-58-7391 | BM | 06-APR-94 | LM | 90017 | 19-APR-94 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE |
| 30423 | 40981, | - | BL | 08-APR-94 | LM | 90017 | 19-APR-94 | LEISHMANIA | JW 11/12 | + | + | RE | POSITIVE |
| 30424 | 40982, | - | BL | 08-APR-94 | LM | 90017 | 19-APR-94 | LEISHMANIA | JW 11/12 | + | + | RE | POSITIVE |
| 30425 | KRAMER, GARY | -178-42-7910 | BL | 08-APR-94 | LM | 90017 | 19-APR-94 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE |
| 30450 | NORTHEY, DUWAYNE F | 20-395-84-5069 | BL | 13-APR-94 | LM | 90017 | 19-APR-94 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE |
| 30451 | NORTHEY, DUWAYNE F | 20-395-84-5069 | BM | 13-APR-94 | LM | 90017 | 19-APR-94 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE |
| 30467 | STECKBECK, DEAN | 20-179-54-7414 | L1 | 13-APR-94 | LM | 90017 | 19-APR-94 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE |
| 30468 | CHOVERI, ROY | 20-215-70-5824 | BL | 13-APR-94 | LM | 90017 | 19-APR-94 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE |
| 30469 | CHOVERI, ROY | 20-215-70-5824 | BM | 13-APR-94 | LM | 90017 | 19-APR-94 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE |
| 28911 | LYON, KENNY | -465-35-8434 | BM | 10-FEB-94 | LM | 90018 | 02-MAY-94 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE |
| 29033 | HAYNESWORTH, WILLIE | -340-72-3179 | BL | 22-FEB-94 | LM | 90018 | 02-MAY-94 | LEISHMANIA | JW 11/12 | - | - | NR | NEGATIVE |

| Spec ID | Patient Name | PCR Assay Results: LM | | | | PCR Assay Results: UW 14 | | | | Tube # 1 | | | | Tube # 2 | | | | Comments | | | | Final Result | |
|---------|-----------------|-----------------------|---------------|-----------|------|--------------------------|------------|-------|---------|----------|--------|------|-----|----------|-----|----------|------|----------|----------|------|------|--------------|------|
| | | FPC + SSN | Spec Received | Type | Date | Study | Panel | Assay | Date | Virus | Primer | Tube | # 1 | # 2 | Int | Comments | Tube | Tube | Comments | Tube | Tube | Comments | Tube |
| 29263 | 40559, | - | BL | 25-FEB-94 | LM | 90018 02-MAY-94 | LEISHMANIA | JW | 11/12 | - | - | NR | - | - | - | NR | - | - | - | - | - | NEGATIVE | |
| 30621 | LATHAM, TRAVIS | 20-006-82-9838 | SK | 19-APR-94 | LM | 90018 02-MAY-94 | LEISHMANIA | JW | 11/12 | - | + | RE | - | - | - | RE | - | - | - | - | - | POSITIVE | |
| 30622 | CROFT, JOSHUA | 20-402-08-9845 | SK | 20-APR-94 | LM | 90018 02-MAY-94 | LEISHMANIA | JW | 11/12 | - | + | RE | - | - | - | RE | - | - | - | - | - | POSITIVE | |
| 30660 | BOWLES, HERBERT | 20-138-50-6441 | LI | 19-APR-94 | LM | 90018 02-MAY-94 | LEISHMANIA | JW | 11/12 | - | - | NR | - | - | - | NR | - | - | - | - | - | NEGATIVE | |
| 30802 | 41161, | - | BL | 26-APR-94 | LM | 90018 02-MAY-94 | LEISHMANIA | JW | 11/12 | - | + | RE | - | - | - | RE | - | - | - | - | - | POSITIVE | |
| 30803 | 41162, | - | BL | 26-APR-94 | LM | 90018 02-MAY-94 | LEISHMANIA | JW | 11/12 | - | + | RE | - | - | - | RE | - | - | - | - | - | POSITIVE | |
| 30804 | 41163, | - | BL | 26-APR-94 | LM | 90018 02-MAY-94 | LEISHMANIA | JW | 11/12 | - | + | RE | - | - | - | RE | - | - | - | - | - | POSITIVE | |
| 30805 | 41164, | - | BL | 25-APR-94 | LM | 90018 02-MAY-94 | LEISHMANIA | JW | 11/12 | - | - | NR | - | - | - | NR | - | - | - | - | - | NEGATIVE | |
| 30806 | PLUMMER, SCOTT | 20-018-48-7159 | SK | 26-APR-94 | LM | 90018 02-MAY-94 | LEISHMANIA | JW | 11/12 | - | + | RE | - | - | - | RE | - | - | - | - | - | POSITIVE | |
| Z000795 | 40341, | - | BL | 04-FEB-94 | LM | 90018 02-MAY-94 | LEISHMANIA | JW | 11/12 | - | - | NR | - | - | - | NR | - | - | - | - | - | NEGATIVE | |
| Z000821 | KAPPLAN, BARRY | 20-206-52-6668 | LN | 18-FEB-94 | LM | 90018 02-MAY-94 | LEISHMANIA | JW | 11/12 | - | - | NR | - | - | - | NR | - | - | - | - | - | NEGATIVE | |
| 30911 | 41221, | - | BL | 02-MAY-94 | LM | 90019 12-JUL-94 | LEISHMANIA | JW | 11i/12i | - | + | RE | - | - | - | RE | - | - | - | - | - | POSITIVE | |
| 30912 | 41222, | - | BL | 02-MAY-94 | LM | 90019 12-JUL-94 | LEISHMANIA | JW | 11i/12i | - | + | RE | - | - | - | RE | - | - | - | - | - | POSITIVE | |
| 30913 | 41223, | - | BL | 02-MAY-94 | LM | 90019 12-JUL-94 | LEISHMANIA | JW | 11i/12i | - | - | NR | - | - | - | NR | - | - | - | - | - | NEGATIVE | |
| 30914 | 41224, | - | BL | 02-MAY-94 | LM | 90019 12-JUL-94 | LEISHMANIA | JW | 11i/12i | - | - | NR | - | - | - | NR | - | - | - | - | - | NEGATIVE | |
| 30915 | 41225, | - | BL | 02-MAY-94 | LM | 90019 12-JUL-94 | LEISHMANIA | JW | 11i/12i | - | + | RE | - | - | - | RE | - | - | - | - | - | POSITIVE | |
| 30916 | 41226, | - | BL | 02-MAY-94 | LM | 90019 12-JUL-94 | LEISHMANIA | JW | 11i/12i | - | + | RE | - | - | - | RE | - | - | - | - | - | POSITIVE | |
| 30917 | 41227, | - | BL | 02-MAY-94 | LM | 90019 12-JUL-94 | LEISHMANIA | JW | 11i/12i | - | + | RE | - | - | - | RE | - | - | - | - | - | POSITIVE | |
| 30918 | 41228, | - | BL | 02-MAY-94 | LM | 90019 12-JUL-94 | LEISHMANIA | JW | 11i/12i | - | - | NR | - | - | - | NR | - | - | - | - | - | NEGATIVE | |
| 30919 | 41229, | - | BL | 02-MAY-94 | LM | 90019 12-JUL-94 | LEISHMANIA | JW | 11i/12i | - | - | NR | - | - | - | NR | - | - | - | - | - | NEGATIVE | |
| 30920 | 412210, | - | BL | 02-MAY-94 | LM | 90019 12-JUL-94 | LEISHMANIA | JW | 11i/12i | - | + | RE | - | - | - | RE | - | - | - | - | - | POSITIVE | |
| 30959 | PLUMMER, SCOTT | 20-018-48-7159 | SK | 05-MAY-94 | LM | 90019 08-JUL-94 | LEISHMANIA | JW | 11i/12i | - | + | RE | - | - | - | RE | - | - | - | - | - | POSITIVE | |
| 30990 | 41261, | 20- | BL | 06-MAY-94 | LM | 90019 12-JUL-94 | LEISHMANIA | JW | 11i/12i | - | - | NR | - | - | - | NR | - | - | - | - | - | NEGATIVE | |
| 30991 | 41262, | 20- | BL | 06-MAY-94 | LM | 90019 12-JUL-94 | LEISHMANIA | JW | 11i/12i | - | + | RE | - | - | - | RE | - | - | - | - | - | POSITIVE | |

Report Date:

卷之三

| Spec ID | Patient Name | Spec Received | | | | Probe JW 14 | | | | Final Result | | | |
|---------|-----------------------|----------------|------|-----------|-------|-------------|-----------|------------|------------|--------------|--------|--------|------------------------------|
| | | FPC + SSN | Type | Date | Study | Panel | Assay | Date | Virus | Primer | Tube # | Tube # | Comments |
| 30992 | 412233 , | 20- | BL | 06-MAY-94 | LM | 90019 | 12-JUL-94 | LEISHMANIA | JW 11i/12i | + | + | RE | POSITIVE |
| 30993 | 41264 , | 20- | BL | 06-MAY-94 | LM | 90019 | 12-JUL-94 | LEISHMANIA | JW 11i/12i | + | + | RE | POSITIVE |
| 30994 | 41265 , | 20- | BL | 06-MAY-94 | LM | 90019 | 12-JUL-94 | LEISHMANIA | JW 11i/12i | + | + | RE | POSITIVE |
| 31015 | BOYLE, SEAN P | 20-226-19-1869 | BL | 08-MAY-94 | LM | 90019 | 08-JUL-94 | LEISHMANIA | JW 11i/12i | - | - | NR | SEE REPORT |
| 31016 | BOYLE, SEAN P | 20-226-19-1869 | BM | 08-MAY-94 | LM | 90019 | 08-JUL-94 | LEISHMANIA | JW 11i/12i | - | - | NR | SEE REPORT |
| 31017 | SANTAFERRARA, JAMES P | 20-057-50-1286 | SP | 08-MAY-94 | LM | 90019 | 12-JUL-94 | LEISHMANIA | JW 11i/12i | - | - | NR | SEE REPORT |
| 31018 | SANTAFERRARA, JAMES P | 20-057-50-1286 | SP | 08-MAY-94 | LM | 90019 | 08-JUL-94 | LEISHMANIA | JW 11i/12i | - | - | NR | SEE REPORT |
| 31019 | BACHMAN, JOHN | 20-205-42-4875 | LN | 10-MAY-94 | LM | 90019 | 08-JUL-94 | LEISHMANIA | JW 11i/12i | - | - | NR | NEGATIVE |
| 31047 | ABDALLAH, BASSAM K | 20- | SK | 11-MAY-94 | LM | 90019 | 08-JUL-94 | LEISHMANIA | JW 11i/12i | - | - | NR | SEE REPORT |
| 31048 | LOCKETT, NORMA | 20-450-53-3473 | BL | 11-MAY-94 | LM | 90019 | 08-JUL-94 | LEISHMANIA | JW 11i/12i | - | - | NR | NEGATIVE |
| 31049 | LOCKETT, NORMA | 20-450-53-3473 | BM | 11-MAY-94 | LM | 90019 | 08-JUL-94 | LEISHMANIA | JW 11i/12i | - | - | ND | SEE REPORT |
| 31051 | 41301 , | 20- | BL | 10-MAY-94 | LM | 90019 | 12-JUL-94 | LEISHMANIA | JW 11i/12i | - | - | NR | 30% OF SUGG. NUMBER NEGATIVE |
| 31052 | 41302 , | 20- | BL | 10-MAY-94 | LM | 90019 | 12-JUL-94 | LEISHMANIA | JW 11i/12i | + | + | RE | NON-DIAG |
| 31053 | CROSSMAN, STEWART | 20-025-48-6417 | BL | 10-MAY-94 | LM | 90019 | 08-JUL-94 | LEISHMANIA | JW 11i/12i | - | - | NR | NON-DIAG |
| 31054 | CROSSMAN, STEWART | 20-025-48-6417 | BM | 10-MAY-94 | LM | 90019 | 08-JUL-94 | LEISHMANIA | JW 11i/12i | - | - | NR | POSITIVE |
| 31085 | BOYLE, SEAN P | 20-226-19-1869 | LN | 16-MAY-94 | LM | 90019 | 08-JUL-94 | LEISHMANIA | JW 11i/12i | - | - | NR | NEGATIVE |
| 31356 | WILLIAM, FRADY D | -239-37-0026 | BL | 20-MAY-94 | LM | 90019 | 08-JUL-94 | LEISHMANIA | JW 11i/12i | - | - | NR | NEGATIVE |
| 31357 | WILLIAM, FRADY D | -239-37-0026 | BM | 20-MAY-94 | LM | 90019 | 08-JUL-94 | LEISHMANIA | JW 11i/12i | - | - | NR | NEGATIVE |
| 31379 | 41401 , | - | BL | 23-MAY-94 | LM | 90019 | 08-JUL-94 | LEISHMANIA | JW 11i/12i | + | + | RE | POSITIVE |
| 31380 | 41402 , | - | BL | 23-MAY-94 | LM | 90019 | 08-JUL-94 | LEISHMANIA | JW 11i/12i | + | + | RE | POSITIVE |
| 31381 | 41404 , | - | BL | 23-MAY-94 | LM | 90019 | 08-JUL-94 | LEISHMANIA | JW 11i/12i | - | - | NR | NEGATIVE |
| 31382 | 41405 , | - | BL | 23-MAY-94 | LM | 90019 | 08-JUL-94 | LEISHMANIA | JW 11i/12i | - | - | NR | NEGATIVE |
| 31505 | CHIPLEY, JOSHUA W | 20-564-33-6887 | BL | 31-MAY-94 | LM | 90019 | 12-JUL-94 | LEISHMANIA | JW 11i/12i | - | - | NR | NEGATIVE |
| 31506 | CHIPLEY, JOSHUA W | 20-564-33-6887 | BM | 31-MAY-94 | LM | 90019 | 08-JUL-94 | LEISHMANIA | JW 11i/12i | - | - | NR | NEGATIVE |

| Spec ID | Patient Name | PCR Assay Results: LM | | | PCR Assay Results: JW 14 | | | Tube | Tube | # 1 | # 2 | Int | Comments | Final Result | |
|---------|---------------------|-----------------------|----------------|-----------|--------------------------|-------|-------|-----------|------------|------------|------------|-----|----------|----------------------|------------|
| | | FPC + SSN | Spec Received | Type | Date | Study | Panel | Assay | Date | Virus | Primer | | | | |
| 31529 | MALLOY, VICTOR | - | 20-308-60-0996 | BL | 01-JUN-94 | LM | - | 90019 | 12-JUL-94 | LEISHMANIA | JW 111/121 | - | - | NR | SEE REPORT |
| 31530 | MALLOY, VICTOR | 20-308-60-0996 | BM | 02-JUN-94 | LM | - | 90019 | 12-JUL-94 | LEISHMANIA | JW 111/121 | - | - | NR | NEGATIVE | |
| 31553 | COSNER, BRUCE | - | BM | 02-JUN-94 | LM | - | 90019 | 12-JUL-94 | LEISHMANIA | JW 111/121 | - | - | NR | SEE REPORT | |
| 31554 | CHIPLEY, JOSHUA W | 20-564-33-6887 | SK | 02-JUN-94 | LM | - | 90019 | 08-JUL-94 | LEISHMANIA | JW 111/121 | - | - | NR | NEGATIVE | |
| 31731 | MARTINEZ, ARGUELLO | - | BM | 08-JUN-94 | LM | - | 90019 | 08-JUL-94 | LEISHMANIA | JW 111/121 | - | - | NR | NEGATIVE | |
| 31749 | HAMDEN, CHARLES | 20-561-58-4162 | BL | 09-JUN-94 | LM | - | 90019 | 12-JUL-94 | LEISHMANIA | JW 111/121 | - | - | NR | NEGATIVE | |
| 31750 | HAMDEN, CHARLES | - | BM | 09-JUN-94 | LM | - | 90019 | 08-JUL-94 | LEISHMANIA | JW 111/121 | - | - | NR | SEE REPORT | |
| 31751 | JEMIOLA, RICHARD | - | BM | 09-JUN-94 | LM | - | 90019 | 08-JUL-94 | LEISHMANIA | JW 111/121 | - | - | NR | 20% OF STUGG. NUMBER | |
| 31797 | MAZUR, JOACHIM | - | BL | 16-JUN-94 | LM | - | 90019 | 08-JUL-94 | LEISHMANIA | JW 111/121 | - | - | NR | NEGATIVE | |
| 29033 | HAWNESWORTH, WILLIE | - | BL | 22-FEB-94 | LM | - | 90020 | 28-JUL-94 | LEISHMANIA | JW 111/121 | - | - | NR | SEE REPORT | |
| 30802 | 41161, | - | BL | 26-APR-94 | LM | - | 90020 | 28-JUL-94 | LEISHMANIA | JW 111/121 | + | + | RE | POSITIVE | |
| 30803 | 41162, | - | BL | 26-APR-94 | LM | - | 90020 | 28-JUL-94 | LEISHMANIA | JW 111/121 | + | + | RE | POSITIVE | |
| 30804 | 41163, | - | BL | 26-APR-94 | LM | - | 90020 | 28-JUL-94 | LEISHMANIA | JW 111/121 | + | + | RE | POSITIVE | |
| 30806 | PLUMMER, SCOTT | 20-018-48-7159 | SK | 26-APR-94 | LM | - | 90020 | 28-JUL-94 | LEISHMANIA | JW 111/121 | + | + | RE | POSITIVE | |
| 30995 | 41266, | 20- | BL | 06-MAY-94 | LM | - | 90020 | 01-AUG-94 | LEISHMANIA | JW 111/121 | + | + | RE | POSITIVE | |
| 31753 | TAYLOR, JAMES | - | BL | 10-JUN-94 | LM | - | 90020 | 01-AUG-94 | LEISHMANIA | JW 111/121 | - | - | NR | NEGATIVE | |
| 32325 | 54F, | - | BL | 13-JUL-94 | LM | - | 90020 | 28-JUL-94 | LEISHMANIA | JW 111/121 | - | - | NR | NEGATIVE | |
| 32326 | 53F, | - | BL | 13-JUL-94 | LM | - | 90020 | 28-JUL-94 | LEISHMANIA | JW 111/121 | - | - | NR | NEGATIVE | |
| 32350 | ZUPEC, JEFFREY | - | BM | 12-JUL-94 | LM | - | 90020 | 28-JUL-94 | LEISHMANIA | JW 111/121 | - | - | NR | NEGATIVE | |
| 32351 | GEIGER, MITCH | - | SK | 13-JUL-94 | LM | - | 90020 | 28-JUL-94 | LEISHMANIA | JW 111/121 | - | - | NR | NEGATIVE | |
| 32352 | GEIGER, MITCH | - | BL | 13-JUL-94 | LM | - | 90020 | 28-JUL-94 | LEISHMANIA | JW 111/121 | - | - | NR | NEGATIVE | |
| 32354 | PERDUE, JAMES | - | BL | 13-JUL-94 | LM | - | 90020 | 28-JUL-94 | LEISHMANIA | JW 111/121 | - | - | IND | INDETERMIN | |
| 32376 | 419433, | - | SBL | 13-JUL-94 | LM | - | 90020 | 01-AUG-94 | LEISHMANIA | JW 111/121 | + | - | IND | INDETERMIN | |
| 32377 | 419432, | - | SBL | 13-JUL-94 | LM | - | 90020 | 01-AUG-94 | LEISHMANIA | JW 111/121 | + | - | IND | INDETERMIN | |

| Spec ID | Patient Name | PCR Assay Results: LM Probe JW 14 | | | | PCR Assay Results: LM | | | | Comments | | | | Final Result | |
|---------|--------------|-----------------------------------|---------------|------|------|-----------------------|-------|------------|-----------------------|----------|--------|--------|-----|--------------|------------|
| | | Spec Received | PPC + SSN | Type | Date | Study | Panel | Assay Date | Virus | Primer | Tube # | Tube # | Int | | |
| 32378 | 419435, | - | SBL 13-JUL-94 | LM | | | 90020 | 27-JUL-94 | LEISHMANIA JW 11i/12i | | + | + | RE | POSITIVE | |
| 32379 | 419431, | - | SBL 13-JUL-94 | LM | | | 90020 | 27-JUL-94 | LEISHMANIA JW 11i/12i | | - | - | NR | NEGATIVE | |
| 32380 | 419436, | - | SBL 13-JUL-94 | LM | | | 90020 | 27-JUL-94 | LEISHMANIA JW 11i/12i | | - | - | NR | NEGATIVE | |
| 32380 | 419436, | - | SBL 13-JUL-94 | LM | | | 90020 | 05-AUG-94 | LEISHMANIA JW 11i/12 | | - | - | NR | NEGATIVE | |
| 32381 | 419434, | - | SBL 13-JUL-94 | LM | | | 90020 | 27-JUL-94 | LEISHMANIA JW 11i/12i | | - | - | NR | NEGATIVE | |
| 32381 | 419434, | - | SBL 13-JUL-94 | LM | | | 90020 | 05-AUG-94 | LEISHMANIA JW 11i/12 | | - | - | NR | NEGATIVE | |
| 32382 | 419430, | - | SBL 13-JUL-94 | LM | | | 90020 | 27-JUL-94 | LEISHMANIA JW 11i/12i | | + | + | RE | POSITIVE | |
| 32383 | 419429, | - | SBL 13-JUL-94 | LM | | | 90020 | 27-JUL-94 | LEISHMANIA JW 11i/12i | | - | - | NR | NEGATIVE | |
| 32383 | 419429, | - | SBL 13-JUL-94 | LM | | | 90020 | 05-AUG-94 | LEISHMANIA JW 11i/12 | | - | - | NR | NEGATIVE | |
| 32384 | 419428, | - | SBL 13-JUL-94 | LM | | | 90020 | 27-JUL-94 | LEISHMANIA JW 11i/12i | | - | - | NR | NEGATIVE | |
| 32384 | 419428, | - | SBL 13-JUL-94 | LM | | | 90020 | 05-AUG-94 | LEISHMANIA JW 11i/12 | | - | - | NR | NEGATIVE | |
| 32385 | 419427, | - | SBL 13-JUL-94 | LM | | | 90020 | 27-JUL-94 | LEISHMANIA JW 11i/12i | | - | - | NR | NEGATIVE | |
| 32385 | 419427, | - | SBL 13-JUL-94 | LM | | | 90020 | 05-AUG-94 | LEISHMANIA JW 11i/12 | | + | + | RE | POSITIVE | |
| 32386 | 419426, | - | SBL 13-JUL-94 | LM | | | 90020 | 27-JUL-94 | LEISHMANIA JW 11i/12i | | - | - | NR | NEGATIVE | |
| 32386 | 419426, | - | SBL 13-JUL-94 | LM | | | 90020 | 05-AUG-94 | LEISHMANIA JW 11i/12 | | - | - | NR | NEGATIVE | |
| 32387 | 419425, | - | SBL 13-JUL-94 | LM | | | 90020 | 27-JUL-94 | LEISHMANIA JW 11i/12i | | - | - | NR | NEGATIVE | INDETERMIN |
| 32387 | 419425, | - | SBL 13-JUL-94 | LM | | | 90020 | 05-AUG-94 | LEISHMANIA JW 11i/12i | | + | + | RE | POSITIVE | |
| 32388 | 419423, | - | SBL 13-JUL-94 | LM | | | 90020 | 01-AUG-94 | LEISHMANIA JW 11i/12i | | - | - | NR | NEGATIVE | |
| 32389 | 419422, | - | SBL 13-JUL-94 | LM | | | 90020 | 01-AUG-94 | LEISHMANIA JW 11i/12i | | + | + | RE | POSITIVE | |
| 32389 | 419421, | - | SBL 13-JUL-94 | LM | | | 90020 | 27-JUL-94 | LEISHMANIA JW 11i/12i | | - | - | NR | NEGATIVE | |
| 32391 | 419421, | - | SBL 13-JUL-94 | LM | | | 90020 | 05-AUG-94 | LEISHMANIA JW 11i/12 | | + | + | RE | POSITIVE | |
| 32392 | 419419, | - | SBL 13-JUL-94 | LM | | | 90020 | 27-JUL-94 | LEISHMANIA JW 11i/12i | | - | - | NR | NEGATIVE | |

PCR Assay Results: LM
Probe JW 14

| Spec ID | Patient Name | Spec Received | | Panel | | Assay Date | Virus | Primer | Tube | | Comments | Final Result |
|---------|--------------|---------------|------|---------------|----|-----------------|-----------------------|--------|------|-----|----------|--------------|
| | | Type | Date | Study | | | | | # 1 | # 2 | Int | |
| 32392 | 419419, | - | - | SBL 13-JUL-94 | LM | 90020 05-AUG-94 | LEISHMANIA JW 11i/12i | - | - | - | NR | NEGATIVE |
| 32393 | 419420, | - | - | SBL 13-JUL-94 | LM | 90020 27-JUL-94 | LEISHMANIA JW 11i/12i | - | - | - | NR | NEGATIVE |
| 32394 | 41941, | - | - | SCU 13-JUL-94 | LM | 90020 27-JUL-94 | LEISHMANIA JW 11i/12i | - | - | - | NR | NEGATIVE |
| 32394 | 41941, | - | - | SCU 13-JUL-94 | LM | 90020 05-AUG-94 | LEISHMANIA JW 11i/12 | - | - | - | NR | NEGATIVE |
| 32395 | 41942, | - | - | SCU 13-JUL-94 | LM | 90020 27-JUL-94 | LEISHMANIA JW 11i/12i | - | - | - | NR | NEGATIVE |
| 32396 | 41943, | - | - | SCU 13-JUL-94 | LM | 90020 27-JUL-94 | LEISHMANIA JW 11i/12i | - | - | - | NR | NEGATIVE |
| 32397 | 41944, | - | - | SCU 13-JUL-94 | LM | 90020 01-AUG-94 | LEISHMANIA JW 11i/12i | - | - | - | NR | NEGATIVE |
| 32398 | 41945, | - | - | SCU 13-JUL-94 | LM | 90020 27-JUL-94 | LEISHMANIA JW 11i/12i | - | - | - | NR | NEGATIVE |
| 32399 | 41946, | - | - | SCU 13-JUL-94 | LM | 90020 27-JUL-94 | LEISHMANIA JW 11i/12i | - | - | - | NR | NEGATIVE |
| 32399 | 41946, | - | - | SCU 13-JUL-94 | LM | 90020 05-AUG-94 | LEISHMANIA JW 11i/12 | - | - | - | NR | NEGATIVE |
| 32400 | 41948, | - | - | SCU 13-JUL-94 | LM | 90020 05-AUG-94 | LEISHMANIA JW 11i/12 | - | - | - | NR | NEGATIVE |
| 32400 | 41948, | - | - | SCU 13-JUL-94 | LM | 90020 01-AUG-94 | LEISHMANIA JW 11i/12i | - | - | - | IND | INDETERMIN |
| 32501 | 41948, | - | - | SCU 13-JUL-94 | LM | 90020 27-JUL-94 | LEISHMANIA JW 11i/12i | - | - | - | NR | NEGATIVE |
| 32502 | 41949, | - | - | SCU 13-JUL-94 | LM | 90020 27-JUL-94 | LEISHMANIA JW 11i/12i | - | - | - | NR | NEGATIVE |
| 32503 | 419410, | - | - | SCU 13-JUL-94 | LM | 90020 27-JUL-94 | LEISHMANIA JW 11i/12i | - | - | - | NR | NEGATIVE |
| 32504 | 419411, | - | - | SC 13-JUL-94 | LM | 90020 01-AUG-94 | LEISHMANIA JW 11i/12i | - | - | - | NR | NEGATIVE |
| 32505 | 419412, | - | - | SCU 13-JUL-94 | LM | 90020 01-AUG-94 | LEISHMANIA JW 11i/12i | - | - | - | NR | NEGATIVE |
| 32505 | 419412, | - | - | SCU 13-JUL-94 | LM | 90020 05-AUG-94 | LEISHMANIA JW 11i/12 | - | - | - | NR | NEGATIVE |
| 32507 | 419414, | - | - | SCU 13-JUL-94 | LM | 90020 28-JUL-94 | LEISHMANIA JW 11i/12i | - | - | - | NR | NEGATIVE |
| 32508 | 419413, | - | - | SCU 13-JUL-94 | LM | 90020 01-AUG-94 | LEISHMANIA JW 11i/12i | - | - | - | NR | NEGATIVE |
| 32509 | 419416, | - | - | SCU 13-JUL-94 | LM | 90020 28-JUL-94 | LEISHMANIA JW 11i/12i | - | - | - | NR | NEGATIVE |
| 32510 | 419417, | - | - | SCU 13-JUL-94 | LM | 90020 28-JUL-94 | LEISHMANIA JW 11i/12i | - | - | - | NR | NEGATIVE |

| Spec ID | Patient Name | PCR Assay Results: LM | | | | PCR Assay Results: JW 14 | | | | Comments | | | | Final Result | |
|---------|--------------------|-----------------------|---------------|-----------|-------|--------------------------|------------|---------------|---------|----------|--------|-----|----------------------|--------------|--|
| | | FPC + SSN | Spec Received | Type Date | Study | Panel | Assay Date | Virus | Primer | Tube # | Tube # | Int | | | |
| 32511 | 419418, | - | SCU | 13-JUL-94 | LM | 90020 | 28-JUL-94 | LEISHMANIA JW | 11i/12i | + | + | RE | | POSITIVE | |
| Z000795 | 40341, | - | BL | 04-FEB-94 | LM | 90020 | 28-JUL-94 | LEISHMANIA JW | 11i/12i | - | - | NR | | NEGATIVE | |
| Z000821 | KAPPLAN, BARRY | 20-206-52-66668 | LN | 18-FEB-94 | LM | 90020 | 28-JUL-94 | LEISHMANIA JW | 11i/12i | - | - | NR | | NEGATIVE | |
| 28911 | LYON, KENNY | -465-35-8434 | BM | 10-FEB-94 | LM | 90021 | 05-AUG-94 | LEISHMANIA JW | 11i/12i | - | - | NR | | NEGATIVE | |
| 30805 | 41164, | - | BL | 26-APR-94 | LM | 90021 | 05-AUG-94 | LEISHMANIA JW | 11i/12i | - | - | NR | | NEGATIVE | |
| 31796 | MAZUR, JOACHIM | -416-66-2154 | LN | 16-JUN-94 | LM | 90021 | 05-AUG-94 | LEISHMANIA JW | 11i/12i | - | - | NR | | NEGATIVE | |
| 31841 | FRANKS, JOHNNIE | -509-82-2357 | LN | 22-JUN-94 | LM | 90021 | 05-AUG-94 | LEISHMANIA JW | 11i/12i | - | - | NR | | NEGATIVE | |
| 31854 | SMITH, HERBERT J | 20-264-56-5136 | BM | 23-JUN-94 | LM | 90021 | 05-AUG-94 | LEISHMANIA JW | 11i/12i | - | - | NR | | NEGATIVE | |
| 31943 | MCKEE, THEODORE | -473-72-0140 | BL | 28-JUN-94 | LM | 90021 | 05-AUG-94 | LEISHMANIA JW | 11i/12i | - | - | NR | | NEGATIVE | |
| 31944 | MCKEE, THEODORE | -473-72-0140 | BM | 28-JUN-94 | LM | 90021 | 05-AUG-94 | LEISHMANIA JW | 11i/12i | - | - | NR | | NEGATIVE | |
| 31945 | FRANKS, JOHNNIE | -509-82-2357 | BL | 28-JUN-94 | LM | 90021 | 05-AUG-94 | LEISHMANIA JW | 11i/12i | - | - | NR | | NEGATIVE | |
| 31946 | FRANKS, JOHNNIE | -509-82-2357 | BM | 28-JUN-94 | LM | 90021 | 05-AUG-94 | LEISHMANIA JW | 11i/12i | - | - | NR | | NEGATIVE | |
| 32349 | ZUPEC, JEFFREY | - | BL | 12-JUL-94 | LM | 90021 | 05-AUG-94 | LEISHMANIA JW | 11i/12i | - | - | NR | | NEGATIVE | |
| 32353 | PERDUE, JAMES | -256-92-2772 | SK | 13-JUL-94 | LM | 90021 | 05-AUG-94 | LEISHMANIA JW | 11i/12i | - | - | NR | | NEGATIVE | |
| 32869 | COOKE, THOMAS | -101-46-8509 | LI | 03-AUG-94 | LM | 90022 | 18-AUG-94 | LEISHMANIA JW | 11i/12i | - | - | NR | | NEGATIVE | |
| 32993 | NORTHEY, DUVAYNE F | 20-395-84-5069 | BL | 12-AUG-94 | LM | 90022 | 18-AUG-94 | LEISHMANIA JW | 11i/12i | - | - | NR | | NEGATIVE | |
| 32994 | MARTEN, JOSEPH | -043-48-9687 | BL | 11-AUG-94 | LM | 90022 | 18-AUG-94 | LEISHMANIA JW | 11i/12i | - | - | NR | | NEGATIVE | |
| 32995 | MARTEN, JOSEPH | -043-48-9687 | BM | 11-AUG-94 | LM | 90022 | 18-AUG-94 | LEISHMANIA JW | 11i/12i | - | - | NR | | NEGATIVE | |
| 32996 | EDWARD, JAMES | -158-50-4154 | BL | 11-AUG-94 | LM | 90022 | 18-AUG-94 | LEISHMANIA JW | 11i/12i | - | - | NR | | NEGATIVE | |
| 32997 | EDWARD, JAMES | -158-50-4154 | LI | 11-AUG-94 | LM | 90022 | 18-AUG-94 | LEISHMANIA JW | 11i/12i | - | - | NR | | NEGATIVE | |
| 32998 | ROYNAN, MATTHEW | -209-58-7439 | BL | 11-AUG-94 | LM | 90022 | 18-AUG-94 | LEISHMANIA JW | 11i/12i | - | - | NR | | NEGATIVE | |
| 32999 | ROYNAN, MATTHEW | -209-58-7439 | SK | 11-AUG-94 | LM | 90022 | 18-AUG-94 | LEISHMANIA JW | 11i/12i | + | + | RE | | POSITIVE | |
| 33000 | ROYNAN, MATTHEW | -209-58-7439 | ASP | 11-AUG-94 | LM | 90022 | 18-AUG-94 | LEISHMANIA JW | 11i/12i | - | - | NR | 1.5% OF TOTAL VOLUME | NEGATIVE | |
| 33101 | NORTHEY, DUVAYNE F | 20-395-84-5069 | LI | 12-AUG-94 | LM | 90022 | 18-AUG-94 | LEISHMANIA JW | 11i/12i | - | - | NR | | NEGATIVE | |

| Spec ID | Patient Name | PCR Assay Results: LM Probe UW 14 | | | | PCR Assay Results: LM Probe UW 14 | | | | Tube Tube | | | | Comments | Final Result |
|---------|-------------------|--------------------------------------|---------------|-----------|-------|--------------------------------------|------------|---------------|---------|-----------|-----|-----|----------------------|----------|--------------|
| | | FPC + SSN | Spec Received | Type Date | Study | Panel | Assay Date | Virus | Primer | # 1 | # 2 | Int | -20% OF TOTAL VOLUME | | |
| 33111 | ROYNAN, MATTHEW | -209-58-7439 | ASP | 17-AUG-94 | LM | 90023 | 25-AUG-94 | LEISHMANIA JW | 111/121 | - | - | NR | 20% OF TOTAL VOLUME | NEGATIVE | |
| 33193 | RITTER, BARBARA K | -404-60-5363 | BL | 25-AUG-94 | LM | 90024 | 13-SEP-94 | LEISHMANIA JW | 111/121 | - | - | NR | 20% OF TOTAL VOLUME | NEGATIVE | |
| 33194 | RITTER, BARBARA K | -404-60-5363 | BM | 25-AUG-94 | LM | 90024 | 13-SEP-94 | LEISHMANIA JW | 111/121 | - | - | NR | 20% OF TOTAL VOLUME | NEGATIVE | |
| 33195 | LALITA, DEVI | - | BL | 25-AUG-94 | LM | 90024 | 13-SEP-94 | LEISHMANIA JW | 111/121 | - | - | NR | 20% OF TOTAL VOLUME | NEGATIVE | |
| 33196 | RAKESH, KV | - | BL | 25-AUG-94 | LM | 90024 | 13-SEP-94 | LEISHMANIA JW | 111/121 | + | + | RE | ABL-C-018 | POSITIVE | |
| 33197 | RITTER, BARBARA K | -404-60-5363 | LI | 25-AUG-94 | LM | 90024 | 13-SEP-94 | LEISHMANIA JW | 111/121 | - | - | NR | 20% OF TOTAL VOLUME | NEGATIVE | |
| 33198 | 42381, | - | BL | 26-AUG-94 | LM | 90024 | 13-SEP-94 | LEISHMANIA JW | 111/121 | - | - | NR | 20% OF TOTAL VOLUME | NEGATIVE | |
| 33199 | 42382, | - | BL | 26-AUG-94 | LM | 90024 | 13-SEP-94 | LEISHMANIA JW | 111/121 | - | - | NR | 20% OF TOTAL VOLUME | NEGATIVE | |
| 33200 | 42383, | - | BL | 26-AUG-94 | LM | 90024 | 13-SEP-94 | LEISHMANIA JW | 111/121 | - | - | NR | 20% OF TOTAL VOLUME | NEGATIVE | |
| 33301 | 42384, | - | BL | 26-AUG-94 | LM | 90024 | 13-SEP-94 | LEISHMANIA JW | 111/121 | - | - | NR | 20% OF TOTAL VOLUME | NEGATIVE | |
| 33302 | 42385, | - | BL | 26-AUG-94 | LM | 90024 | 13-SEP-94 | LEISHMANIA JW | 111/121 | - | - | NR | 20% OF TOTAL VOLUME | NEGATIVE | |
| 33303 | 42386, | - | BL | 26-AUG-94 | LM | 90024 | 13-SEP-94 | LEISHMANIA JW | 111/121 | - | - | NR | 20% OF TOTAL VOLUME | NEGATIVE | |
| 33304 | 42387, | - | BL | 26-AUG-94 | LM | 90024 | 13-SEP-94 | LEISHMANIA JW | 111/121 | - | - | NR | 20% OF TOTAL VOLUME | NEGATIVE | |
| 33305 | 42388, | - | BL | 26-AUG-94 | LM | 90024 | 13-SEP-94 | LEISHMANIA JW | 111/121 | - | - | NR | 20% OF TOTAL VOLUME | NEGATIVE | |
| 33306 | 42389, | - | BL | 26-AUG-94 | LM | 90024 | 13-SEP-94 | LEISHMANIA JW | 111/121 | - | - | NR | 20% OF TOTAL VOLUME | NEGATIVE | |
| 33307 | 423810, | - | BL | 26-AUG-94 | LM | 90024 | 19-SEP-94 | LEISHMANIA JW | 111/121 | - | - | NR | 20% OF TOTAL VOLUME | NEGATIVE | |
| 33308 | 423811, | - | BL | 26-AUG-94 | LM | 90024 | 13-SEP-94 | LEISHMANIA JW | 111/121 | - | - | NR | 20% OF TOTAL VOLUME | NEGATIVE | |
| 33309 | 423812, | - | BL | 26-AUG-94 | LM | 90024 | 13-SEP-94 | LEISHMANIA JW | 111/121 | - | - | NR | 20% OF TOTAL VOLUME | NEGATIVE | |
| 33310 | 423813, | - | BL | 26-AUG-94 | LM | 90024 | 13-SEP-94 | LEISHMANIA JW | 111/121 | - | - | NR | 20% OF TOTAL VOLUME | NEGATIVE | |
| 33311 | 423814, | - | BL | 26-AUG-94 | LM | 90024 | 13-SEP-94 | LEISHMANIA JW | 111/121 | - | - | NR | 20% OF TOTAL VOLUME | NEGATIVE | |
| 33312 | 423815, | - | BL | 26-AUG-94 | LM | 90024 | 19-SEP-94 | LEISHMANIA JW | 111/121 | - | - | NR | 20% OF TOTAL VOLUME | NEGATIVE | |
| 33313 | 423816, | - | BL | 26-AUG-94 | LM | 90024 | 13-SEP-94 | LEISHMANIA JW | 111/121 | - | - | NR | 20% OF TOTAL VOLUME | NEGATIVE | |
| 33314 | 423817, | - | BL | 26-AUG-94 | LM | 90024 | 13-SEP-94 | LEISHMANIA JW | 111/121 | - | - | NR | 20% OF TOTAL VOLUME | NEGATIVE | |
| 33315 | 423818, | - | BL | 26-AUG-94 | LM | 90024 | 19-SEP-94 | LEISHMANIA JW | 111/121 | - | - | NR | 20% OF TOTAL VOLUME | NEGATIVE | |

| Spec ID | Patient Name | PCR Assay Results: LM | | | PCR Assay Results: JW 14 | | | Panel Assay Date Virus | | | Primer | # 1 # 2 Int | | | Comments | | Final Result | |
|---------|--------------|-----------------------|------|---------------|--------------------------|-----------------|------------|------------------------|---------------|-------|--------|-------------|---------------|-------|----------|---|--------------|--|
| | | FPC + SSN | Type | Received Date | Study | Date | Spec | Type | Received Date | Study | Date | Type | Received Date | Study | Date | | | |
| 33316 | 423819, | - | BL | 26-AUG-94 | LM | 90024 13-SEP-94 | LEISHMANIA | JW | 11i/12i | - | - | NR | - | - | - | - | NEGATIVE | |
| 33317 | 423820, | - | BL | 26-AUG-94 | LM | 90024 13-SEP-94 | LEISHMANIA | JW | 11i/12i | - | - | NR | - | - | - | - | NEGATIVE | |
| 33318 | 423821, | - | BL | 26-AUG-94 | LM | 90024 13-SEP-94 | LEISHMANIA | JW | 11i/12i | - | - | NR | - | - | - | - | NEGATIVE | |
| 33319 | 423822, | - | BL | 26-AUG-94 | LM | 90024 13-SEP-94 | LEISHMANIA | JW | 11i/12i | - | - | NR | - | - | - | - | NEGATIVE | |
| 33320 | 423823, | - | BL | 26-AUG-94 | LM | 90024 13-SEP-94 | LEISHMANIA | JW | 11i/12i | - | - | NR | - | - | - | - | NEGATIVE | |
| 33321 | 423824, | - | BL | 26-AUG-94 | LM | 90024 13-SEP-94 | LEISHMANIA | JW | 11i/12i | - | - | NR | - | - | - | - | NEGATIVE | |
| 33322 | 423825, | - | BL | 26-AUG-94 | LM | 90024 13-SEP-94 | LEISHMANIA | JW | 11i/12i | - | - | NR | - | - | - | - | NEGATIVE | |
| 33323 | 423826, | - | BL | 26-AUG-94 | LM | 90024 13-SEP-94 | LEISHMANIA | JW | 11i/12i | - | - | NR | - | - | - | - | NEGATIVE | |
| 33324 | 423827, | - | BL | 26-AUG-94 | LM | 90024 13-SEP-94 | LEISHMANIA | JW | 11i/12i | - | - | NR | - | - | - | - | NEGATIVE | |
| 33325 | 423828, | - | BL | 26-AUG-94 | LM | 90024 13-SEP-94 | LEISHMANIA | JW | 11i/12i | - | - | NR | - | - | - | - | NEGATIVE | |
| 33326 | 423829, | - | BL | 26-AUG-94 | LM | 90024 19-SEP-94 | LEISHMANIA | JW | 11i/12i | - | - | NR | - | - | - | - | NEGATIVE | |
| 33327 | 423830, | - | BL | 26-AUG-94 | LM | 90024 13-SEP-94 | LEISHMANIA | JW | 11i/12i | - | - | NR | - | - | - | - | NEGATIVE | |
| 33328 | 423831, | - | BL | 26-AUG-94 | LM | 90024 13-SEP-94 | LEISHMANIA | JW | 11i/12i | - | - | NR | - | - | - | - | NEGATIVE | |
| 33329 | 423832, | - | BL | 26-AUG-94 | LM | 90024 13-SEP-94 | LEISHMANIA | JW | 11i/12i | - | - | NR | - | - | - | - | NEGATIVE | |
| 33330 | 423833, | - | BL | 26-AUG-94 | LM | 90024 13-SEP-94 | LEISHMANIA | JW | 11i/12i | - | - | NR | - | - | - | - | NEGATIVE | |
| 33331 | 423834, | - | BL | 26-AUG-94 | LM | 90024 13-SEP-94 | LEISHMANIA | JW | 11i/12i | - | - | NR | - | - | - | - | NEGATIVE | |
| 33332 | 423835, | - | BL | 26-AUG-94 | LM | 90024 13-SEP-94 | LEISHMANIA | JW | 11i/12i | - | - | NR | - | - | - | - | NEGATIVE | |
| 33333 | 423836, | - | BL | 26-AUG-94 | LM | 90024 13-SEP-94 | LEISHMANIA | JW | 11i/12i | - | - | NR | - | - | - | - | NEGATIVE | |
| 33334 | 423837, | - | BL | 26-AUG-94 | LM | 90024 13-SEP-94 | LEISHMANIA | JW | 11i/12i | - | - | NR | - | - | - | - | NEGATIVE | |
| 33335 | 423838, | - | BL | 26-AUG-94 | LM | 90024 13-SEP-94 | LEISHMANIA | JW | 11i/12i | - | - | NR | - | - | - | - | NEGATIVE | |
| 33336 | 423839, | - | BL | 26-AUG-94 | LM | 90024 13-SEP-94 | LEISHMANIA | JW | 11i/12i | - | - | NR | - | - | - | - | NEGATIVE | |
| 33337 | 423840, | - | BL | 26-AUG-94 | LM | 90024 13-SEP-94 | LEISHMANIA | JW | 11i/12i | - | - | NR | - | - | - | - | NEGATIVE | |
| 33338 | 423841, | - | BL | 26-AUG-94 | LM | 90024 13-SEP-94 | LEISHMANIA | JW | 11i/12i | - | - | NR | - | - | - | - | NEGATIVE | |
| 33339 | 423842, | - | BL | 26-AUG-94 | LM | 90024 13-SEP-94 | LEISHMANIA | JW | 11i/12i | - | - | NR | - | - | - | - | NEGATIVE | |

| Spec ID | Patient Name | PCR Assay Results: LM | | | | Panel | Assay Date | Virus | Primer | Tube | | Comments | Final Result |
|---------|------------------|-----------------------|-----------|--------------------|-------|-----------|-----------------------|-----------------------|--------|------|-----|----------|--------------|
| | | FPC + | SSN | Spec Received Date | Study | | | | | # 1 | # 2 | Int | |
| 33340 | 423843, | - | BL | 26-AUG-94 | LM | 90024 | 13-SEP-94 | LEISHMANIA JW 11i/12i | - | - | - | NR | NEGATIVE |
| 33341 | 423844, | - | BL | 26-AUG-94 | LM | 90024 | 13-SEP-94 | LEISHMANIA JW 11i/12i | - | - | - | NR | NEGATIVE |
| 33342 | 423845, | - | BL | 26-AUG-94 | LM | 90024 | 13-SEP-94 | LEISHMANIA JW 11i/12i | - | - | - | NR | NEGATIVE |
| 33343 | 423846, | - | BL | 26-AUG-94 | LM | 90024 | 13-SEP-94 | LEISHMANIA JW 11i/12i | - | - | - | NR | NEGATIVE |
| 33344 | 423847, | - | BL | 26-AUG-94 | LM | 90024 | 13-SEP-94 | LEISHMANIA JW 11i/12i | - | - | - | NR | NEGATIVE |
| 33409 | BACHMAN, JOHN | 20-205-42-4875 CO | 31-AUG-94 | LM | 90024 | 13-SEP-94 | LEISHMANIA JW 11i/12i | - | - | - | NR | NEGATIVE | |
| 33411 | HORNER, BRENT A | -440-70-8754 | BL | 31-AUG-94 | LM | 90024 | 13-SEP-94 | LEISHMANIA JW 11i/12i | - | - | - | NR | NEGATIVE |
| 33412 | HORNER, BRENT A | -440-70-8754 | LI | 31-AUG-94 | LM | 90024 | 13-SEP-94 | LEISHMANIA JW 11i/12i | - | - | - | NR | NEGATIVE |
| 33616 | 425202, | - | BL | 09-SEP-94 | LM | 90025 | 06-OCT-94 | LEISHMANIA JW 11i/12i | + | + | + | RE | POSITIVE |
| 33617 | 425203, | - | BL | 09-SEP-94 | LM | 90025 | 06-OCT-94 | LEISHMANIA JW 11i/12i | - | - | - | NR | NEGATIVE |
| 33618 | 425204, | - | BL | 09-SEP-94 | LM | 90025 | 06-OCT-94 | LEISHMANIA JW 11i/12i | + | + | + | RE | POSITIVE |
| 33619 | 425205, | - | BL | 09-SEP-94 | LM | 90025 | 06-OCT-94 | LEISHMANIA JW 11i/12i | + | + | + | RE | POSITIVE |
| 33620 | 425206, | - | BL | 09-SEP-94 | LM | 90025 | 06-OCT-94 | LEISHMANIA JW 11i/12i | + | + | + | RE | POSITIVE |
| 33621 | JOHNSON, JANET L | -417-80-7607 | BL | 09-SEP-94 | LM | 90025 | 06-OCT-94 | LEISHMANIA JW 11i/12i | - | - | - | NR | NEGATIVE |
| 33622 | JOHNSON, JANET L | -417-80-7607 | EM | 09-SEP-94 | LM | 90025 | 06-OCT-94 | LEISHMANIA JW 11i/12i | - | - | - | NR | NEGATIVE |
| 33649 | 42551, | - | BL | 12-SEP-94 | LM | 90025 | 06-OCT-94 | LEISHMANIA JW 11i/12i | + | + | + | RE | POSITIVE |
| 33650 | 42552, | - | BL | 12-SEP-94 | LM | 90025 | 06-OCT-94 | LEISHMANIA JW 11i/12i | + | + | + | RE | POSITIVE |
| 33673 | PRIEM, RICHARD G | -452-88-8338 | BL | 13-SEP-94 | LM | 90025 | 06-OCT-94 | LEISHMANIA JW 11i/12i | - | - | - | NR | NEGATIVE |
| 33728 | MARABLE, GARY L | -254-51-6352 | BL | 16-SEP-94 | LM | 90025 | 06-OCT-94 | LEISHMANIA JW 11i/12i | - | - | - | NR | NEGATIVE |
| 33729 | MARABLE, GARY L | -254-51-6352 | BL | 16-SEP-94 | LM | 90025 | 06-OCT-94 | LEISHMANIA JW 11i/12i | + | + | + | RE | POSITIVE |
| 33733 | HUMPHREY, MARK | 20-339-68-9001 BL | 19-SEP-94 | RV21 | IIB | 90025 | 06-OCT-94 | LEISHMANIA JW 11i/12i | - | - | - | NR | NEGATIVE |
| 33744 | 426201, | - | BL | 19-SEP-94 | LM | 90025 | 06-OCT-94 | LEISHMANIA JW 11i/12i | - | - | - | NR | NEGATIVE |
| 33745 | 426202, | - | BL | 19-SEP-94 | LM | 90025 | 06-OCT-94 | LEISHMANIA JW 11i/12i | - | - | - | NR | NEGATIVE |
| 33746 | 426203, | - | BL | 19-SEP-94 | LM | 90025 | 06-OCT-94 | LEISHMANIA JW 11i/12i | - | - | - | NR | NEGATIVE |

| Spec ID | Patient Name | PCR Assay Results: LM | | | PCR Assay Results: JW 14 | | | Tube # 1 | | | Tube # 2 | | | Comments | | | Final Result | |
|---------|--------------|-----------------------|-----------|-----------|--------------------------|-------|------------|-----------|-----------------------|------|----------|-----|-----|----------|--|--|--------------|--|
| | | Spec Received | FPC + SSN | Type Date | Study | Panel | Assay Date | Virus | Primer | Tube | # 1 | # 2 | Int | | | | | |
| 33747 | 426204, | - | - | BL | 19-SEP-94 | LM | 90025 | 06-OCT-94 | LEISHMANIA JW 11i/12i | - | - | - | NR | | | | NEGATIVE | |
| 33748 | 426205, | - | - | BL | 19-SEP-94 | LM | 90025 | 06-OCT-94 | LEISHMANIA JW 11i/12i | - | - | - | NR | | | | NEGATIVE | |
| 33749 | 426206, | - | - | BL | 19-SEP-94 | LM | 90025 | 06-OCT-94 | LEISHMANIA JW 11i/12i | - | - | - | NR | | | | NEGATIVE | |
| 33750 | 426207, | - | - | BL | 19-SEP-94 | LM | 90025 | 06-OCT-94 | LEISHMANIA JW 11i/12i | - | - | - | NR | | | | NEGATIVE | |
| 33752 | 426209, | - | - | BL | 19-SEP-94 | LM | 90025 | 06-OCT-94 | LEISHMANIA JW 11i/12i | - | - | - | NR | | | | NEGATIVE | |
| 33754 | 426211, | - | - | BL | 16-SEP-94 | LM | 90025 | 06-OCT-94 | LEISHMANIA JW 11i/12i | - | - | - | NR | | | | NEGATIVE | |
| 33755 | 426212, | - | - | BL | 16-SEP-94 | LM | 90025 | 06-OCT-94 | LEISHMANIA JW 11i/12i | - | - | - | NR | | | | NEGATIVE | |
| 33757 | 426214, | - | - | BL | 16-SEP-94 | LM | 90025 | 06-OCT-94 | LEISHMANIA JW 11i/12i | - | - | - | NR | | | | NEGATIVE | |
| 33758 | 426215, | - | - | BL | 16-SEP-94 | LM | 90025 | 06-OCT-94 | LEISHMANIA JW 11i/12i | - | - | - | NR | | | | NEGATIVE | |
| 33759 | 426216, | - | - | BL | 16-SEP-94 | LM | 90025 | 06-OCT-94 | LEISHMANIA JW 11i/12i | - | - | - | NR | | | | NEGATIVE | |
| 33760 | 426217, | - | - | BL | 16-SEP-94 | LM | 90025 | 06-OCT-94 | LEISHMANIA JW 11i/12i | - | - | - | NR | | | | NEGATIVE | |
| 33761 | 426218, | - | - | BL | 16-SEP-94 | LM | 90025 | 06-OCT-94 | LEISHMANIA JW 11i/12i | - | - | - | NR | | | | NEGATIVE | |
| 33762 | 426219, | - | - | BL | 16-SEP-94 | LM | 90025 | 06-OCT-94 | LEISHMANIA JW 11i/12i | - | - | - | NR | | | | NEGATIVE | |
| 33763 | 426220, | - | - | BL | 16-SEP-94 | LM | 90025 | 06-OCT-94 | LEISHMANIA JW 11i/12i | - | - | - | NR | | | | NEGATIVE | |
| 33764 | 426221, | - | - | BL | 16-SEP-94 | LM | 90025 | 06-OCT-94 | LEISHMANIA JW 11i/12i | - | - | - | NR | | | | NEGATIVE | |
| 33765 | 426222, | - | - | BL | 16-SEP-94 | LM | 90025 | 06-OCT-94 | LEISHMANIA JW 11i/12i | - | - | - | NR | | | | NEGATIVE | |
| 33766 | 426223, | - | - | BL | 16-SEP-94 | LM | 90025 | 06-OCT-94 | LEISHMANIA JW 11i/12i | - | - | - | NR | | | | NEGATIVE | |
| 33767 | 426224, | - | - | BL | 16-SEP-94 | LM | 90025 | 06-OCT-94 | LEISHMANIA JW 11i/12i | - | - | - | NR | | | | NEGATIVE | |
| 33768 | 426225, | - | - | BL | 16-SEP-94 | LM | 90025 | 06-OCT-94 | LEISHMANIA JW 11i/12i | - | - | - | NR | | | | NEGATIVE | |
| 33771 | 426226, | - | - | BL | 16-SEP-94 | LM | 90025 | 06-OCT-94 | LEISHMANIA JW 11i/12i | - | - | - | NR | | | | NEGATIVE | |
| 33770 | 426227, | - | - | BL | 16-SEP-94 | LM | 90025 | 06-OCT-94 | LEISHMANIA JW 11i/12i | - | - | - | NR | | | | NEGATIVE | |
| 33771 | 426228, | - | - | BL | 16-SEP-94 | LM | 90025 | 06-OCT-94 | LEISHMANIA JW 11i/12i | - | - | - | NR | | | | NEGATIVE | |
| 33772 | 426229, | - | - | BL | 16-SEP-94 | LM | 90025 | 06-OCT-94 | LEISHMANIA JW 11i/12i | - | - | - | NR | | | | NEGATIVE | |
| 33773 | 426230, | - | - | BL | 16-SEP-94 | LM | 90025 | 06-OCT-94 | LEISHMANIA JW 11i/12i | - | - | - | NR | | | | NEGATIVE | |

PCR Assay Results: LM

| Spec ID | Patient Name | PCR Assay Results: LM Probe JW 14 | | | | PCR Assay Results: LM | | | | PCR Assay Results: LM | | | | | | | |
|---------|------------------|-----------------------------------|------|-----------|-------|-----------------------|-----------|------------|------------|-----------------------|------|------|-----|-----|-----|----------|--------------|
| | | Spec Received | Type | Date | Study | Panel | Assay | Date | Virus | Primer | Tube | Tube | # 1 | # 2 | Int | Comments | Final Result |
| 33774 | 426231, | - | BL | 16-SEP-94 | LM | 90025 | 06-OCT-94 | LEISHMANIA | JW 11i/12i | - | - | - | NR | - | - | NEGATIVE | |
| 33775 | 426232, | - | BL | 16-SEP-94 | LM | 90025 | 06-OCT-94 | LEISHMANIA | JW 11i/12i | - | - | - | NR | - | - | NEGATIVE | |
| 33776 | 426233, | - | BL | 16-SEP-94 | LM | 90025 | 06-OCT-94 | LEISHMANIA | JW 11i/12i | - | - | - | NR | - | - | NEGATIVE | |
| 33777 | 426234, | - | BL | 16-SEP-94 | LM | 90025 | 06-OCT-94 | LEISHMANIA | JW 11i/12i | - | - | - | NR | - | - | NEGATIVE | |
| 33778 | 426235, | - | BL | 16-SEP-94 | LM | 90025 | 06-OCT-94 | LEISHMANIA | JW 11i/12i | - | - | - | NR | - | - | NEGATIVE | |
| 33779 | 426236, | - | BL | 16-SEP-94 | LM | 90025 | 06-OCT-94 | LEISHMANIA | JW 11i/12i | - | - | - | NR | - | - | NEGATIVE | |
| Spec ID | Patient Name | Spec Received | | | | Panel | Assay | Date | Virus | Primer | Tube | Tube | # 1 | # 2 | Int | Comments | Final Result |
| | | Spec Received | Type | Date | Study | Panel | Assay | Date | Virus | Primer | Tube | Tube | # 1 | # 2 | Int | Comments | Final Result |
| 20027 | BACHMAN, JOHN | 20-205-42-4875 | BL | 13-JAN-93 | LM | 90009 | 03-FEB-92 | LEISHMANIA | JW 11/12 | - | - | - | NR | - | - | NR | |
| 20028 | BACHMAN, JOHN | 20-205-42-4875 | BM | 13-JAN-93 | LM | 90009 | 03-FEB-93 | LEISHMANIA | JW 11/12 | - | - | - | NR | - | - | NR | |
| 20278 | CLARK, ALVIN | 20-249-13-9659 | BL | 26-JAN-93 | LM | 90009 | 03-FEB-93 | LEISHMANIA | JW 11/12 | - | - | - | NR | - | - | NR | |
| 20279 | CLARK, ALVIN | 20-249-13-9659 | BM | 26-JAN-93 | LM | 90009 | 03-FEB-93 | LEISHMANIA | JW 11/12 | - | - | - | NR | - | - | NR | |
| 20280 | RICO, JUAN N | 20-447-40-4827 | BL | 26-JAN-93 | LM | 90009 | 03-FEB-93 | LEISHMANIA | JW 11/12 | - | - | - | NR | - | - | NR | |
| 20281 | RICO, JUAN N | 20-447-40-4827 | BM | 26-JAN-93 | LM | 90009 | 03-FEB-93 | LEISHMANIA | JW 11/12 | - | - | - | NR | - | - | NR | |
| 20344 | HAMMACK, WENDELL | 20-427-49-8157 | BL | 27-JAN-93 | LM | 90009 | 03-FEB-93 | LEISHMANIA | JW 11/12 | - | - | - | IND | - | - | IND | |
| 20345 | HAMMACK, WENDELL | 20-427-49-8157 | BM | 27-JAN-93 | LM | 90009 | 03-FEB-93 | LEISHMANIA | JW 11/12 | + | - | - | IND | - | - | IND | |
| 20366 | DUNSON, DAVID | 20-250-53-3477 | BL | 28-JAN-93 | LM | 90009 | 03-FEB-93 | LEISHMANIA | JW 11/12 | - | - | - | NR | - | - | NR | |
| 20367 | DUNSON, DAVID | 20-250-53-3477 | BM | 28-JAN-93 | LM | 90009 | 03-FEB-93 | LEISHMANIA | JW 11/12 | - | - | - | NR | - | - | NR | |
| 20401 | GOODMAN, JONH J | 20-187-50-9316 | BL | 01-FEB-93 | LM | 90009 | 19-FEB-93 | LEISHMANIA | JW 11/12 | - | - | - | NR | - | - | NR | |
| 20402 | GOODMAN, JONH J | 20-187-50-9316 | BM | 01-FEB-93 | LM | 90009 | 19-FEB-93 | LEISHMANIA | JW 11/12 | - | - | - | NR | - | - | NR | |
| 21243 | HAMMACK, WENDELL | 20-427-49-8157 | BL | 03-MAR-93 | LM | 90009 | 09-MAR-93 | LEISHMANIA | JW 11/12 | - | - | - | NR | - | - | NR | |
| 21244 | HAMMACK, WENDELL | 20-427-49-8157 | BM | 03-MAR-93 | LM | 90009 | 09-MAR-93 | LEISHMANIA | JW 11/12 | - | - | - | NR | - | - | NR | |
| 21459 | REIGLE, KERRY J | 20-180-48-6847 | BL | 10-MAR-93 | LM | 90009 | 15-MAR-93 | LEISHMANIA | JW 11/12 | - | - | - | NR | - | - | NR | |
| 21460 | REIGLE, KERRY J | 20-180-48-6847 | BM | 10-MAR-93 | LM | 90009 | 15-MAR-93 | LEISHMANIA | JW 11/12 | - | - | - | NR | - | - | NR | |

PCR Assay Results: LM
Probe JW 14

| Spec ID | Patient Name | Spec Received | | Study | Panel | Assay Date | Virus | Primer | Tube | | Comments |
|---------|----------------------|----------------|--------------|----------|-------|------------|------------|----------|------|-----|----------|
| | | FPC + SSN | Type Date | | | | | | # 1 | # 2 | |
| 21551 | SCHONEBOOM, BRAD L | 20-367-76-1421 | BL 15-MAR-93 | LM | 90009 | 25-MAR-93 | LEISHMANIA | JW 11/12 | - | - | NR |
| 21551 | SCHONEBOOM, BRAD L | 20-367-76-1421 | BL 15-MAR-93 | LM | 90009 | 05-APR-93 | LEISHMANIA | JW 11/12 | - | - | NR |
| 21552 | SCHONEBOOM, BRAD L | 20-367-76-1421 | BM 15-MAR-93 | LM | 90009 | 25-MAR-93 | LEISHMANIA | JW 11/12 | - | - | NR |
| 21552 | SCHONEBOOM, BRAD L | 20-367-76-1421 | BM 15-MAR-93 | LM | 90009 | 05-APR-93 | LEISHMANIA | JW 11/12 | + | + | RE |
| 22756 | WILSON, PHILLIP R | 20-246-72-7869 | BL 05-MAY-93 | RV2 | 90009 | 13-MAY-93 | LEISHMANIA | JW 11/12 | + | - | IND |
| 22955 | DARBY, GREGORY S | 20-505-06-2923 | BL 12-MAY-93 | LM | 90009 | 29-JUL-93 | LEISHMANIA | JW 11/12 | - | +/- | IND |
| 23056 | WADDELL, DIRK | 20-343-56-3223 | BM 18-MAY-93 | LM | 90009 | 20-MAY-93 | LEISHMANIA | JW 11/12 | - | - | NR |
| 23250 | CHIPPLEY, JOSHUA W | 20-564-33-6887 | BL 21-MAY-93 | LM | 90009 | 01-JUL-93 | LEISHMANIA | JW 11/12 | - | - | NR |
| 23250 | CHIPPLEY, JOSHUA W | 20-564-33-6887 | BL 21-MAY-93 | LM | 90009 | 25-MAY-93 | LEISHMANIA | JW 11/12 | + | + | RE |
| 23251 | JOHNSON, ROBERT | - | BL 21-MAY-93 | LM | 90009 | 01-JUL-93 | LEISHMANIA | JW 11/12 | - | - | NR |
| 23251 | JOHNSON, ROBERT | - | BL 21-MAY-93 | LM | 90009 | 25-MAY-93 | LEISHMANIA | JW 11/12 | - | - | NR |
| 23324 | MYKUT, STEVEN | - | BL 26-MAY-93 | LM | 90009 | 27-MAY-93 | LEISHMANIA | JW 11/12 | - | - | NR |
| 23328 | J4, | - | BL 26-MAY-93 | LM | 90009 | 27-MAY-93 | LEISHMANIA | JW 11/12 | + | + | RE |
| 23328 | J4, | - | BL 26-MAY-93 | LM | 90009 | 30-MAY-93 | LEISHMANIA | JW 11/12 | * | - | IND |
| 23328 | J4, | - | BL 26-MAY-93 | LM | 90009 | 01-JUL-93 | LEISHMANIA | JW 11/12 | - | - | NR |
| 23328 | J4, | - | BL 26-MAY-93 | LM | 90009 | 29-JUL-93 | LEISHMANIA | JW 11/12 | - | - | NR |
| 23328 | J4, | - | BL 26-MAY-93 | LM | 90009 | 27-MAY-93 | LEISHMANIA | JW 11/12 | +/ | - | IND |
| 23344 | GHEBREMESCHEL, TADDE | 20-049-34-1541 | BL 27-MAY-93 | LM | 90009 | 30-MAY-93 | LEISHMANIA | JW 11/12 | * | - | IND |
| 23344 | GHEBREMESCHEL, TADDE | 20-049-34-1541 | BL 27-MAY-93 | LM | 90009 | 01-JUL-93 | LEISHMANIA | JW 11/12 | - | - | NR |
| 23384 | LILLY, SCOTT D | 20-496-78-0235 | SM 01-JUN-93 | RV43 | 90009 | 02-JUL-93 | LEISHMANIA | JW 11/12 | - | - | NR |
| 23384 | LILLY, SCOTT D | 20-496-78-0235 | SM 01-JUN-93 | RV43 | 90009 | 02-JUL-93 | LEISHMANIA | JW 11/12 | - | - | NR |
| 23385 | CRADDOCK, ANNETTE | 30-455-02-0568 | BL 01-JUN-93 | RV21 IIB | 90009 | 02-JUL-93 | LEISHMANIA | JW 11/12 | - | - | NR |

| Spec ID | Patient Name | PCR Assay Results: LM | | | PCR Assay Results: JW 14 | | | Tube # 1 | Tube # 2 | Int | Comments |
|---------|----------------------|-----------------------|-------------------------|-------|--------------------------|------------|------------|----------|----------|-----|----------|
| | | FPC + SSN | Spec Received Type Date | Study | Panel | Assay Date | Virus | | | | |
| 23573 | LAROCHE, | - | BL 07-JUN-93 | LM | 90009 | 08-JUN-93 | LEISHMANIA | JW 11/12 | - | - | NR |
| 23574 | HENDRICK, PETER | - | BL 07-JUN-93 | LM | 90009 | 08-JUN-93 | LEISHMANIA | JW 11/12 | - | - | NR |
| 23575 | PATIENT #1 07-JUN-93 | - | BL 07-JUN-93 | LM | 90009 | 08-JUN-93 | LEISHMANIA | JW 11/12 | - | - | NR |
| 23576 | PATIENT #2 07-JUN-93 | - | BM 07-JUN-93 | LM | 90009 | 08-JUN-93 | LEISHMANIA | JW 11/12 | - | - | NR |
| 23677 | CHIPLEY, JOSHUA W | 20-564-33-6887 | BL 11-JUN-93 | LM | 90009 | 15-JUN-93 | LEISHMANIA | JW 11/12 | - | - | NR |
| 23678 | CHIPLEY, JOSHUA W | 20-564-33-6887 | BL 11-JUN-93 | LM | 90009 | 15-JUN-93 | LEISHMANIA | JW 11/12 | - | - | NR |
| 23757 | SMITH, TRACY L | -095-50-9074 | BM 15-JUN-93 | LM | 90009 | 24-JUN-93 | LEISHMANIA | JW 11/12 | - | - | NR |
| 23757 | SMITH, TRACY L | -095-50-9074 | BM 15-JUN-93 | LM | 90009 | 02-JUL-93 | LEISHMANIA | JW 11/12 | - | - | NR |
| 23758 | SMITH, TRACY L | -095-50-9074 | BL 15-JUN-93 | LM | 90009 | 24-JUN-93 | LEISHMANIA | JW 11/12 | - | - | NR |
| 23758 | SMITH, TRACY L | -095-50-9074 | BL 15-JUN-93 | LM | 90009 | 24-JUN-93 | LEISHMANIA | JW 11/12 | - | - | NR |
| 23827 | INGALLS, J | -056-48-8347 | BL 17-JUN-93 | LM | 90009 | 24-JUN-93 | LEISHMANIA | JW 11/12 | - | - | NR |
| 23827 | INGALLS, J | -056-48-8347 | BL 17-JUN-93 | LM | 90009 | 24-JUN-93 | LEISHMANIA | JW 11/12 | - | - | NR |
| 23828 | INGALLS, J | -056-48-8347 | BM 17-JUN-93 | LM | 90009 | 02-JUL-93 | LEISHMANIA | JW 11/12 | - | - | NR |
| 23828 | INGALLS, J | -056-48-8347 | BM 17-JUN-93 | LM | 90009 | 24-JUN-93 | LEISHMANIA | JW 11/12 | - | - | NR |
| 23877 | SIMON, MICHAEL | 20-304-82-0936 | BL 21-JUN-93 | LM | 90009 | 24-JUN-93 | LEISHMANIA | JW 11/12 | - | - | NR |
| 23877 | SIMON, MICHAEL | 20-304-82-0936 | BL 21-JUN-93 | LM | 90009 | 02-JUL-93 | LEISHMANIA | JW 11/12 | - | - | NR |
| 23878 | SIMON, MICHAEL | 20-304-82-0936 | BM 21-JUN-93 | LM | 90009 | 24-JUN-93 | LEISHMANIA | JW 11/12 | - | - | NR |
| 23878 | SIMON, MICHAEL | 20-304-82-0936 | BM 21-JUN-93 | LM | 90009 | 02-JUL-93 | LEISHMANIA | JW 11/12 | - | - | NR |
| 23879 | YOUNG, RYAN | 20-027-68-3250 | BL 21-JUN-93 | LM | 90009 | 24-JUN-93 | LEISHMANIA | JW 11/12 | - | - | NR |
| 23879 | YOUNG, RYAN | 20-027-68-3250 | BL 21-JUN-93 | LM | 90009 | 02-JUL-93 | LEISHMANIA | JW 11/12 | - | - | NR |
| 23879 | YOUNG, RYAN | 20-027-68-3250 | BL 21-JUN-93 | LM | 90009 | 02-JUL-93 | LEISHMANIA | JW 11/12 | - | - | NR |

| Spec ID | Patient Name | PCR Assay Results: LM | | | | PCR Assay Results: JW 14 | | | | PCR Assay Results: JW | | | |
|---------|----------------------|-----------------------|-------------------------|-------|-------|--------------------------|------------|----------|--------|-----------------------|-----|-----------|--|
| | | FPC + SSN | Spec Received Type Date | Study | Panel | Assay Date | Virus | Primer | Tube # | Tube # | Int | Comments | |
| 23879 | YOUNG, RYAN | 20-027-68-3250 | BL 21-JUN-93 | LM | 90009 | 24-JUN-93 | LEISHMANIA | JW 11/12 | - | - | NR | | |
| 23879 | YOUNG, RYAN | 20-027-68-3250 | BL 21-JUN-93 | LM | 90009 | 02-JUL-93 | LEISHMANIA | JW 11/12 | - | - | NR | DIL_1:2 | |
| 23880 | JOHNSON, DAVID L | 20-232-31-6597 | BL 21-JUN-93 | LM | 90009 | 24-JUN-93 | LEISHMANIA | JW 11/12 | - | - | NR | | |
| 23880 | JOHNSON, DAVID L | 20-232-31-6597 | BL 21-JUN-93 | LM | 90009 | 02-JUL-93 | LEISHMANIA | JW 11/12 | - | - | NR | | |
| 23881 | LAUONTE, KEVIN P | 20-003-64-2509 | BL 21-JUN-93 | LM | 90009 | 24-JUN-93 | LEISHMANIA | JW 11/12 | - | - | NR | | |
| 23881 | LAUONTE, KEVIN P | 20-003-64-2509 | BL 21-JUN-93 | LM | 90009 | 02-JUL-93 | LEISHMANIA | JW 11/12 | - | - | NR | NEG, CONT | |
| 23882 | ZIMMERLEE, MICHAEL K | 20-465-45-8835 | BL 21-JUN-93 | LM | 90009 | 24-JUN-93 | LEISHMANIA | JW 11/12 | - | - | NR | | |
| 23882 | ZIMMERLEE, MICHAEL K | 20-465-45-8835 | BL 21-JUN-93 | LM | 90009 | 02-JUL-93 | LEISHMANIA | JW 11/12 | - | - | NR | | |
| 23883 | FERGUSON, MARCUS W | 20-220-84-2859 | BL 21-JUN-93 | LM | 90009 | 24-JUN-93 | LEISHMANIA | JW 11/12 | - | - | NR | | |
| 23883 | FERGUSON, MARCUS W | 20-220-84-2859 | BL 21-JUN-93 | LM | 90009 | 02-JUL-93 | LEISHMANIA | JW 11/12 | - | - | NR | | |
| 23884 | ROWAN, THOMAS | 20-301-68-8561 | BL 21-JUN-93 | LM | 90009 | 24-JUN-93 | LEISHMANIA | JW 11/12 | - | - | NR | | |
| 23884 | ROWAN, THOMAS | 20-301-68-8561 | BL 21-JUN-93 | LM | 90009 | 02-JUL-93 | LEISHMANIA | JW 11/12 | - | - | NR | | |
| 23885 | JOHNSON, CRAIG T | 20-449-91-1471 | BL 21-JUN-93 | LM | 90009 | 24-JUN-93 | LEISHMANIA | JW 11/12 | - | - | NR | | |
| 23886 | STONER, JOHN P | 20-335-68-3772 | BL 21-JUN-93 | LM | 90009 | 24-JUN-93 | LEISHMANIA | JW 11/12 | - | - | NR | | |
| 23886 | STONER, JOHN P | 20-335-68-3772 | BL 21-JUN-93 | LM | 90009 | 02-JUL-93 | LEISHMANIA | JW 11/12 | - | - | NR | | |
| 23887 | ERICKSON, PATRICK G | 20-553-95-8555 | BL 21-JUN-93 | LM | 90009 | 24-JUN-93 | LEISHMANIA | JW 11/12 | - | - | NR | | |
| 23887 | ERICKSON, PATRICK G | 20-553-95-8555 | BL 21-JUN-93 | LM | 90009 | 02-JUL-93 | LEISHMANIA | JW 11/12 | - | - | NR | | |
| 23888 | SMITHERS, STEVE | -403-08-2991 | BL 21-JUN-93 | LM | 90009 | 24-JUN-93 | LEISHMANIA | JW 11/12 | - | - | NR | | |
| 23888 | SMITHERS, STEVE | -403-08-2991 | BL 21-JUN-93 | LM | 90009 | 02-JUL-93 | LEISHMANIA | JW 11/12 | - | - | NR | | |
| 23889 | CROSBY, PAUL N | 20-082-58-3233 | BL 21-JUN-93 | LM | 90009 | 24-JUN-93 | LEISHMANIA | JW 11/12 | - | - | NR | | |
| 23889 | CROSBY, PAUL N | 20-082-58-3233 | BL 21-JUN-93 | LM | 90009 | 02-JUL-93 | LEISHMANIA | JW 11/12 | - | - | NR | | |
| 23890 | WILT, JIM | 20-265-55-8545 | BL 21-JUN-93 | LM | 90009 | 24-JUN-93 | LEISHMANIA | JW 11/12 | - | - | NR | | |
| 23890 | WILT, JIM | 20-265-55-8545 | BL 21-JUN-93 | LM | 90009 | 02-JUL-93 | LEISHMANIA | JW 11/12 | - | - | NR | | |

PCR Assay Results: LM

| Spec ID | Patient Name | Spec Received | | Study | Panel Assay Date Virus | | Primer | Tube | | Comments |
|---------|----------------------|----------------|------|-----------|------------------------|-------|-----------|------------|----------|----------|
| | | FPC + SSN | Type | | Date | 90009 | 07-JUL-93 | LEISHMANIA | JW 11/12 | |
| 24068 | WILLIAMS, MICHAEL | 20-412-37-5674 | BL | 25-JUN-93 | LM | 90009 | 07-JUL-93 | LEISHMANIA | JW 11/12 | - |
| 24069 | BEST, JAMIE | 20-237-23-1335 | BL | 25-JUN-93 | LM | 90009 | 07-JUL-93 | LEISHMANIA | JW 11/12 | - |
| 24070 | HAMILTON, WAYNE | 20-101-72-4824 | BL | 25-JUN-93 | LM | 90009 | 07-JUL-93 | LEISHMANIA | JW 11/12 | - |
| 24071 | ORTIZ, JOSE V | -583-70-9171 | BL | 25-JUN-93 | LM | 90009 | 07-JUL-93 | LEISHMANIA | JW 11/12 | - |
| 24072 | WALLY, GLEN | -020-64-1508 | BL | 25-JUN-93 | LM | 90009 | 07-JUL-93 | LEISHMANIA | JW 11/12 | - |
| 24073 | ANDERSON, JEFFREY J | -561-67-7471 | BL | 25-JUN-93 | LM | 90009 | 07-JUL-93 | LEISHMANIA | JW 11/12 | - |
| 24074 | MORGAN, MARK J | -419-19-7233 | BL | 25-JUN-93 | LM | 90009 | 07-JUL-93 | LEISHMANIA | JW 11/12 | - |
| 24075 | FERNANDEZ, EDWARD W | -141-70-1400 | BL | 25-JUN-93 | LM | 90009 | 07-JUL-93 | LEISHMANIA | JW 11/12 | - |
| 24102 | TONEY, ANGELA | 20-231-88-9557 | BL | 28-JUN-93 | LM | 90009 | 07-JUL-93 | LEISHMANIA | JW 11/12 | - |
| 24125 | NICELY, SCOTT | -595-01-8826 | BM | 29-JUN-93 | LM | 90009 | 07-JUL-93 | LEISHMANIA | JW 11/12 | - |
| 24126 | NICELY, SCOTT | -595-01-8826 | BL | 29-JUN-93 | LM | 90009 | 07-JUL-93 | LEISHMANIA | JW 11/12 | - |
| 24127 | TONEY, ANGELA | 20-231-88-9557 | BM | 29-JUN-93 | LM | 90009 | 07-JUL-93 | LEISHMANIA | JW 11/12 | - |
| 24175 | STEWART, KRYSTAL | 20-455-29-6993 | BL | 02-JUL-93 | LM | 90009 | 09-JUL-93 | LEISHMANIA | JW 11/12 | - |
| 24176 | ABLE, MARSHALL | 20-215-11-2232 | BL | 02-JUL-93 | LM | 90009 | 09-JUL-93 | LEISHMANIA | JW 11/12 | - |
| 24177 | KAYS, WILLIAM | 20-050-58-3509 | BL | 02-JUL-93 | LM | 90009 | 09-JUL-93 | LEISHMANIA | JW 11/12 | - |
| 24178 | JENNESS, BRENT | 20-350-58-6774 | BL | 02-JUL-93 | LM | 90009 | 09-JUL-93 | LEISHMANIA | JW 11/12 | - |
| 24223 | RUSH, JAMES | 20-256-21-0213 | BL | 06-JUL-93 | LM | 90009 | 09-JUL-93 | LEISHMANIA | JW 11/12 | - |
| 24224 | RUSH, JAMES | 20-256-21-0213 | BM | 06-JUL-93 | LM | 90009 | 09-JUL-93 | LEISHMANIA | JW 11/12 | - |
| 24454 | PATIENT 14-JUL-93, L | - | BL | 14-JUL-93 | LM | 90009 | 29-JUL-93 | LEISHMANIA | JW 11/12 | - |
| 24454 | PATIENT 14-JUL-93, L | - | BL | 14-JUL-93 | LM | 90009 | 29-JUL-93 | LEISHMANIA | JW 11/12 | - |
| Z000101 | 2A125-A, | - | BL | 09-DEC-92 | LM | 90009 | 16-DEC-93 | LEISHMANIA | JW 11/12 | + |
| Z000101 | 2A125-A, | - | BL | 09-DEC-92 | LM | 90009 | 10-DEC-92 | LEISHMANIA | JW 11/12 | + |
| Z000102 | 2A125-B, | - | BL | 09-DEC-92 | LM | 90009 | 16-DEC-93 | LEISHMANIA | JW 11/12 | - |

| Spec ID | Patient Name | PCR Assay Results: | | | LM | | | | | | |
|----------|--------------|--------------------|-------------------------|-------|-------|------------|------------|----------|----------|----------|-----|
| | | FPC + SSN | Spec Received Type Date | Study | Panel | Assay Date | Virus | Primer | Tube # 1 | Tube # 2 | Int |
| Z0000102 | 2A125-B, | - | BL 09-DEC-92 | LM | 90009 | 10-DEC-92 | LEISHMANIA | JW 11/12 | - | - | NR |
| Z0000103 | 2A125-C, | - | BL 09-DEC-92 | LM | 90009 | 16-DEC-93 | LEISHMANIA | JW 11/12 | - | - | NR |
| Z0000103 | 2A125-C, | - | BL 09-DEC-92 | LM | 90009 | 10-DEC-92 | LEISHMANIA | JW 11/12 | - | - | NR |
| Z0000104 | 2A125-D, | - | BL 09-DEC-92 | LM | 90009 | 16-DEC-93 | LEISHMANIA | JW 11/12 | + | + | RE |
| Z0000104 | 2A125-D, | - | BL 09-DEC-92 | LM | 90009 | 10-DEC-92 | LEISHMANIA | JW 11/12 | + | + | RE |
| Z0000105 | 2A125-E, | - | BL 09-DEC-92 | LM | 90009 | 16-DEC-93 | LEISHMANIA | JW 11/12 | + | + | RE |
| Z0000105 | 2A125-E, | - | BL 09-DEC-92 | LM | 90009 | 10-DEC-92 | LEISHMANIA | JW 11/12 | + | + | RE |
| Z0000106 | 2A125-F, | - | BL 09-DEC-92 | LM | 90009 | 16-DEC-93 | LEISHMANIA | JW 11/12 | + | + | RE |
| Z0000106 | 2A125-F, | - | BL 09-DEC-92 | LM | 90009 | 10-DEC-92 | LEISHMANIA | JW 11/12 | + | + | RE |
| Z0000107 | 2A125-1, | - | BL 09-DEC-92 | LM | 90009 | 16-DEC-93 | LEISHMANIA | JW 11/12 | + | + | RE |
| Z0000107 | 2A125-1, | - | BL 09-DEC-92 | LM | 90009 | 10-DEC-92 | LEISHMANIA | JW 11/12 | + | + | RE |
| Z0000108 | 2A125-2, | - | BL 09-DEC-92 | LM | 90009 | 16-DEC-93 | LEISHMANIA | JW 11/12 | - | - | NR |
| Z0000108 | 2A125-2, | - | BL 09-DEC-92 | LM | 90009 | 10-DEC-92 | LEISHMANIA | JW 11/12 | - | - | NR |
| Z0000109 | 2A125-3, | - | BL 09-DEC-92 | LM | 90009 | 16-DEC-93 | LEISHMANIA | JW 11/12 | - | - | NR |
| Z0000109 | 2A125-3, | - | BL 09-DEC-92 | LM | 90009 | 10-DEC-92 | LEISHMANIA | JW 11/12 | - | - | NR |
| Z0000110 | 2A125-4, | - | BL 09-DEC-92 | LM | 90009 | 16-DEC-93 | LEISHMANIA | JW 11/12 | + | + | IND |
| Z0000110 | 2A125-4, | - | BL 09-DEC-92 | LM | 90009 | 10-DEC-92 | LEISHMANIA | JW 11/12 | + | + | RE |
| Z0000111 | 2A125-5, | - | BL 09-DEC-92 | LM | 90009 | 16-DEC-93 | LEISHMANIA | JW 11/12 | - | + | RE |
| Z0000111 | 2A125-5, | - | BL 09-DEC-92 | LM | 90009 | 10-DEC-92 | LEISHMANIA | JW 11/12 | + | + | RE |
| Z0000112 | 2A125-6, | - | BL 09-DEC-92 | LM | 90009 | 16-DEC-93 | LEISHMANIA | JW 11/12 | + | + | RE |
| Z0000112 | 2A125-6, | - | BL 09-DEC-92 | LM | 90009 | 10-DEC-92 | LEISHMANIA | JW 11/12 | + | + | RE |
| Z0000117 | 2A125-A, | - | BL 16-DEC-92 | LM | 90009 | 21-DEC-93 | LEISHMANIA | JW 11/12 | + | + | RE |
| Z0000118 | 2A125-B, | - | BL 16-DEC-92 | LM | 90009 | 21-DEC-93 | LEISHMANIA | JW 11/12 | + | + | RE |

| Spec ID | Patient Name | PCR Assay Results: LM | | | | | | | | | | | |
|------------------------|--------------|-----------------------|-------|-------|-----------|------------|----------|-------|---|--------|-----|------|----------|
| | | Probe JW 14 | | Panel | | Assay Date | | Virus | | Primer | | Tube | Tube |
| Spec Received Type | SSN | Date | Study | | | | | | | # 1 | # 2 | Int | Comments |
| - | - | BL 16-DEC-92 | LM | 90009 | 21-DEC-93 | LEISHMANIA | JW 11/12 | - | - | - | - | NR | |
| Z0000120 2A125-D, | - | BL 16-DEC-92 | LM | 90009 | 21-DEC-93 | LEISHMANIA | JW 11/12 | + | + | + | RE | | |
| Z0000121 ANTI GP160/2, | - | CE 09-DEC-92 | FLOW | 90009 | 21-DEC-93 | LEISHMANIA | JW 11/12 | + | + | + | RE | | |
| Z0000122 ANTI GP160/2, | - | CE 09-DEC-92 | FLOW | 90009 | 21-DEC-93 | LEISHMANIA | JW 11/12 | - | - | - | NR | | |
| Z0000161 A, | - | BL 30-DEC-92 | LM | 90009 | 06-JAN-93 | LEISHMANIA | JW 11/12 | - | - | - | NR | | |
| Z0000162 C, | - | BL 30-DEC-92 | LM | 90009 | 06-JAN-93 | LEISHMANIA | JW 11/12 | + | + | + | RE | | |
| Z0000163 E, | - | BL 30-DEC-92 | LM | 90009 | 06-JAN-93 | LEISHMANIA | JW 11/12 | + | + | + | RE | +REP | |
| Z0000163 E, | - | BL 30-DEC-92 | LM | 90009 | 06-JAN-93 | LEISHMANIA | JW 11/12 | + | + | + | RE | +REP | |
| Z0000164 F, | - | BL 30-DEC-92 | LM | 90009 | 29-JUL-93 | LEISHMANIA | JW 11/12 | + | + | + | RE | +REP | |
| Z0000165 H, | - | BL 30-DEC-92 | LM | 90009 | 06-JAN-93 | LEISHMANIA | JW 11/12 | + | + | + | RE | +REP | |
| Z0000165 H, | - | BL 30-DEC-92 | LM | 90009 | 29-JUL-93 | LEISHMANIA | JW 11/12 | + | + | + | RE | +REP | |
| Z0000166 J, | - | BL 30-DEC-92 | LM | 90009 | 06-JAN-93 | LEISHMANIA | JW 11/12 | + | + | + | RE | +REP | |
| Z0000166 J, | - | BL 30-DEC-92 | LM | 90009 | 29-JUL-93 | LEISHMANIA | JW 11/12 | + | + | + | RE | +REP | |
| Z0000167 MARY, | - | BL 11-JAN-93 | LM | 90009 | 11-JAN-93 | LEISHMANIA | JW 11/12 | + | + | + | RE | | |
| Z0000167 MARY, | - | BL 11-JAN-93 | LM | 90009 | 29-JUL-93 | LEISHMANIA | JW 11/12 | + | + | + | RE | +REP | |
| Z0000168 BABLU HEUL, | - | BL 11-JAN-93 | LM | 90009 | 11-JAN-93 | LEISHMANIA | JW 11/12 | + | + | + | RE | | |
| Z0000168 BABLU HEUL, | - | BL 11-JAN-93 | LM | 90009 | 29-JUL-93 | LEISHMANIA | JW 11/12 | + | + | + | RE | +REP | |
| Z0000169 LAUZSHMI, | - | BL 11-JAN-93 | LM | 90009 | 11-JAN-93 | LEISHMANIA | JW 11/12 | + | + | + | RE | | |
| Z0000169 LAUZSHMI, | - | BL 11-JAN-93 | LM | 90009 | 29-JUL-93 | LEISHMANIA | JW 11/12 | + | + | + | RE | +REP | |
| Z0000170 KOMESHCOAR, | - | BL 11-JAN-93 | LM | 90009 | 11-JAN-93 | LEISHMANIA | JW 11/12 | + | + | + | RE | | |
| Z0000170 KOMESHCOAR, | - | BL 11-JAN-93 | LM | 90009 | 29-JUL-93 | LEISHMANIA | JW 11/12 | + | - | - | IND | +REP | |

PCR Assay Results: LM

Probe JW 14

| Spec ID | Patient Name | FPC + SSN | Spec Received | | Panel | Assay Date | Virus | Primer | Tube | | Comments | |
|---------|-----------------|-----------|---------------|-----------|-------|------------|-----------|------------|------|-------|----------|---------|
| | | | Type | Date | | | | | # 1 | # 2 | | |
| Z000171 | BIMALDEY, | - | BL | 11-JAN-93 | LM | 90009 | 11-JAN-93 | LEISHMANIA | JW | 11/12 | + | RE |
| Z000172 | JAINAI, | - | BL | 11-JAN-93 | LM | 90009 | 29-JUL-93 | LEISHMANIA | JW | 11/12 | + | +REP |
| Z000173 | ALOR-RAYAR, | - | BL | 11-JAN-93 | LM | 90009 | 11-JAN-93 | LEISHMANIA | JW | 11/12 | + | RE |
| Z000173 | ALOR-RAYAR, | - | BL | 11-JAN-93 | LM | 90009 | 29-JUL-93 | LEISHMANIA | JW | 11/12 | + | +REP |
| Z000174 | ARMIN-KUMANJNE, | - | BL | 11-JAN-93 | LM | 90009 | 11-JAN-93 | LEISHMANIA | JW | 11/12 | + | IND |
| Z000174 | ARMIN-KUMANJNE, | - | BL | 11-JAN-93 | LM | 90009 | 29-JUL-93 | LEISHMANIA | JW | 11/12 | +/ - | +/- IND |
| Z000175 | AMIL KUMAR, | - | BL | 11-JAN-93 | LM | 90009 | 11-JAN-93 | LEISHMANIA | JW | 11/12 | - | NR |
| Z000176 | HASINER-KHAFIN, | - | BL | 11-JAN-93 | LM | 90009 | 29-JUL-93 | LEISHMANIA | JW | 11/12 | + | +REP |
| Z000176 | HASINER-KHAFIN, | - | BL | 11-JAN-93 | LM | 90009 | 11-JAN-93 | LEISHMANIA | JW | 11/12 | + | RE |
| Z000177 | SUMAY KUMAR, | - | BL | 11-JAN-93 | LM | 90009 | 11-JAN-93 | LEISHMANIA | JW | 11/12 | + | RE |
| Z000178 | RULLI-KUMAR, | - | BL | 11-JAN-93 | LM | 90009 | 11-JAN-93 | LEISHMANIA | JW | 11/12 | + | +REP |
| Z000257 | RULLI-KUMAR, | - | BL | 11-JAN-93 | LM | 90009 | 29-JUL-93 | LEISHMANIA | JW | 11/12 | - | NR |
| Z000257 | 30491, | - | BL | 18-FEB-93 | LM | 90009 | 11-JAN-93 | LEISHMANIA | JW | 11/12 | + | RE |
| Z000258 | 30491, | - | BL | 18-FEB-93 | LM | 90009 | 29-JUL-93 | LEISHMANIA | JW | 11/12 | + | +REP |
| Z000258 | 30492, | - | BL | 18-FEB-93 | LM | 90009 | 19-FEB-93 | LEISHMANIA | JW | 11/12 | + | RE |
| Z000259 | 30493, | - | BL | 19-FEB-93 | LM | 90009 | 29-JUL-93 | LEISHMANIA | JW | 11/12 | + | +REP |
| Z000259 | 30493, | - | BL | 19-FEB-93 | LM | 90009 | 19-FEB-93 | LEISHMANIA | JW | 11/12 | + | RE |
| Z000260 | 30494, | - | BL | 18-FEB-93 | LM | 90009 | 19-FEB-93 | LEISHMANIA | JW | 11/12 | + | +REP |
| Z000260 | 30494, | - | BL | 18-FEB-93 | LM | 90009 | 29-JUL-93 | LEISHMANIA | JW | 11/12 | + | RE |
| Z000261 | 30495, | - | BL | 18-FEB-93 | LM | 90009 | 19-FEB-93 | LEISHMANIA | JW | 11/12 | - | NR |

| Spec ID | Patient Name | PCR Assay Results: LM | | | | PCR Assay Results: JW 14 | | | | Tube # | | | |
|---------|-----------------|-----------------------|-------------------------|-------|-------|--------------------------|------------|----------|---|--------|--------|------|----------|
| | | FPC + SSN | Spec Received Type Date | Study | Panel | Assay Date | Virus | Primer | | Tube # | Tube # | Int | Comments |
| Z000262 | 30496, | - | BL 18-FEB-93 | LM | 90009 | 19-FEB-93 | LEISHMANIA | JW 11/12 | - | - | - | NR | |
| Z000263 | 30497, | - | BL 18-FEB-93 | LM | 90009 | 19-FEB-93 | LEISHMANIA | JW 11/12 | - | - | - | NR | |
| Z000264 | 30481, | - | BL 18-FEB-93 | LM | 90009 | 19-FEB-93 | LEISHMANIA | JW 11/12 | - | - | - | NR | |
| Z000308 | 30691A, | - | BL 11-MAR-93 | LM | 90009 | 15-MAR-93 | LEISHMANIA | JW 11/12 | + | + | RE | | |
| Z000308 | 30691A, | - | BL 11-MAR-93 | LM | 90009 | 29-JUL-93 | LEISHMANIA | JW 11/12 | + | + | RE | +REP | |
| Z000309 | 30692A, | - | BL 11-MAR-93 | LM | 90009 | 15-MAR-93 | LEISHMANIA | JW 11/12 | + | + | RE | | |
| Z000309 | 30692A, | - | BL 11-MAR-93 | LM | 90009 | 29-JUL-93 | LEISHMANIA | JW 11/12 | + | + | RE | +REP | |
| Z000310 | 30693A, | - | BL 11-MAR-93 | LM | 90009 | 15-MAR-93 | LEISHMANIA | JW 11/12 | + | + | RE | | |
| Z000310 | 30693A, | - | BL 11-MAR-93 | LM | 90009 | 29-JUL-93 | LEISHMANIA | JW 11/12 | + | + | RE | +REP | |
| Z000311 | 30694A, | - | BL 11-MAR-93 | LM | 90009 | 15-MAR-93 | LEISHMANIA | JW 11/12 | + | + | RE | | |
| Z000312 | 30695A, | - | BL 11-MAR-93 | LM | 90009 | 15-MAR-93 | LEISHMANIA | JW 11/12 | + | - | IND | | |
| Z000312 | 30695A, | - | BL 11-MAR-93 | LM | 90009 | 29-JUL-93 | LEISHMANIA | JW 11/12 | + | + | RE | +REP | |
| Z000313 | WILT, TIMOTHY L | 03-205-21-9045 | BL 12-MAR-93 | LM | 90009 | 15-MAR-93 | LEISHMANIA | JW 11/12 | - | - | NR | | |
| Z000320 | PT. PLC, | - | BL 23-MAR-93 | LM | 90009 | 25-MAR-93 | LEISHMANIA | JW 11/12 | + | + | RE | | |
| Z000320 | PT. PLC, | - | BL 23-MAR-93 | LM | 90009 | 05-APR-93 | LEISHMANIA | JW 11/12 | - | - | NR | | |
| Z000320 | PT. PLC, | - | BL 23-MAR-93 | LM | 90009 | 29-JUL-93 | LEISHMANIA | JW 11/12 | - | - | +/- | IND | +REP |
| Z000321 | PT. C.A.N., | - | BL 23-MAR-93 | LM | 90009 | 05-APR-93 | LEISHMANIA | JW 11/12 | - | - | NR | | |
| Z000321 | PT. C.A.N., | - | BL 23-MAR-93 | LM | 90009 | 25-MAR-93 | LEISHMANIA | JW 11/12 | - | - | NR | | |
| Z000336 | 1, | - | BL 26-MAR-93 | LM | 90009 | 29-JUL-93 | LEISHMANIA | JW 11/12 | + | + | RE | +REP | |
| Z000339 | 4, | - | BL 26-MAR-93 | LM | 90009 | 29-JUL-93 | LEISHMANIA | JW 11/12 | + | + | RE | +REP | |
| Z000340 | 5, | - | BL 26-MAR-93 | LM | 90009 | 29-JUL-93 | LEISHMANIA | JW 11/12 | - | - | NR | +REP | |
| Z000342 | 7, | - | BL 26-MAR-93 | LM | 90009 | 29-JUL-93 | LEISHMANIA | JW 11/12 | + | + | RE | +REP | |
| Z000343 | 8, | - | BL 26-MAR-93 | LM | 90009 | 29-JUL-93 | LEISHMANIA | JW 11/12 | + | + | RE | +REP | |

| Spec ID | Patient Name | PCR Assay Results: LM | | | PCR Assay Results: JW 14 | | | Tube # 1 | | | Tube # 2 | | | Comments | |
|---------------------------|--------------|-----------------------|-------------------------|-------|--------------------------|------------|------------|----------|-----|-----|----------|------------|------|----------|--|
| | | FPC + SSN | Spec Received Type Date | Study | Panel | Assay Date | Virus | Primer | # 1 | # 2 | Int | Tube | Tube | | |
| Z000344 9, | - | - | BL 26-MAR-93 | LM | 90009 | 29-JUL-93 | LEISHMANIA | JW 11/12 | + | + | RE | +REP | | | |
| Z000345 10, | - | - | BL 26-MAR-93 | LM | 90009 | 29-JUL-93 | LEISHMANIA | JW 11/12 | + | + | RE | +REP, -CON | | | |
| Z000346 11, | - | - | BL 26-MAR-93 | LM | 90009 | 29-JUL-93 | LEISHMANIA | JW 11/12 | + | + | RE | +REP | | | |
| Z000347 12, | - | - | BL 26-MAR-93 | LM | 90009 | 29-JUL-93 | LEISHMANIA | JW 11/12 | + | + | RE | +REP | | | |
| Z000349 14, | - | - | BL 26-MAR-93 | LM | 90009 | 29-JUL-93 | LEISHMANIA | JW 11/12 | + | + | RE | +REP | | | |
| Z000351 16, | - | - | BL 26-MAR-93 | LM | 90009 | 29-JUL-93 | LEISHMANIA | JW 11/12 | + | + | RE | +REP | | | |
| Z000352 17, | - | - | BL 26-MAR-93 | LM | 90009 | 29-JUL-93 | LEISHMANIA | JW 11/12 | + | + | RE | +REP | | | |
| Z000353 20, | - | - | BL 26-MAR-93 | LM | 90009 | 29-JUL-93 | LEISHMANIA | JW 11/12 | + | + | RE | +REP | | | |
| Z000354 21, | - | - | BL 26-MAR-93 | LM | 90009 | 29-JUL-93 | LEISHMANIA | JW 11/12 | + | + | RE | +REP | | | |
| Z000355 22, | - | - | BL 26-MAR-93 | LM | 90009 | 29-JUL-93 | LEISHMANIA | JW 11/12 | + | + | RE | +REP | | | |
| Z000356 23, | - | - | BL 26-MAR-93 | LM | 90009 | 29-JUL-93 | LEISHMANIA | JW 11/12 | + | + | RE | +REP | | | |
| Z000367 30911, | - | - | BL 01-APR-93 | LM | 90009 | 05-APR-93 | LEISHMANIA | JW 11/12 | - | - | NR | | | | |
| Z000368 30912, | - | - | BL 01-APR-93 | LM | 90009 | 05-APR-93 | LEISHMANIA | JW 11/12 | - | - | NR | +REP | | | |
| Z000369 30913, | - | - | BL 01-APR-93 | LM | 90009 | 05-APR-93 | LEISHMANIA | JW 11/12 | - | - | NR | | | | |
| Z000370 30914, | - | - | BL 01-APR-93 | LM | 90009 | 05-APR-93 | LEISHMANIA | JW 11/12 | - | - | NR | | | | |
| Z000379 31022, | - | - | BL 12-APR-93 | LM | 90009 | 29-JUL-93 | LEISHMANIA | JW 11/12 | - | - | NR | +REP | | | |
| Z000413 GABORONE, JB | - | - | BL 23-APR-93 | LM | 90009 | 27-APR-93 | LEISHMANIA | JW 11/12 | - | - | NR | -\+ IND | | | |
| Z000414 JASON, DAVID | - | - | BL 23-APR-93 | LM | 90009 | 27-APR-93 | LEISHMANIA | JW 11/12 | - | - | NR | -\+ IND | | | |
| Z000460 RUBENSTEIN, GRAIG | - | - | BM 21-MAY-93 | LM | 90009 | 01-JUL-93 | LEISHMANIA | JW 11/12 | - | - | NR | | | | |
| Z000460 RUBENSTEIN, GRAIG | - | - | BM 21-MAY-93 | LM | 90009 | 25-MAY-93 | LEISHMANIA | JW 11/12 | - | - | NR | | | | |
| Z000461 RUBENSTEIN, GRAIG | - | - | BL 21-MAY-93 | LM | 90009 | 01-JUL-93 | LEISHMANIA | JW 11/12 | - | - | NR | | | | |
| Z000461 RUBENSTEIN, GRAIG | - | - | BL 21-MAY-93 | LM | 90009 | 25-MAY-93 | LEISHMANIA | JW 11/12 | - | - | NR | | | | |
| Z000473 J40, | - | - | BL 26-MAY-93 | LM | 90009 | 27-MAY-93 | LEISHMANIA | JW 11/12 | + | + | RE | | | | |

| Spec ID | Patient Name | PCR Assay Results: LM | | | PCR Assay Results: JW 14 | | | Tube # 1 | | | Tube # 2 | | | Int Comments | | |
|---------|-------------------|-----------------------|------|-----------|--------------------------|-------|------------|------------|----------|----------|----------|---|----|--------------|-----|------|
| | | FPC + SSN | Type | Date | Spec Received | Panel | Assay Date | Virus | Primer | JW 11/12 | - | - | NR | +REP | | |
| Z000473 | J40, | - | BL | 26-MAY-93 | LM | 90009 | 29-JUL-93 | LEISHMANIA | JW 11/12 | - | - | - | NR | +REP | | |
| Z000474 | PBS AIL, | - | BL | 26-MAY-93 | LM | 90009 | 27-MAY-93 | LEISHMANIA | JW 11/12 | + | + | + | RE | | | |
| Z000474 | PBS AIL, | - | BL | 26-MAY-93 | LM | 90009 | 29-JUL-93 | LEISHMANIA | JW 11/12 | - | - | - | NR | +REP | | |
| Z000475 | J45, | - | BL | 26-MAY-93 | LM | 90009 | 27-MAY-93 | LEISHMANIA | JW 11/12 | + | + | + | RE | | | |
| Z000475 | J45, | - | BL | 26-MAY-93 | LM | 90009 | 29-JUL-93 | LEISHMANIA | JW 11/12 | - | - | - | NR | +REP | | |
| Z000476 | J4N, | - | BL | 26-MAY-93 | LM | 90009 | 27-MAY-93 | LEISHMANIA | JW 11/12 | + | + | + | RE | | | |
| Z000476 | J4N, | - | BL | 26-MAY-93 | LM | 90009 | 29-JUL-93 | LEISHMANIA | JW 11/12 | - | - | - | NR | +REP | | |
| Z000501 | 31601, | - | BL | 09-JUN-93 | LM | 90009 | 15-JUN-93 | LEISHMANIA | JW 11/12 | - | - | - | NR | | | |
| Z000502 | 31601, | - | BM | 09-JUN-93 | LM | 90009 | 15-JUN-93 | LEISHMANIA | JW 11/12 | - | - | - | NR | | | |
| Z000503 | 31621, | - | BL | 11-JUN-93 | LM | 90009 | 15-JUN-93 | LEISHMANIA | JW 11/12 | - | - | - | NR | | | |
| Z000503 | 31621, | - | BL | 11-JUN-93 | LM | 90009 | 29-JUL-93 | LEISHMANIA | JW 11/12 | - | - | - | NR | | | |
| Z000504 | 31622, | - | BL | 14-JUN-93 | LM | 90009 | 15-JUN-93 | LEISHMANIA | JW 11/12 | + | + | + | RE | | | |
| Z000504 | 31622, | - | BL | 14-JUN-93 | LM | 90009 | 29-JUL-93 | LEISHMANIA | JW 11/12 | - | - | - | NR | +REP | | |
| Z000505 | 31623, | - | BL | 11-JUN-93 | LM | 90009 | 15-JUN-93 | LEISHMANIA | JW 11/12 | + | + | + | RE | | | |
| Z000505 | 31623, | - | BL | 11-JUN-93 | LM | 90009 | 29-JUL-93 | LEISHMANIA | JW 11/12 | - | - | - | NR | +REP | | |
| Z000506 | 31624, | - | BL | 11-JUN-93 | LM | 90009 | 15-JUN-93 | LEISHMANIA | JW 11/12 | - | - | - | NR | +IND | +/- | +REP |
| Z000506 | 31624, | - | BL | 11-JUN-93 | LM | 90009 | 29-JUL-93 | LEISHMANIA | JW 11/12 | + | + | + | RE | | | |
| Z000507 | CHIPLEY, JOSHUA W | 20-564-33-6887 | TE | 11-JUN-93 | LM | 90009 | 15-JUN-93 | LEISHMANIA | JW 11/12 | + | + | + | RE | | | |
| Z000508 | CHIPLEY, JOSHUA W | 20-564-33-6887 | TE | 11-JUN-93 | LM | 90009 | 15-JUN-93 | LEISHMANIA | JW 11/12 | - | - | - | NR | | | |
| Z000511 | WILLIAMS, MARQUET | - | PL | 24-JUN-93 | LM | 90009 | 07-JUL-93 | LEISHMANIA | JW 11/12 | - | - | - | NR | | | |
| Z000517 | 31881, | - | BL | 07-JUL-93 | LM | 90009 | 09-JUL-93 | LEISHMANIA | JW 11/12 | - | - | - | NR | | | |
| Z000518 | 31882, | - | BL | 07-JUL-93 | LM | 90009 | 09-JUL-93 | LEISHMANIA | JW 11/12 | - | - | - | NR | | | |
| Z000519 | 31883, | - | BL | 07-JUL-93 | LM | 90009 | 09-JUL-93 | LEISHMANIA | JW 11/12 | + | + | + | RE | | | |

| Spec ID | Patient Name | PCR Assay Results: LM | | | PCR Assay Results: JW 14 | | | Primer | Tube # 1 | Tube # 2 | Int | Comments |
|---------|----------------------|-----------------------|------|--------------------|--------------------------|-------|------------|------------|----------|----------|-----|----------|
| | | FPC + SSN | Type | Spec Received Date | Study | Panel | Assay Date | | | | | |
| Z000520 | 31884, | - | BL | 07-JUL-93 | LM | 90009 | 09-JUL-93 | LEISHMANIA | JW 11/12 | + | + | RE |
| Z000541 | 31931, | - | BL | 12-JUL-93 | LM | 90009 | 16-JUL-93 | LEISHMANIA | JW 11/12 | + | + | RE |
| Z000541 | 31931, | - | BL | 12-JUL-93 | LM | 90009 | 29-JUL-93 | LEISHMANIA | JW 11/12 | + | + | RE |
| Z000542 | 31932, | - | BL | 12-JUL-93 | LM | 90009 | 16-JUL-93 | LEISHMANIA | JW 11/12 | + | + | RE |
| Z000542 | 31932, | - | BL | 12-JUL-93 | LM | 90009 | 29-JUL-93 | LEISHMANIA | JW 11/12 | + | + | RE |
| Z000543 | 31933, | - | BL | 12-JUL-93 | LM | 90009 | 16-JUL-93 | LEISHMANIA | JW 11/12 | + | + | IND |
| Z000543 | 31933, | - | BL | 12-JUL-93 | LM | 90009 | 29-JUL-93 | LEISHMANIA | JW 11/12 | + | + | RE |
| Z000550 | 31971, | - | BL | 16-JUL-93 | LM | 90009 | 29-JUL-93 | LEISHMANIA | JW 11/12 | - | + | IND |
| Z000551 | 31972, | - | BL | 16-JUL-93 | LM | 90009 | 29-JUL-93 | LEISHMANIA | JW 11/12 | - | - | NR |
| 20345 | HAMMACK, WENDELL | 20-427-49-8157 | BM | 27-JAN-93 | LM | 90009 | 04-AUG-93 | LEISHMANIA | JW 11/12 | + | - | IND |
| 20344 | HAMMACK, WENDELL | 20-427-49-8157 | BL | 27-JAN-93 | LM | 90009 | 03-AUG-93 | LEISHMANIA | JW 11/12 | - | - | NR |
| 23345 | GHEBREMESCHEL, TADDE | 20-049-34-1541 | BM | 27-MAY-93 | LM | 90009 | 04-AUG-93 | LEISHMANIA | JW 11/12 | + | - | IND |
| Z000101 | 2A125-A, | - | BL | 09-DEC-92 | LM | 90009 | 04-AUG-93 | LEISHMANIA | JW 11/12 | + | + | REP |
| Z000104 | 2A125-D, | - | BL | 09-DEC-92 | LM | 90009 | 04-AUG-93 | LEISHMANIA | JW 11/12 | + | + | REP |
| Z000105 | 2A125-E, | - | BL | 09-DEC-92 | LM | 90009 | 04-AUG-93 | LEISHMANIA | JW 11/12 | + | + | REP |
| Z000112 | 2A125-F, | - | BL | 09-DEC-92 | LM | 90009 | 04-AUG-93 | LEISHMANIA | JW 11/12 | + | + | REP |
| Z000117 | 2A125-A, | - | BL | 16-DEC-92 | LM | 90009 | 04-AUG-93 | LEISHMANIA | JW 11/12 | + | + | REP |
| Z000145 | 2A125-G, | - | BL | 16-DEC-92 | LM | 90009 | 04-AUG-93 | LEISHMANIA | JW 11/12 | - | - | NR |
| Z000310 | 30693A, | - | BL | 11-MAR-93 | LM | 90009 | 04-AUG-93 | LEISHMANIA | JW 11/12 | + | + | REP |
| Z000340 | 5, | - | BL | 26-MAR-93 | LM | 90009 | 04-AUG-93 | LEISHMANIA | JW 11/12 | - | - | NR |
| Z000379 | 31022, | - | BL | 12-APR-93 | LM | 90009 | 04-AUG-93 | LEISHMANIA | JW 11/12 | + | + | REP |
| Z000439 | 1, | - | BL | 30-APR-93 | LM | 90009 | 04-AUG-93 | LEISHMANIA | JW 11/12 | - | - | NR |
| Z000440 | 2, | - | BL | 30-APR-93 | LM | 90009 | 04-AUG-93 | LEISHMANIA | JW 11/12 | - | + | IND |

PCR Assay Results: LM
Probe JW 14

| Spec ID | Patient Name | FPC + SSN | Spec Received Type Date | Study | Panel | Assay Date | Virus | Primer | Tube # 1 | Tube # 2 | Int | Comments |
|----------------------------|--------------|----------------|-------------------------|-------|-------|------------|------------|----------|----------|----------|-----|-----------------|
| Z000466 GRAVES, ERIC | | 20-003-60-3564 | LI 25-MAY-93 | LM | 90009 | 04-AUG-93 | LEISHMANIA | JW 11/12 | + | + | RE | +REP |
| Z000473 J40, | | - | BL 26-MAY-93 | LM | 90009 | 04-AUG-93 | LEISHMANIA | JW 11/12 | - | + | IND | +REP |
| Z000474 PBS AIL, | | - | BL 26-MAY-93 | LM | 90009 | 04-AUG-93 | LEISHMANIA | JW 11/12 | + | + | RE | +REP |
| Z000475 J45, | | - | BL 26-MAY-93 | LM | 90009 | 04-AUG-93 | LEISHMANIA | JW 11/12 | + | - | IND | +REP |
| Z000476 J4N, | | - | BL 26-MAY-93 | LM | 90009 | 04-AUG-93 | LEISHMANIA | JW 11/12 | + | + | RE | +REP |
| Z000503 31621, | | - | BL 11-JUN-93 | LM | 90009 | 04-AUG-93 | LEISHMANIA | JW 11/12 | + | + | RE | +REP |
| 20345 HAMMACK, WENDELL | | 20-427-49-8157 | BM 27-JAN-93 | LM | 90009 | 03-AUG-93 | LEISHMANIA | JW 11/12 | - | - | NR | +REP, NEG. CONT |
| 21552 SCHONEBOOM, BRAD L | | 20-367-76-1421 | BM 15-MAR-93 | LM | 90009 | 03-AUG-93 | LEISHMANIA | JW 11/12 | - | - | NR | +REP |
| 22745 WADDELL, DIRK | | 20-343-56-3223 | BL 04-MAY-93 | LM | 90009 | 03-AUG-93 | LEISHMANIA | JW 11/12 | - | - | NR | +REP |
| 23046 WADDELL, DIRK | | 20-343-56-3223 | BL 17-MAY-93 | LM | 90009 | 03-AUG-93 | LEISHMANIA | JW 11/12 | - | - | NR | +REP |
| 23250 CHIPLEY, JOSHUA W | | 20-564-33-6887 | BL 21-MAY-93 | LM | 90009 | 03-AUG-93 | LEISHMANIA | JW 11/12 | - | + | IND | +REP |
| 23345 GHEBREMESCHEL, TADDE | | 20-049-34-1541 | BM 27-MAY-93 | LM | 90009 | 03-AUG-93 | LEISHMANIA | JW 11/12 | - | - | NR | +REP |
| Z000101 2A125-A, | | - | BL 09-DEC-92 | LM | 90009 | 03-AUG-93 | LEISHMANIA | JW 11/12 | - | - | NR | +REP |
| Z000104 2A125-D, | | - | BL 09-DEC-92 | LM | 90009 | 03-AUG-93 | LEISHMANIA | JW 11/12 | - | - | NR | +REP |
| Z000105 2A125-E, | | - | BL 09-DEC-92 | LM | 90009 | 03-AUG-93 | LEISHMANIA | JW 11/12 | - | + | IND | +REP |
| Z000106 2A125-F, | | - | BL 09-DEC-92 | LM | 90009 | 03-AUG-93 | LEISHMANIA | JW 11/12 | + | + | RE | +REP |
| Z000107 2A125-1, | | - | BL 09-DEC-92 | LM | 90009 | 03-AUG-93 | LEISHMANIA | JW 11/12 | + | + | RE | +REP |
| Z000110 2A125-4, | | - | BL 09-DEC-92 | LM | 90009 | 03-AUG-93 | LEISHMANIA | JW 11/12 | + | + | RE | +REP |
| Z000111 2A125-5, | | - | BL 09-DEC-92 | LM | 90009 | 03-AUG-93 | LEISHMANIA | JW 11/12 | + | + | RE | +REP |
| Z000112 2A125-6, | | - | BL 09-DEC-92 | LM | 90009 | 03-AUG-93 | LEISHMANIA | JW 11/12 | + | + | RE | +REP |
| Z000117 2A125-A, | | - | BL 16-DEC-92 | LM | 90009 | 03-AUG-93 | LEISHMANIA | JW 11/12 | - | - | NR | +REP |
| Z000118 2A125-B, | | - | BL 16-DEC-92 | LM | 90009 | 03-AUG-93 | LEISHMANIA | JW 11/12 | - | - | NR | +REP |
| Z000120 2A125-D, | | - | BL 16-DEC-92 | LM | 90009 | 03-AUG-93 | LEISHMANIA | JW 11/12 | + | + | RE | +REP |

PCR Assay Results: LM
Probe JW 14

| Spec ID | Patient Name | FPC + SSN | Spec Received | | | Panel Assay Date Virus | | | Primer | Tube # 1 | | Comments |
|--------------------------|--------------|----------------|---------------|-----------|-------|------------------------|------------|------------|----------|----------|-----|----------------|
| | | | Type | Date | Study | 03-AUG-93 | LEISHMANIA | JW 11/12 | | # 2 | Int | |
| Z000144 2A125-4, | | - | BL | 16-DEC-92 | LM | 90009 | 03-AUG-93 | LEISHMANIA | JW 11/12 | + | + | +REP |
| Z000145 2A125-5, | | - | BL | 16-DEC-92 | LM | 90009 | 03-AUG-93 | LEISHMANIA | JW 11/12 | - | - | NR +REP |
| Z000146 2A125-6, | | - | BL | 16-DEC-92 | LM | 90009 | 03-AUG-93 | LEISHMANIA | JW 11/12 | - | - | NR +REO |
| Z000440 2, | | - | BL | 30-APR-93 | LM | 90009 | 03-AUG-93 | LEISHMANIA | JW 11/12 | - | - | NR +REP |
| Z000350 15, | | - | BL | 26-MAR-93 | LM | 90009 | 03-AUG-93 | LEISHMANIA | JW 11/12 | + | + | RE +REP |
| Z000439 1, | | - | BL | 30-APR-93 | LM | 90009 | 03-AUG-93 | LEISHMANIA | JW 11/12 | - | - | NR +REP |
| Z000466 GRAVES, ERIC | | 20-003-60-3564 | LT | 25-MAY-93 | LM | 90009 | 03-AUG-93 | LEISHMANIA | JW 11/12 | - | - | NR +REP |
| Z2955 DARBY, GREGORY S | | 20-505-06-2923 | BL | 12-MAY-93 | LM | 90009 | 03-AUG-93 | LEISHMANIA | JW 11/12 | + | + | RE +REP |
| Z3328 J4, | | - | BL | 26-MAY-93 | LM | 90009 | 03-AUG-93 | LEISHMANIA | JW 11/12 | + | + | RE +REP |
| Z3328 J4, | | - | BL | 26-MAY-93 | LM | 90009 | 03-AUG-93 | LEISHMANIA | JW 11/12 | + | + | RE +REP |
| Z000170 KOMESHCOAR, | | - | BL | 11-JAN-93 | LM | 90009 | 03-AUG-93 | LEISHMANIA | JW 11/12 | + | + | RE +REP, CONT |
| Z000172 JAINAI, | | - | BL | 11-JAN-93 | LM | 90009 | 03-AUG-93 | LEISHMANIA | JW 11/12 | + | + | RE +REP |
| Z000173 ALOR-RAYAR, | | - | BL | 11-JAN-93 | LM | 90009 | 03-AUG-93 | LEISHMANIA | JW 11/12 | - | - | NR +REP |
| Z000176 HASINER-KHAFFIN, | | - | BL | 11-JAN-93 | LM | 90009 | 03-AUG-93 | LEISHMANIA | JW 11/12 | + | + | RE +REP |
| Z000310 30693A, | | - | BL | 11-MAR-93 | LM | 90009 | 03-AUG-93 | LEISHMANIA | JW 11/12 | + | + | RE +REP, CONT |
| Z000320 PT, PLC, | | - | BL | 23-MAR-93 | LM | 90009 | 03-AUG-93 | LEISHMANIA | JW 11/12 | + | + | RE +REP |
| Z000379 31022, | | - | BL | 12-APR-93 | LM | 90009 | 03-AUG-93 | LEISHMANIA | JW 11/12 | - | - | NR +REP |
| Z000473 J40, | | - | BL | 26-MAY-93 | LM | 90009 | 03-AUG-93 | LEISHMANIA | JW 11/12 | - | - | NR +REP |
| Z000474 PBS AIL, | | - | BL | 26-MAY-93 | LM | 90009 | 03-AUG-93 | LEISHMANIA | JW 11/12 | - | + | IND +REP, CONT |
| Z000475 J45, | | - | BL | 26-MAY-93 | LM | 90009 | 03-AUG-93 | LEISHMANIA | JW 11/12 | + | - | IND +REP |
| Z000476 J4N, | | - | BL | 26-MAY-93 | LM | 90009 | 03-AUG-93 | LEISHMANIA | JW 11/12 | + | - | IND +REP |
| Z000503 31621, | | - | BL | 11-JUN-93 | LM | 90009 | 03-AUG-93 | LEISHMANIA | JW 11/12 | - | + | IND +REP |
| Z000504 31622, | | - | BL | 14-JUN-93 | LM | 90009 | 03-AUG-93 | LEISHMANIA | JW 11/12 | + | + | RE +REP |

| Spec ID | Patient Name | PCR Assay Results: LM | | | | | | | | | | | |
|---------|----------------------|-----------------------|----|-------------------------|-----------|-------|-------|------------------------|----------------------|----------|---|-------------------|--------------|
| | | FPC + SSN | | Spec Received Type Date | | Study | | Panel Assay Date Virus | | Primer | | | |
| Z000505 | 31623, | - | - | BL | 11-JUN-93 | LM | - | 90009 | 03-AUG-93 LEISHMANIA | JW 11/12 | + | + | RE +REP |
| Z000170 | KOMESHCOAR, | - | - | BL | 11-JAN-93 | LM | - | 90009 | 03-AUG-93 LEISHMANIA | JW 11/12 | + | - | IND REP .PL. |
| Z000170 | KOMESHCOAR, | - | - | BL | 11-JAN-93 | LM | - | 90009 | 03-AUG-93 LEISHMANIA | JW 11/12 | + | - | IND REP .PL. |
| Z000310 | 30693A, | - | - | BL | 11-MAR-93 | LM | - | 90009 | 03-AUG-93 LEISHMANIA | JW 11/12 | + | - | IND REP .PL. |
| Z000310 | 30693A, | - | - | BL | 11-MAR-93 | LM | - | 90009 | 03-AUG-93 LEISHMANIA | JW 11/12 | - | - | NR REP .PL. |
| Z000503 | 31621, | - | - | BL | 11-JUN-93 | LM | - | 90009 | 03-AUG-93 LEISHMANIA | JW 11/12 | + | - | IND REP .PL. |
| Z000504 | 31622, | - | - | BL | 14-JUN-93 | LM | - | 90009 | 03-AUG-93 LEISHMANIA | JW 11/12 | + | + | RE REP .PL. |
| 23250 | CHIPLEY, JOSHUA W | 20-564-33-6887 | BL | 21-MAY-93 | LM | - | 90009 | 03-AUG-93 LEISHMANIA | JW 11/12 | - | - | NR REP .PL. , DIL | |
| Z000105 | 2A125-E, | - | - | BL | 09-DEC-92 | LM | - | 90009 | 03-AUG-93 LEISHMANIA | JW 11/12 | - | - | NR REP .PL |
| 24930 | 322211, | - | - | BL | 09-AUG-93 | LM | - | 90009 | 16-AUG-93 LEISHMANIA | JW 11/12 | - | - | NR |
| 24931 | 322212, | - | - | BL | 09-AUG-93 | LM | - | 90009 | 16-AUG-93 LEISHMANIA | JW 11/12 | - | - | NR |
| 24932 | 322213, | - | - | BL | 09-AUG-93 | LM | - | 90009 | 16-AUG-93 LEISHMANIA | JW 11/12 | - | - | NR |
| Z000550 | 31971, | - | - | BL | 16-JUL-93 | LM | - | 90009 | 16-AUG-93 LEISHMANIA | JW 11/12 | - | - | NR |
| Z000591 | LEH1663, | - | - | BL | 05-AUG-93 | LM | - | 90009 | 16-AUG-93 LEISHMANIA | JW 11/12 | - | - | NR |
| Z000592 | LEH1664, | - | - | BL | 05-AUG-93 | LM | - | 90009 | 16-AUG-93 LEISHMANIA | JW 11/12 | - | - | NR |
| Z000593 | LEH1665, | - | - | BL | 05-AUG-93 | LM | - | 90009 | 16-AUG-93 LEISHMANIA | JW 11/12 | - | - | NR |
| Z000594 | LEH1666, | - | - | BL | 05-AUG-93 | LM | - | 90009 | 16-AUG-93 LEISHMANIA | JW 11/12 | - | - | NR |
| Z000595 | LEH1667, | - | - | BL | 05-AUG-93 | LM | - | 90009 | 16-AUG-93 LEISHMANIA | JW 11/12 | + | + | RE |
| Z000596 | LEH1668, | - | - | BL | 05-AUG-93 | LM | - | 90009 | 16-AUG-93 LEISHMANIA | JW 11/12 | + | + | RE |
| Z000597 | BLUSAU-MIZBSA, SHASH | - | - | BL | 10-AUG-93 | LM | - | 90009 | 16-AUG-93 LEISHMANIA | JW 11/12 | + | + | RE |
| Z000598 | BLUSAU-MIZBSA, SHASH | - | - | BL | 10-AUG-93 | LM | - | 90009 | 16-AUG-93 LEISHMANIA | JW 11/12 | + | + | RE |
| Z000599 | CPT-2, | - | - | BL | 10-AUG-93 | LM | - | 90009 | 16-AUG-93 LEISHMANIA | JW 11/12 | + | + | RE |
| Z000600 | KERRY, SUDHRI | - | - | BL | 10-AUG-93 | LM | - | 90009 | 16-AUG-93 LEISHMANIA | JW 11/12 | + | + | RE |

| Spec ID | Patient Name | PCR Assay Results: LM Probe JW 14 | | | | | | | | | |
|---------|----------------------|--------------------------------------|--------------------|-----------|-------|-------|------------|------------|----------|----------|----------|
| | | FPC + SSN | Spec Received Type | Date | Study | Panel | Assay Date | Virus | Primer | Tube # 1 | Tube # 2 |
| Z000601 | RAJUARA, SUTHER-KWAR | - | BL | 10-AUG-93 | LM | 90009 | 16-AUG-93 | LEISHMANIA | JW 11/12 | + | + |
| Z000602 | DEITS, GEETA | - | BL | 10-AUG-93 | LM | 90009 | 16-AUG-93 | LEISHMANIA | JW 11/12 | + | + |
| Z000603 | DEITS, GEETA | - | BL | 10-AUG-93 | LM | 90009 | 16-AUG-93 | LEISHMANIA | JW 11/12 | + | + |
| Z000604 | THAFCER, SURON | - | BL | 10-AUG-93 | LM | 90009 | 16-AUG-93 | LEISHMANIA | JW 11/12 | + | RE |
| Z000605 | SHUYARRU, KERROZ | - | BL | 10-AUG-93 | LM | 90009 | 16-AUG-93 | LEISHMANIA | JW 11/12 | + | + |
| Z000606 | REEJU, DAS | - | BL | 10-AUG-93 | LM | 90009 | 16-AUG-93 | LEISHMANIA | JW 11/12 | + | RE |
| Z000607 | SHAUMARTI, CHEWHY | - | BL | 10-AUG-93 | LM | 90009 | 16-AUG-93 | LEISHMANIA | JW 11/12 | - | NR |
| Z000608 | RAKESH, KUMAR | - | BL | 10-AUG-93 | LM | 90009 | 16-AUG-93 | LEISHMANIA | JW 11/12 | - | NR |
| Z000609 | MIRTHEESWAR, PRASAD | - | BL | 10-AUG-93 | LM | 90009 | 16-AUG-93 | LEISHMANIA | JW 11/12 | - | NR |
| Z000610 | NARESH, PASWAN | - | BL | 10-AUG-93 | LM | 90009 | 16-AUG-93 | LEISHMANIA | JW 11/12 | - | NR |
| Z000611 | RAJESWAR, PD | - | BL | 10-AUG-93 | LM | 90009 | 16-AUG-93 | LEISHMANIA | JW 11/12 | - | NR |
| Z000612 | RUBY, KUMARI | - | BL | 10-AUG-93 | LM | 90009 | 16-AUG-93 | LEISHMANIA | JW 11/12 | - | NR |
| Z000613 | RAM, JINISH | - | BL | 10-AUG-93 | LM | 90009 | 16-AUG-93 | LEISHMANIA | JW 11/12 | - | NR |
| Z000614 | MANOJ, RAM | - | BL | 10-AUG-93 | LM | 90009 | 16-AUG-93 | LEISHMANIA | JW 11/12 | - | NR |
| Z000615 | RUBI, KUMARIS | - | BL | 10-AUG-93 | LM | 90009 | 16-AUG-93 | LEISHMANIA | JW 11/12 | - | NR |
| Z000616 | RAITHA, MAHAU | - | BL | 10-AUG-93 | LM | 90009 | 16-AUG-93 | LEISHMANIA | JW 11/12 | - | NR |
| Z000617 | GANESH, MALREO | - | BL | 10-AUG-93 | LM | 90009 | 16-AUG-93 | LEISHMANIA | JW 11/12 | + | RE |
| Z000618 | SUMIL, KUMAR | - | BL | 10-AUG-93 | LM | 90009 | 16-AUG-93 | LEISHMANIA | JW 11/12 | + | RE |
| Z000619 | UMESH, SAH | - | BL | 10-AUG-93 | LM | 90009 | 16-AUG-93 | LEISHMANIA | JW 11/12 | + | RE |
| Z000620 | SARISI, | - | BL | 10-AUG-93 | LM | 90009 | 16-AUG-93 | LEISHMANIA | JW 11/12 | + | RE |
| Z000625 | RHARAUBBIR, | - | BL | 10-AUG-93 | LM | 90009 | 16-AUG-93 | LEISHMANIA | JW 11/12 | + | RE |
| Z000626 | MANAJ, RAUU | - | BL | 10-AUG-93 | LM | 90009 | 16-AUG-93 | LEISHMANIA | JW 11/12 | - | NR |
| Z000627 | RAMTINEESH, PANDIT | - | BL | 10-AUG-93 | LM | 90009 | 16-AUG-93 | LEISHMANIA | JW 11/12 | - | NR |

| Spec ID | Patient Name | PCR Assay Results: LM | | | | | | | | | | | | |
|------------------------------|----------------|-----------------------|-------|-------|-------------|------------|----------|-------|---|---|---------|----------|----------|-----|
| | | Probe JW 14 | | | Panel Assay | | | Virus | | | Primer | Tube # 1 | Tube # 2 | Int |
| Spec Received | FPC + SSN | Type Date | Study | Date | Assay | Date | Virus | | | | | | | |
| - | - | BL 10-AUG-93 | LM | 90009 | 16-AUG-93 | LEISHMANIA | JW 11/12 | - | - | - | NR | | | |
| 2000628 ANJU, RANJAN | - | BL 10-AUG-93 | LM | 90009 | 16-AUG-93 | LEISHMANIA | JW 11/12 | + | + | + | RE | | | |
| 2000629 MITHILESHWAR, PD SIR | - | BL 10-AUG-93 | LM | 90009 | 16-AUG-93 | LEISHMANIA | JW 11/12 | + | + | + | RE | | | |
| 2000630 RAKESH, KUMAR | - | BL 10-AUG-93 | LM | 90009 | 16-AUG-93 | LEISHMANIA | JW 11/12 | + | + | + | RE | | | |
| 2000631 NARESH, PASWAN | - | BL 10-AUG-93 | LM | 90009 | 16-AUG-93 | LEISHMANIA | JW 11/12 | + | + | + | RE | | | |
| 2000632 GHAMANDI, CHAUDHARY | - | BL 10-AUG-93 | LM | 90009 | 16-AUG-93 | LEISHMANIA | JW 11/12 | + | + | + | RE | | | |
| 2000633 RAJU, DAS | - | BL 10-AUG-93 | LM | 90009 | 16-AUG-93 | LEISHMANIA | JW 11/12 | + | + | + | RE | | | |
| 2000634 SHYAM, SAH K | - | BL 10-AUG-93 | LM | 90009 | 16-AUG-93 | LEISHMANIA | JW 11/12 | + | + | + | RE | | | |
| 2000635 RAMAKANKA, RAI | - | BL 10-AUG-93 | LM | 90009 | 16-AUG-93 | LEISHMANIA | JW 11/12 | + | + | + | RE | | | |
| 2000636 SITAWAR, DEVI | - | BL 10-AUG-93 | LM | 90009 | 16-AUG-93 | LEISHMANIA | JW 11/12 | + | + | + | RE | | | |
| 2000637 SAMOD, KUMAR | - | BL 10-AUG-93 | LM | 90009 | 16-AUG-93 | LEISHMANIA | JW 11/12 | + | + | + | RE | | | |
| 2000638 RAJESH, KUMAR | - | BL 10-AUG-93 | LM | 90009 | 16-AUG-93 | LEISHMANIA | JW 11/12 | - | - | - | NR | | | |
| 2000639 CHAUDSA, CHEVZ | - | BL 10-AUG-93 | LM | 90009 | 16-AUG-93 | LEISHMANIA | JW 11/12 | + | + | + | RE | | | |
| 2000640 RAYETH, LAMB | - | BL 10-AUG-93 | LM | 90009 | 16-AUG-93 | LEISHMANIA | JW 11/12 | - | - | - | NR | | | |
| 2000641 SUJAFEI, LAMB | - | BL 10-AUG-93 | LM | 90009 | 16-AUG-93 | LEISHMANIA | JW 11/12 | + | + | + | RE | | | |
| 2000642 SAMUR, KUNG | - | BL 10-AUG-93 | LM | 90009 | 16-AUG-93 | LEISHMANIA | JW 11/12 | - | - | - | NR | | | |
| 2000643 AREY, RAYAN | - | BL 10-AUG-93 | LM | 90009 | 16-AUG-93 | LEISHMANIA | JW 11/12 | - | - | - | NR | | | |
| 2000644 DHARAURLIY, | - | BL 10-AUG-93 | LM | 90009 | 16-AUG-93 | LEISHMANIA | JW 11/12 | + | + | + | RE | | | |
| 2000645 VMEISH, SCH | - | BL 10-AUG-93 | LM | 90009 | 16-AUG-93 | LEISHMANIA | JW 11/12 | + | + | + | RE | | | |
| 2000646 SARITA, KUMARI | - | BL 10-AUG-93 | LM | 90009 | 16-AUG-93 | LEISHMANIA | JW 11/12 | + | + | + | RE | | | |
| 23084 VEGA, EDUARDO A | 20-584-54-8581 | BL 18-MAY-93 | RV2 | 90009 | 20-MAY-93 | LEISHMANIA | JW 11/12 | - | - | - | NR | | | |
| 23085 GRAVES, ERIC | 20-003-60-3564 | BM 18-MAY-93 | LM | 90009 | 20-MAY-93 | LEISHMANIA | JW 11/12 | - | - | - | NR | | | |
| 22977 274D, | - | BL 12-MAY-93 | LM | 90009 | 20-MAY-93 | LEISHMANIA | JW 11/12 | - | - | - | NR | | | |
| 23012 WADDELL, DIRK | 20-343-56-3223 | BL 14-MAY-93 | LM | 90009 | 20-MAY-93 | LEISHMANIA | JW 11/12 | - | - | - | +/- IND | | | |

| Spec ID | Patient Name | PCR Assay Results: LM | | | Probe JW 14 | | | Tube # 1 | | | Tube # 2 | | | Int | | | Comments | | |
|----------------------------|--------------|-----------------------|--------------------|-----------|-------------|-------|------------|------------|----------|----------|----------|----|----|------|-----|------|----------|-----|------|
| | | FPC + SSN | Spec Received Type | Date | Study | Panel | Assay Date | Virus | Primer | JW 11/12 | + | + | RE | -REP | -NR | -IND | -IND | -NR | -REP |
| 23046 WADDELL, DIRK | | 20-343-56-3223 | BL | 17-MAY-93 | LM | 90009 | 20-MAY-93 | LEISHMANIA | JW 11/12 | - | - | - | - | - | - | - | - | - | - |
| Z000647 RUSHA, MOHAN SINGH | | | BL | 10-AUG-93 | LM | 90009 | 24-AUG-93 | LEISHMANIA | JW 11/12 | - | - | - | - | - | - | - | - | - | - |
| 22970 A346, | | | BL | 12-MAY-93 | LM | 90009 | 20-MAY-93 | LEISHMANIA | JW 11/12 | + | - | - | - | - | - | - | - | - | - |
| Z000650 RAMESH, KW | | | BL | 10-AUG-93 | LM | 90009 | 24-AUG-93 | LEISHMANIA | JW 11/12 | + | - | - | - | - | - | - | - | - | - |
| Z000651 RAMAKANT, RAI | | | BL | 10-AUG-93 | LM | 90009 | 24-AUG-93 | LEISHMANIA | JW 11/12 | - | - | - | - | - | - | - | - | - | - |
| Z000652 BUDHAN, MAHTO | | | BL | 10-AUG-93 | LM | 90009 | 24-AUG-93 | LEISHMANIA | JW 11/12 | + | - | - | - | - | - | - | - | - | - |
| Z000653 SILAWAR, DEVI | | | BL | 10-AUG-93 | LM | 90009 | 24-AUG-93 | LEISHMANIA | JW 11/12 | - | - | - | - | - | - | - | - | - | - |
| Z000654 SUDHIR, KUMAR | | | BL | 10-AUG-93 | LM | 90009 | 24-AUG-93 | LEISHMANIA | JW 11/12 | + | - | - | - | - | - | - | - | - | - |
| Z000655 SARRAULLAH, | | | BL | 10-AUG-93 | LM | 90009 | 24-AUG-93 | LEISHMANIA | JW 11/12 | - | - | - | - | - | - | - | - | - | - |
| Z000657 MO, SONAWAE | | | BL | 10-AUG-93 | LM | 90009 | 24-AUG-93 | LEISHMANIA | JW 11/12 | + | - | - | - | - | - | - | - | - | - |
| Z000658 SWUGH, THAKUR | | | BL | 10-AUG-93 | LM | 90009 | 24-AUG-93 | LEISHMANIA | JW 11/12 | + | - | - | - | - | - | - | - | - | - |
| Z000659 32251, | | | BL | 13-AUG-93 | LM | 90009 | 24-AUG-93 | LEISHMANIA | JW 11/12 | - | - | - | - | - | - | - | - | - | - |
| Z000660 32252, | | | BM | 13-AUG-93 | LM | 90009 | 24-AUG-93 | LEISHMANIA | JW 11/12 | - | - | - | - | - | - | - | - | - | - |
| Z000668 32253, | | | BL | 13-AUG-93 | LM | 90009 | 24-AUG-93 | LEISHMANIA | JW 11/12 | - | - | - | - | - | - | - | - | - | - |
| Z000669 32254, | | | BL | 13-AUG-93 | LM | 90009 | 24-AUG-93 | LEISHMANIA | JW 11/12 | - | - | - | - | - | - | - | - | - | - |
| 24930 32211, | | | BL | 09-AUG-93 | LM | 90009 | 24-AUG-93 | LEISHMANIA | JW 11/12 | +/ - | - | - | - | - | - | - | - | - | - |
| 24931 32212, | | | BL | 09-AUG-93 | LM | 90009 | 24-AUG-93 | LEISHMANIA | JW 11/12 | - | - | - | - | - | - | - | - | - | - |
| 24932 32213, | | | BL | 09-AUG-93 | LM | 90009 | 24-AUG-93 | LEISHMANIA | JW 11/12 | - | - | - | - | - | - | - | - | - | - |
| Z000591 LEH1663, | | | BL | 05-AUG-93 | LM | 90009 | 24-AUG-93 | LEISHMANIA | JW 11/12 | + | - | - | - | - | - | - | - | - | - |
| Z000592 LEH1664, | | | BL | 05-AUG-93 | LM | 90009 | 24-AUG-93 | LEISHMANIA | JW 11/12 | - | - | - | - | - | - | - | - | - | - |
| Z000593 LEH1665, | | | BL | 05-AUG-93 | LM | 90009 | 24-AUG-93 | LEISHMANIA | JW 11/12 | - | - | - | - | - | - | - | - | - | - |
| Z000594 LEH1666, | | | BL | 05-AUG-93 | LM | 90009 | 24-AUG-93 | LEISHMANIA | JW 11/12 | - | - | - | - | - | - | - | - | - | - |
| Z000607 SHAMARTI, CHEWY | | | BL | 10-AUG-93 | LM | 90009 | 24-AUG-93 | LEISHMANIA | JW 11/12 | + | + | RE | - | - | - | - | - | - | - |

PCR Assay Results: LM
Probe JW 14

| Spec ID | Patient Name | FPC + SSN | Spec Received Type Date | Panel Assay Results: LM Probe JW 14 | | | Primer | Tube # 1 | Tube # 2 | Int | Comments |
|----------|---------------------|-----------|-------------------------|-------------------------------------|-------|------------|------------|----------|----------|-----|----------|
| | | | | Study | Assay | Date Virus | | | | | |
| Z0000608 | Rakesh, KUMAR | - | BL 10-AUG-93 | LM | 90009 | 24-AUG-93 | LEISHMANIA | JW 11/12 | + | + | RE |
| Z0000609 | MIRTHEESWAR, PRASAD | - | BL 10-AUG-93 | LM | 90009 | 24-AUG-93 | LEISHMANIA | JW 11/12 | + | + | -REP |
| Z0000610 | NARESH, PASWAN | - | BL 10-AUG-93 | LM | 90009 | 24-AUG-93 | LEISHMANIA | JW 11/12 | + | + | -REP |
| Z0000611 | RAJESWAR, PD | - | BL 10-AUG-93 | LM | 90009 | 24-AUG-93 | LEISHMANIA | JW 11/12 | - | - | -REP |
| Z0000612 | RUBY, KUMARI | - | BL 10-AUG-93 | LM | 90009 | 24-AUG-93 | LEISHMANIA | JW 11/12 | - | - | -REP |
| Z0000613 | RAM, JINISH | - | BL 10-AUG-93 | LM | 90009 | 24-AUG-93 | LEISHMANIA | JW 11/12 | - | - | -REP |
| Z0000614 | MANOJ, RAM | - | BL 10-AUG-93 | LM | 90009 | 24-AUG-93 | LEISHMANIA | JW 11/12 | - | - | -REP |
| Z0000615 | RUSI, KUMARIS | - | BL 10-AUG-93 | LM | 90009 | 24-AUG-93 | LEISHMANIA | JW 11/12 | - | - | -REP |
| Z0000616 | RAITHA, MAHAU | - | BL 10-AUG-93 | LM | 90009 | 24-AUG-93 | LEISHMANIA | JW 11/12 | - | - | -NR |
| Z0000626 | MANAJ, RAUU | - | BL 10-AUG-93 | LM | 90009 | 24-AUG-93 | LEISHMANIA | JW 11/12 | - | - | -NR |
| Z0000627 | RAMJINEESH, PANDIT | - | BL 10-AUG-93 | LM | 90009 | 24-AUG-93 | LEISHMANIA | JW 11/12 | - | - | -NR |
| Z0000638 | RAJESH, KUMAR | - | BL 10-AUG-93 | LM | 90009 | 24-AUG-93 | LEISHMANIA | JW 11/12 | - | - | -NR |
| Z0000640 | RAYETH, LAMB | - | BL 10-AUG-93 | LM | 90009 | 24-AUG-93 | LEISHMANIA | JW 11/12 | - | - | -NR |
| Z0000642 | SAMUR, KUNG | - | BL 10-AUG-93 | LM | 90009 | 24-AUG-93 | LEISHMANIA | JW 11/12 | - | - | -NR |
| Z0000643 | AREY, RAYAN | - | BL 10-AUG-93 | LM | 90009 | 24-AUG-93 | LEISHMANIA | JW 11/12 | - | - | -NR |
| 24930 | 32211, | - | BL 09-AUG-93 | LM | 90009 | 16-AUG-93 | LEISHMANIA | JW 11/12 | - | - | -NR |
| 24931 | 32212, | - | BL 09-AUG-93 | LM | 90009 | 16-AUG-93 | LEISHMANIA | JW 11/12 | - | - | -NR |
| 24932 | 32213, | - | BL 09-AUG-93 | LM | 90009 | 16-AUG-93 | LEISHMANIA | JW 11/12 | - | - | -NR |
| Z0000550 | 31971, | - | BL 16-JUL-93 | LM | 90009 | 16-AUG-93 | LEISHMANIA | JW 11/12 | - | - | -NR |
| Z0000591 | LEH1663, | - | BL 05-AUG-93 | LM | 90009 | 16-AUG-93 | LEISHMANIA | JW 11/12 | - | - | -NR |
| Z0000592 | LEH1664, | - | BL 05-AUG-93 | LM | 90009 | 16-AUG-93 | LEISHMANIA | JW 11/12 | - | - | -NR |
| Z0000593 | LEH1665, | - | BL 05-AUG-93 | LM | 90009 | 16-AUG-93 | LEISHMANIA | JW 11/12 | - | - | -NR |
| Z0000594 | LEH1666, | - | BL 05-AUG-93 | LM | 90009 | 16-AUG-93 | LEISHMANIA | JW 11/12 | - | - | -NR |

| Spec ID | Patient Name | PCR Assay Results: LM | | | PCR Assay Results: JW 14 | | | Tube # 1 | | | Tube # 2 | | | Int Comments | |
|---------|----------------------|-----------------------|--------------------|------|--------------------------|-----------|------------|----------|--------|---|----------|-----|--|--------------|--|
| | | FPC + SSN | Spec Received Date | Type | Study | Panel | Assay Date | Virus | Primer | | | | | | |
| Z000595 | LEH1667, | - | BL 05-AUG-93 | LM | 90009 | 16-AUG-93 | LEISHMANIA | JW 11/12 | + | + | + | RE | | | |
| Z000596 | LEH1668, | - | BL 05-AUG-93 | LM | 90009 | 16-AUG-93 | LEISHMANIA | JW 11/12 | + | + | + | RE | | | |
| Z000597 | BLUSAU-MIZBSA, SHASH | - | BL 10-AUG-93 | LM | 90009 | 16-AUG-93 | LEISHMANIA | JW 11/12 | + | + | + | RE | | | |
| Z000598 | BLUSAU-MIZBSA, SHASH | - | BL 10-AUG-93 | LM | 90009 | 16-AUG-93 | LEISHMANIA | JW 11/12 | + | + | + | RE | | | |
| Z000600 | KERRY, SUDHRI I | - | BL 10-AUG-93 | LM | 90009 | 16-AUG-93 | LEISHMANIA | JW 11/12 | + | + | + | RE | | | |
| Z000601 | RAJJARA, SUTHER-KWAR | - | BL 10-AUG-93 | LM | 90009 | 16-AUG-93 | LEISHMANIA | JW 11/12 | + | + | + | RE | | | |
| Z000602 | DEEIS, GEETA | - | BL 10-AUG-93 | LM | 90009 | 16-AUG-93 | LEISHMANIA | JW 11/12 | + | + | + | RE | | | |
| Z000603 | DEEIS, GEETA | - | BL 10-AUG-93 | LM | 90009 | 16-AUG-93 | LEISHMANIA | JW 11/12 | + | + | + | RE | | | |
| Z000604 | THAFCEC, SURRON | - | BL 10-AUG-93 | LM | 90009 | 16-AUG-93 | LEISHMANIA | JW 11/12 | + | + | + | RE | | | |
| Z000605 | SHYARRU, KERROZ | - | BL 10-AUG-93 | LM | 90009 | 16-AUG-93 | LEISHMANIA | JW 11/12 | + | + | + | RE | | | |
| Z000606 | REEJU, DAS | - | BL 10-AUG-93 | LM | 90009 | 16-AUG-93 | LEISHMANIA | JW 11/12 | + | + | + | RE | | | |
| Z000607 | SHAUMARTI, CHEWHY | - | BL 10-AUG-93 | LM | 90009 | 16-AUG-93 | LEISHMANIA | JW 11/12 | - | - | - | NR | | | |
| Z000608 | RAKESH, KUMAR | - | BL 10-AUG-93 | LM | 90009 | 16-AUG-93 | LEISHMANIA | JW 11/12 | - | - | - | NR | | | |
| Z000609 | MIRTHELESWAR, PRASAD | - | BL 10-AUG-93 | LM | 90009 | 16-AUG-93 | LEISHMANIA | JW 11/12 | - | - | - | NR | | | |
| Z000610 | NARESH, PASMAN | - | BL 10-AUG-93 | LM | 90009 | 16-AUG-93 | LEISHMANIA | JW 11/12 | - | - | - | NR | | | |
| Z000611 | RAJESWAR, PD | - | BL 10-AUG-93 | LM | 90009 | 16-AUG-93 | LEISHMANIA | JW 11/12 | - | - | - | NR | | | |
| Z000612 | RUBY, KUMARI | - | BL 10-AUG-93 | LM | 90009 | 16-AUG-93 | LEISHMANIA | JW 11/12 | - | - | - | NR | | | |
| Z000613 | RAM, JINISH | - | BL 10-AUG-93 | LM | 90009 | 16-AUG-93 | LEISHMANIA | JW 11/12 | - | - | - | NR | | | |
| Z000614 | MANOJ, RAM | - | BL 10-AUG-93 | LM | 90009 | 16-AUG-93 | LEISHMANIA | JW 11/12 | - | - | - | NR | | | |
| Z000647 | RUSHA, MOHAN SINGH | - | BL 10-AUG-93 | LM | 90009 | 23-AUG-93 | LEISHMANIA | JW 11/12 | - | - | - | NR | | | |
| Z000648 | SUNIL, KUMAR | - | BL 10-AUG-93 | LM | 90009 | 23-AUG-93 | LEISHMANIA | JW 11/12 | + | + | + | RE | | | |
| Z000649 | AMRENDON, KUMA | - | BL 10-AUG-93 | LM | 90009 | 23-AUG-93 | LEISHMANIA | JW 11/12 | + | + | + | RE | | | |
| Z000650 | RAMESH, KW | - | BL 10-AUG-93 | LM | 90009 | 23-AUG-93 | LEISHMANIA | JW 11/12 | + | - | - | IND | | | |

| Spec ID | Patient Name | PCR Assay Results: LM | | | PCR Assay Results: JW 14 | | | Panel Assay Date Virus | | | Primer | | | Tube Tube | | | |
|---------|----------------------|-----------------------|-------------------------|-------|--------------------------|-----------|-------|------------------------|------------|------------|--------|-------|---|-----------|---|---|-----|
| | | FPC + SSN | Spec Received Type Date | Study | BL | 10-AUG-93 | LM | 90009 | 23-AUG-93 | LEISHMANIA | JW | 11/12 | - | - | - | - | NR |
| Z000651 | RAMAKANT, RAI | - | - | BL | 10-AUG-93 | LM | 90009 | 23-AUG-93 | LEISHMANIA | JW | 11/12 | - | - | - | - | - | NR |
| Z000652 | BUDHAN, MAHTO | - | - | BL | 10-AUG-93 | LM | 90009 | 23-AUG-93 | LEISHMANIA | JW | 11/12 | - | - | - | - | - | NR |
| Z000653 | SILAWAR, DEVI | - | - | BL | 10-AUG-93 | LM | 90009 | 23-AUG-93 | LEISHMANIA | JW | 11/12 | - | - | - | - | - | NR |
| Z000654 | SUDHIR, KUMAR | - | - | BL | 10-AUG-93 | LM | 90009 | 23-AUG-93 | LEISHMANIA | JW | 11/12 | - | - | - | - | - | NR |
| Z000655 | SARRAULLAH, | - | - | BL | 10-AUG-93 | LM | 90009 | 23-AUG-93 | LEISHMANIA | JW | 11/12 | - | - | - | - | - | NR |
| Z000656 | YANESH, MAHITA | - | - | BL | 10-AUG-93 | LM | 90009 | 23-AUG-93 | LEISHMANIA | JW | 11/12 | - | - | - | - | - | NR |
| Z000657 | MO, SONAWAE | - | - | BL | 10-AUG-93 | LM | 90009 | 23-AUG-93 | LEISHMANIA | JW | 11/12 | - | - | - | - | - | NR |
| Z000658 | SWUGH, THAKUR | - | - | BL | 10-AUG-93 | LM | 90009 | 23-AUG-93 | LEISHMANIA | JW | 11/12 | - | - | - | - | - | RE |
| Z000659 | 32251, | - | - | BL | 13-AUG-93 | LM | 90009 | 23-AUG-93 | LEISHMANIA | JW | 11/12 | - | - | - | - | - | NR |
| Z000660 | 32252, | - | - | BM | 13-AUG-93 | LM | 90009 | 23-AUG-93 | LEISHMANIA | JW | 11/12 | - | - | - | - | - | IND |
| Z000668 | 32253, | - | - | BL | 13-AUG-93 | LM | 90009 | 23-AUG-93 | LEISHMANIA | JW | 11/12 | - | - | - | - | - | NR |
| Z000669 | 32254, | - | - | BL | 13-AUG-93 | LM | 90009 | 23-AUG-93 | LEISHMANIA | JW | 11/12 | - | - | - | - | - | NR |
| Z000673 | WADDELL, DIRK | - | 20-343-56-3223 | BL | 17-AUG-93 | LM | 90009 | 23-AUG-93 | LEISHMANIA | JW | 11/12 | - | - | - | - | - | NR |
| Z000674 | WADDELL, DIRK | - | 20-343-56-3223 | BM | 17-AUG-93 | LM | 90009 | 23-AUG-93 | LEISHMANIA | JW | 11/12 | - | - | - | - | - | NR |
| Z000675 | WADDELL, DIRK | - | 20-343-56-3223 | LI | 18-AUG-93 | LM | 90009 | 23-AUG-93 | LEISHMANIA | JW | 11/12 | - | - | - | - | - | NR |
| 25229 | LEISHMANIA, 19-AUG-9 | - | - | BL | 19-AUG-93 | LM | 90009 | 23-AUG-93 | LEISHMANIA | JW | 11/12 | - | - | - | - | - | NR |
| 25230 | LEISHMANIA, 19-AUG-9 | - | - | BL | 19-AUG-93 | LM | 90009 | 23-AUG-93 | LEISHMANIA | JW | 11/12 | - | - | - | - | - | NR |
| 25231 | LEISHMANIA, 19-AUG-9 | - | - | BL | 19-AUG-93 | LM | 90009 | 23-AUG-93 | LEISHMANIA | JW | 11/12 | - | - | - | - | - | NR |
| 25232 | LEISHMANIA, 19-AUG-9 | - | - | BL | 19-AUG-93 | LM | 90009 | 23-AUG-93 | LEISHMANIA | JW | 11/12 | - | - | - | - | - | NR |
| 25233 | LEISHMANIA, 19-AUG-9 | - | - | BL | 19-AUG-93 | LM | 90009 | 23-AUG-93 | LEISHMANIA | JW | 11/12 | - | - | - | - | - | NR |
| 25234 | LEISHMANIA, 19-AUG-9 | - | - | BL | 19-AUG-93 | LM | 90009 | 23-AUG-93 | LEISHMANIA | JW | 11/12 | - | - | - | - | - | NR |
| 25235 | LEISHMANIA, 19-AUG-9 | - | - | BL | 19-AUG-93 | LM | 90009 | 23-AUG-93 | LEISHMANIA | JW | 11/12 | - | - | - | - | - | NR |
| 25236 | LEISHMANIA, 19-AUG-9 | - | - | BL | 19-AUG-93 | LM | 90009 | 23-AUG-93 | LEISHMANIA | JW | 11/12 | - | - | - | - | - | NR |

| Spec ID | Patient Name | PCR Assay Results: LM Probe JW 14 | | | | PCR Assay Results: LM Probe JW 14 | | | | | | |
|---------|----------------|-----------------------------------|-------------------------|-------|-------|-----------------------------------|------------|----------|--------|--------|-----|-------------|
| | | FPC + SSN | Spec Received Type Date | Study | Panel | Assay Date | Virus | Primer | Tube # | Tube # | Int | Comments |
| 2000643 | AREY, RAYAN | - | BL 10-AUG-93 | LM | 90009 | 24-AUG-93 | LEISHMANIA | JW 11/12 | - | - | NR | -REP. |
| 25286 | WADDELL, DIRK | 20-343-56-3223 | BL 24-AUG-93 | LM | 90009 | 01-SEP-93 | LEISHMANIA | JW 11/12 | - | - | NR | SPLEEN ASP. |
| 25391 | LYON, JOAN | -234-88-3551 | BL 30-AUG-93 | LM | 90009 | 08-SEP-93 | LEISHMANIA | JW 11/12 | - | - | NR | |
| 25474 | LAKNER, GEORGE | -156-59-8935 | BL 03-SEP-93 | LM | 90009 | 08-SEP-93 | LEISHMANIA | JW 11/12 | - | - | NR | |
| 25475 | LAKNER, GEORGE | -156-59-8935 | BM 03-SEP-93 | LM | 90009 | 08-SEP-93 | LEISHMANIA | JW 11/12 | - | - | NR | |
| 25609 | 53F, | - | BL 08-SEP-93 | LM | 90009 | 14-SEP-93 | LEISHMANIA | JW 11/12 | - | - | NR | |
| 25610 | 54F, | - | BL 08-SEP-93 | LM | 90009 | 14-SEP-93 | LEISHMANIA | JW 11/12 | - | - | IND | |
| 25611 | 65F, | - | BL 08-SEP-93 | LM | 90009 | 14-SEP-93 | LEISHMANIA | JW 11/12 | - | - | NR | |
| 25612 | 67F, | - | BL 08-SEP-93 | LM | 90009 | 14-SEP-93 | LEISHMANIA | JW 11/12 | - | - | NR | |
| 25613 | 70F, | - | BL 08-SEP-93 | LM | 90009 | 14-SEP-93 | LEISHMANIA | JW 11/12 | - | - | IND | |
| 25614 | 71F, | - | BL 08-SEP-93 | LM | 90009 | 14-SEP-93 | LEISHMANIA | JW 11/12 | - | - | RE | NEG. CONT. |
| 25615 | 72F, | - | BL 08-SEP-93 | LM | 90009 | 14-SEP-93 | LEISHMANIA | JW 11/12 | - | - | NR | |
| 25616 | 73/74F, | - | BL 08-SEP-93 | LM | 90009 | 14-SEP-93 | LEISHMANIA | JW 11/12 | - | - | NR | |
| 25617 | 77F, | - | BL 08-SEP-93 | LM | 90009 | 14-SEP-93 | LEISHMANIA | JW 11/12 | - | - | NR | |
| 25618 | 78F, | - | BL 08-SEP-93 | LM | 90009 | 14-SEP-93 | LEISHMANIA | JW 11/12 | - | - | NR | |
| 25619 | 80F, | - | BL 08-SEP-93 | LM | 90009 | 14-SEP-93 | LEISHMANIA | JW 11/12 | - | - | NR | |
| 25620 | 81F, | - | BL 08-SEP-93 | LM | 90009 | 14-SEP-93 | LEISHMANIA | JW 11/12 | - | - | NR | |
| 25646 | MYKUT, STEVEN | - | BL 09-SEP-93 | LM | 90009 | 14-SEP-93 | LEISHMANIA | JW 11/12 | - | - | NR | |
| 25647 | MYKUT, STEVEN | - | BM 09-SEP-93 | LM | 90009 | 14-SEP-93 | LEISHMANIA | JW 11/12 | - | - | NR | REP. PLATE |
| 25474 | LAKNER, GEORGE | -156-59-8935 | BL 03-SEP-93 | LM | 90009 | 14-SEP-93 | LEISHMANIA | JW 11/12 | - | - | NR | |
| 25931 | MALLOY, VICTOR | 20-308-60-0996 | BL 23-SEP-93 | LM | 90009 | 05-OCT-93 | LEISHMANIA | JW 11/12 | - | - | NR | REP. PLATE |
| 25932 | MALLOY, VICTOR | 20-308-60-0996 | OT 23-SEP-93 | LM | 90009 | 05-OCT-93 | LEISHMANIA | JW 11/12 | - | - | NR | REP. PLATE |
| Z000703 | MALLOY, VICTOR | 20-308-60-0996 | OT 23-SEP-93 | LM | 90009 | 05-OCT-93 | LEISHMANIA | JW 11/12 | - | - | NR | REP. PLATE |

PCR Assay Results: LM
Probe JW 14

| Spec ID | Patient Name | Spec Received | | Panel | Assay Date | Virus | Primer | Tube | | Comments |
|---------|----------------|----------------|--------------|-------|------------|-----------|------------|----------|-----|--------------|
| | | FPC + SSN | Type Date | | | | | # 1 | # 2 | |
| 25976 | 53, | - | BL 27-SEP-93 | LM | 90009 | 05-OCT-93 | LEISHMANIA | JW 11/12 | - | NR REP.PLATE |
| 25977 | 54, | - | BM 27-SEP-93 | LM | 90009 | 05-OCT-93 | LEISHMANIA | JW 11/12 | - | NR REP.PLATE |
| 25978 | 65, | - | BM 27-SEP-93 | LM | 90009 | 05-OCT-93 | LEISHMANIA | JW 11/12 | - | NR REP.PLATE |
| 25979 | 67, | - | BL 27-SEP-93 | LM | 90009 | 05-OCT-93 | LEISHMANIA | JW 11/12 | - | NR REP.PLATE |
| 25980 | 70, | - | BL 27-SEP-93 | LM | 90009 | 05-OCT-93 | LEISHMANIA | JW 11/12 | - | NR REP.PLATE |
| 25981 | 71, | - | BM 27-SEP-93 | LM | 90009 | 05-OCT-93 | LEISHMANIA | JW 11/12 | - | NR REP.PLATE |
| 25982 | 72, | - | BM 27-SEP-93 | LM | 90009 | 05-OCT-93 | LEISHMANIA | JW 11/12 | - | NR REP.PLATE |
| 25983 | 73/74, | - | BL 27-SEP-93 | LM | 90009 | 05-OCT-93 | LEISHMANIA | JW 11/12 | - | NR REP.PLATE |
| 25984 | 77, | - | BM 27-SEP-93 | LM | 90009 | 05-OCT-93 | LEISHMANIA | JW 11/12 | - | NR REP.PLATE |
| 25985 | 78, | - | BL 27-SEP-93 | LM | 90009 | 05-OCT-93 | LEISHMANIA | JW 11/12 | - | NR REP.PLATE |
| 25986 | 80, | - | BL 27-SEP-93 | LM | 90009 | 05-OCT-93 | LEISHMANIA | JW 11/12 | - | NR REP.PLATE |
| 25987 | 81, | - | BL 27-SEP-93 | LM | 90009 | 05-OCT-93 | LEISHMANIA | JW 11/12 | - | NR REP.PLATE |
| 25981 | MALLOY, VICTOR | 20-308-60-0996 | BL 23-SEP-93 | LM | 90009 | 30-SEP-93 | LEISHMANIA | JW 11/12 | - | NR REP.PLATE |
| 25982 | MALLOY, VICTOR | 20-308-60-0996 | OT 23-SEP-93 | LM | 90009 | 30-SEP-93 | LEISHMANIA | JW 11/12 | - | NR REP.PLATE |
| Z000703 | MALLOY, VICTOR | 20-308-60-0996 | OT 23-SEP-93 | LM | 90009 | 30-SEP-93 | LEISHMANIA | JW 11/12 | + | IND |
| 25976 | 53, | - | BL 27-SEP-93 | LM | 90009 | 30-SEP-93 | LEISHMANIA | JW 11/12 | - | NR |
| 25977 | 54, | - | BM 27-SEP-93 | LM | 90009 | 30-SEP-93 | LEISHMANIA | JW 11/12 | - | NR |
| 25978 | 65, | - | BM 27-SEP-93 | LM | 90009 | 30-SEP-93 | LEISHMANIA | JW 11/12 | - | IND |
| 25979 | 67, | - | BL 27-SEP-93 | LM | 90009 | 30-SEP-93 | LEISHMANIA | JW 11/12 | - | NR |
| 25980 | 70, | - | BL 27-SEP-93 | LM | 90009 | 30-SEP-93 | LEISHMANIA | JW 11/12 | - | IND |
| 25981 | 71, | - | BM 27-SEP-93 | LM | 90009 | 30-SEP-93 | LEISHMANIA | JW 11/12 | - | NR |
| 25982 | 72, | - | BM 27-SEP-93 | LM | 90009 | 30-SEP-93 | LEISHMANIA | JW 11/12 | - | NR |
| 25983 | 73/74, | - | BL 27-SEP-93 | LM | 90009 | 30-SEP-93 | LEISHMANIA | JW 11/12 | - | NR |

| Spec ID | Patient Name | PCR Assay Results: LM | | | | | | | | | |
|----------------------|--------------|-----------------------|-----------|-------|-------------|-----------|------------|----------|----------|----------|-----------|
| | | Probe JW 14 | | | Panel Assay | | | Virus | | | |
| Spec Received | Type | Date | Study | Assay | Date | Virus | Primer | Tube # 1 | Tube # 2 | Comments | |
| 25984 77, | - | BM | 27-SEP-93 | LM | 90009 | 30-SEP-93 | LEISHMANIA | JW 11/12 | - | + | IND |
| 25985 78, | - | BL | 27-SEP-93 | LM | 90009 | 30-SEP-93 | LEISHMANIA | JW 11/12 | - | - | NR |
| 25986 80, | - | BL | 27-SEP-93 | LM | 90009 | 30-SEP-93 | LEISHMANIA | JW 11/12 | - | + | IND |
| 25987 81, | - | BL | 27-SEP-93 | LM | 90009 | 30-SEP-93 | LEISHMANIA | JW 11/12 | - | - | NR |
| 25474 LAKNER, GEORGE | -156-59-8935 | BL | 03-SEP-93 | LM | 90009 | 30-SEP-93 | LEISHMANIA | JW 11/12 | - | - | NR |
| 25610 54F, | - | BL | 08-SEP-93 | LM | 90009 | 30-SEP-93 | LEISHMANIA | JW 11/12 | - | - | NR |
| 25611 65F, | - | BL | 08-SEP-93 | LM | 90009 | 30-SEP-93 | LEISHMANIA | JW 11/12 | + | + | RE |
| 2000720 32731, | - | BL | 30-SEP-93 | LM | 90009 | 14-OCT-93 | LEISHMANIA | JW 11/12 | - | - | REP.PLATE |
| 2000721 32732, | - | BL | 30-SEP-93 | LM | 90009 | 14-OCT-93 | LEISHMANIA | JW 11/12 | - | - | NR |
| 2000722 32733, | - | BL | 30-SEP-93 | LM | 90009 | 14-OCT-93 | LEISHMANIA | JW 11/12 | - | - | NR |
| 2000723 32734, | - | BL | 30-SEP-93 | LM | 90009 | 14-OCT-93 | LEISHMANIA | JW 11/12 | - | - | NR |
| 2000724 32735, | - | BL | 30-SEP-93 | LM | 90009 | 14-OCT-93 | LEISHMANIA | JW 11/12 | - | - | NR |
| 2000725 32736, | - | BL | 30-SEP-93 | LM | 90009 | 14-OCT-93 | LEISHMANIA | JW 11/12 | - | - | NR |
| 2000726 32737, | - | BL | 30-SEP-93 | LM | 90009 | 14-OCT-93 | LEISHMANIA | JW 11/12 | - | - | NR |
| 2000727 32738, | - | BL | 30-SEP-93 | LM | 90009 | 14-OCT-93 | LEISHMANIA | JW 11/12 | - | - | NR |
| 2000728 32739, | - | BL | 30-SEP-93 | LM | 90009 | 14-OCT-93 | LEISHMANIA | JW 11/12 | - | - | NR |
| 2000729 327310, | - | BL | 30-SEP-93 | LM | 90009 | 14-OCT-93 | LEISHMANIA | JW 11/12 | - | - | NR |
| 2000730 327311, | - | BL | 30-SEP-93 | LM | 90009 | 14-OCT-93 | LEISHMANIA | JW 11/12 | - | - | NR |
| 2000731 327312, | - | BL | 30-SEP-93 | LM | 90009 | 14-OCT-93 | LEISHMANIA | JW 11/12 | - | - | NR |
| 2000732 327313, | - | BL | 30-SEP-93 | LM | 90009 | 14-OCT-93 | LEISHMANIA | JW 11/12 | - | - | NR |
| 2000733 327314, | - | BL | 30-SEP-93 | LM | 90009 | 14-OCT-93 | LEISHMANIA | JW 11/12 | - | - | NR |
| 2000734 327315, | - | BL | 30-SEP-93 | LM | 90009 | 14-OCT-93 | LEISHMANIA | JW 11/12 | - | - | NR |
| 2000735 327316, | - | BL | 30-SEP-93 | LM | 90009 | 14-OCT-93 | LEISHMANIA | JW 11/12 | - | - | NR |

| Spec ID | Patient Name | PCR Assay Results: | | | LM | | | Tube # 1 | | | Tube # 2 | | | Comments |
|----------|--------------|--------------------|--------------------|-----------|-------|-------|------------|------------|----------|---|----------|---|---|---------------|
| | | FPC + SSN | Spec Received Type | Date | Study | Panel | Assay Date | Virus | Primer | | | | | |
| Z0000736 | 327317, | - | BL | 30-SEP-93 | LM | 90009 | 14-OCT-93 | LEISHMANIA | JW 11/12 | - | - | - | - | NR REP. PLATE |
| Z0000737 | 327318, | - | BL | 30-SEP-93 | LM | 90009 | 14-OCT-93 | LEISHMANIA | JW 11/12 | - | - | - | - | NR REP. PLATE |
| Z0000738 | 327319, | - | BL | 30-SEP-93 | LM | 90009 | 14-OCT-93 | LEISHMANIA | JW 11/12 | - | - | - | - | NR REP. PLATE |
| Z0000739 | 327320, | - | BL | 30-SEP-93 | LM | 90009 | 14-OCT-93 | LEISHMANIA | JW 11/12 | - | - | - | - | NR REP. PLATE |
| Z0000720 | 327321, | - | BL | 30-SEP-93 | LM | 90009 | 13-OCT-93 | LEISHMANIA | JW 11/12 | + | - | - | - | IND |
| Z0000721 | 327322, | - | BL | 30-SEP-93 | LM | 90009 | 13-OCT-93 | LEISHMANIA | JW 11/12 | - | - | - | - | NR |
| Z0000722 | 327323, | - | BL | 30-SEP-93 | LM | 90009 | 13-OCT-93 | LEISHMANIA | JW 11/12 | - | - | - | - | NR |
| Z0000723 | 327324, | - | BL | 30-SEP-93 | LM | 90009 | 13-OCT-93 | LEISHMANIA | JW 11/12 | - | - | - | - | NR |
| Z0000724 | 327325, | - | BL | 30-SEP-93 | LM | 90009 | 13-OCT-93 | LEISHMANIA | JW 11/12 | - | - | - | - | NR |
| Z0000725 | 327326, | - | BL | 30-SEP-93 | LM | 90009 | 13-OCT-93 | LEISHMANIA | JW 11/12 | - | - | - | - | NR |
| Z0000726 | 327327, | - | BL | 30-SEP-93 | LM | 90009 | 13-OCT-93 | LEISHMANIA | JW 11/12 | - | - | - | - | NR |
| Z0000727 | 327328, | - | BL | 30-SEP-93 | LM | 90009 | 13-OCT-93 | LEISHMANIA | JW 11/12 | - | - | - | - | NR |
| Z0000728 | 327329, | - | BL | 30-SEP-93 | LM | 90009 | 13-OCT-93 | LEISHMANIA | JW 11/12 | - | - | - | - | NR |
| Z0000729 | 327310, | - | BL | 30-SEP-93 | LM | 90009 | 13-OCT-93 | LEISHMANIA | JW 11/12 | - | - | - | - | NR |
| Z0000730 | 327311, | - | BL | 30-SEP-93 | LM | 90009 | 13-OCT-93 | LEISHMANIA | JW 11/12 | - | - | - | - | NR |
| Z0000731 | 327312, | - | BL | 30-SEP-93 | LM | 90009 | 13-OCT-93 | LEISHMANIA | JW 11/12 | - | - | - | - | NR |
| Z0000732 | 327313, | - | BL | 30-SEP-93 | LM | 90009 | 13-OCT-93 | LEISHMANIA | JW 11/12 | - | - | - | - | NR |
| Z0000733 | 327314, | - | BL | 30-SEP-93 | LM | 90009 | 13-OCT-93 | LEISHMANIA | JW 11/12 | - | - | - | - | NR |
| Z0000734 | 327315, | - | BL | 30-SEP-93 | LM | 90009 | 13-OCT-93 | LEISHMANIA | JW 11/12 | - | - | - | - | NR |
| Z0000735 | 327316, | - | BL | 30-SEP-93 | LM | 90009 | 13-OCT-93 | LEISHMANIA | JW 11/12 | - | - | - | - | NR |
| Z0000736 | 327317, | - | BL | 30-SEP-93 | LM | 90009 | 13-OCT-93 | LEISHMANIA | JW 11/12 | - | - | - | - | NR |
| Z0000737 | 327318, | - | BL | 30-SEP-93 | LM | 90009 | 13-OCT-93 | LEISHMANIA | JW 11/12 | - | - | - | - | NR |
| Z0000738 | 327319, | - | BL | 30-SEP-93 | LM | 90009 | 13-OCT-93 | LEISHMANIA | JW 11/12 | - | - | - | - | NR |

| Spec ID | Patient Name | PCR Assay Results: LM | | PCR Assay Results: JW 14 | | Panel | Assay Date | Virus | Primer | Tube | | Comments |
|---------|--------------|-----------------------|--------------|--------------------------|-------|-----------|------------|----------|--------|------|-----|-----------------------|
| | | FPC + SSN | Type Date | Spec Received | Study | | | | | # 1 | # 2 | |
| 2000739 | 327320, | - | BL 30-SEP-93 | LM | 90009 | 13-OCT-93 | LEISHMANIA | JW 11/12 | - | - | - | NR |
| Z000740 | 327321, | - | BL 30-SEP-93 | LM | 90009 | 13-OCT-93 | LEISHMANIA | JW 11/12 | - | - | - | NR |
| Z000741 | 327322, | - | BL 30-SEP-93 | LM | 90009 | 13-OCT-93 | LEISHMANIA | JW 11/12 | - | - | - | NR |
| Z000742 | 327323, | - | BL 30-SEP-93 | LM | 90009 | 13-OCT-93 | LEISHMANIA | JW 11/12 | - | - | - | NR |
| Z000743 | 327324, | - | BL 30-SEP-93 | LM | 90009 | 13-OCT-93 | LEISHMANIA | JW 11/12 | - | - | - | NR |
| Z000744 | 327325, | - | BL 30-SEP-93 | LM | 90009 | 13-OCT-93 | LEISHMANIA | JW 11/12 | - | - | - | NR |
| Z000745 | 327326, | - | BL 30-SEP-93 | LM | 90009 | 13-OCT-93 | LEISHMANIA | JW 11/12 | - | - | - | NR |
| Z000746 | 327327, | - | BL 30-SEP-93 | LM | 90009 | 13-OCT-93 | LEISHMANIA | JW 11/12 | - | - | - | NR |
| Z000747 | 327328, | - | BL 30-SEP-93 | LM | 90009 | 13-OCT-93 | LEISHMANIA | JW 11/12 | - | - | - | NR |
| Z000748 | 327329, | - | BL 30-SEP-93 | LM | 90009 | 13-OCT-93 | LEISHMANIA | JW 11/12 | - | - | - | NR |
| Z000749 | 327330, | - | BL 30-SEP-93 | LM | 90009 | 13-OCT-93 | LEISHMANIA | JW 11/12 | - | - | - | NR |
| Z000750 | 327331, | - | BL 30-SEP-93 | LM | 90009 | 13-OCT-93 | LEISHMANIA | JW 11/12 | - | - | - | NR |
| Z000751 | 327332, | - | BL 30-SEP-93 | LM | 90009 | 13-OCT-93 | LEISHMANIA | JW 11/12 | - | - | - | NR |
| Z000752 | 327333, | - | BL 30-SEP-93 | LM | 90009 | 13-OCT-93 | LEISHMANIA | JW 11/12 | - | - | - | NR |
| Z000753 | 327334, | - | BL 30-SEP-93 | LM | 90009 | 13-OCT-93 | LEISHMANIA | JW 11/12 | - | - | - | NR |
| Z000754 | 327335, | - | BL 30-SEP-93 | LM | 90009 | 13-OCT-93 | LEISHMANIA | JW 11/12 | - | - | - | NR |
| Z000755 | 327336, | - | BL 30-SEP-93 | LM | 90009 | 13-OCT-93 | LEISHMANIA | JW 11/12 | - | - | - | NR |
| Z000756 | 327337, | - | BL 30-SEP-93 | LM | 90009 | 13-OCT-93 | LEISHMANIA | JW 11/12 | - | - | - | NR |
| Z000757 | 327338, | - | BL 30-SEP-93 | LM | 90009 | 13-OCT-93 | LEISHMANIA | JW 11/12 | - | - | - | NR |
| Z000758 | 327339, | - | BL 30-SEP-93 | LM | 90009 | 13-OCT-93 | LEISHMANIA | JW 11/12 | - | - | - | NR |
| 26137 | KISH, JOHN | - | OT 30-SEP-93 | LM | 90009 | 13-OCT-93 | LEISHMANIA | JW 11/12 | + | + | RE | REP. PLATE |
| Z000740 | 327321, | - | BL 30-SEP-93 | LM | 90009 | 15-OCT-93 | LEISHMANIA | JW 11/12 | - | - | NR | REP. PLATE, NEG CONT. |
| Z000741 | 327322, | - | BL 30-SEP-93 | LM | 90009 | 15-OCT-93 | LEISHMANIA | JW 11/12 | + | + | RE | REP. PLATE, NEG CONT. |

PCR Assay Results: LM
Probe JW 14

| Spec ID | Patient Name | Spec Received | | Panel | Assay Date | Virus | Primer | Tube | | Comments |
|---------|-----------------|----------------|--------------|-------|------------|-----------|------------|----------|-----|---------------------|
| | | FPC + SSN | Type Date | | | | | # 1 | # 2 | |
| Z000742 | 327323, | - | BL 30-SEP-93 | LM | 90009 | 15-OCT-93 | LEISHMANIA | JW 11/12 | + | RE |
| Z000743 | 327324, | - | BL 30-SEP-93 | LM | 90009 | 15-OCT-93 | LEISHMANIA | JW 11/12 | + | RE PLATE NEG. CONT. |
| Z000744 | 327325, | - | BL 30-SEP-93 | LM | 90009 | 15-OCT-93 | LEISHMANIA | JW 11/12 | - | REP. PLATE |
| Z000745 | 327326, | - | BL 30-SEP-93 | LM | 90009 | 15-OCT-93 | LEISHMANIA | JW 11/12 | - | REP. PLATE |
| Z000746 | 327327, | - | BL 30-SEP-93 | LM | 90009 | 15-OCT-93 | LEISHMANIA | JW 11/12 | - | NR REP. PLATE |
| Z000747 | 327328, | - | BL 30-SEP-93 | LM | 90009 | 15-OCT-93 | LEISHMANIA | JW 11/12 | - | NR REP. PLATE |
| Z000748 | 327329, | - | BL 30-SEP-93 | LM | 90009 | 15-OCT-93 | LEISHMANIA | JW 11/12 | - | NR REP. PLATE |
| Z000749 | 327330, | - | BL 30-SEP-93 | LM | 90009 | 15-OCT-93 | LEISHMANIA | JW 11/12 | - | NR REP. PLATE |
| Z000750 | 327331, | - | BL 30-SEP-93 | LM | 90009 | 15-OCT-93 | LEISHMANIA | JW 11/12 | - | NR REP. PLATE |
| Z000751 | 327332, | - | BL 30-SEP-93 | LM | 90009 | 15-OCT-93 | LEISHMANIA | JW 11/12 | - | NR REP. PLATE |
| Z000752 | 327333, | - | BL 30-SEP-93 | LM | 90009 | 15-OCT-93 | LEISHMANIA | JW 11/12 | + | IND REP. PLATE |
| Z000753 | 327334, | - | BL 30-SEP-93 | LM | 90009 | 15-OCT-93 | LEISHMANIA | JW 11/12 | - | NR REP. PLATE |
| Z000754 | 327335, | - | BL 30-SEP-93 | LM | 90009 | 15-OCT-93 | LEISHMANIA | JW 11/12 | - | NR REP. PLATE |
| Z000755 | 327336, | - | BL 30-SEP-93 | LM | 90009 | 15-OCT-93 | LEISHMANIA | JW 11/12 | - | NR REP. PLATE |
| Z000756 | 327337, | - | BL 30-SEP-93 | LM | 90009 | 15-OCT-93 | LEISHMANIA | JW 11/12 | - | NR REP. PLATE |
| Z000757 | 327338, | - | BL 30-SEP-93 | LM | 90009 | 15-OCT-93 | LEISHMANIA | JW 11/12 | - | NR REP. PLATE |
| Z000758 | 327339, | - | BL 30-SEP-93 | LM | 90009 | 15-OCT-93 | LEISHMANIA | JW 11/12 | - | NR REP. PLATE |
| 26137 | KISH, JOHN | - | OT 30-SEP-93 | LM | 90009 | 15-OCT-93 | LEISHMANIA | JW 11/12 | - | NR PLATE |
| 26305 | VAUGHAN, GEORGE | 20-543-62-6961 | BL 08-OCT-93 | LM | 90009 | 15-OCT-93 | LEISHMANIA | JW 11/12 | - | NR PLATE |
| 26306 | VAUGHAN, GEORGE | 20-543-62-6961 | BM 08-OCT-93 | LM | 90009 | 15-OCT-93 | LEISHMANIA | JW 11/12 | - | NR PLATE |
| Z000720 | 32731, | - | BL 30-SEP-93 | LM | 90009 | 21-OCT-93 | LEISHMANIA | JW 11/12 | - | NR 2X.VOL |
| Z000721 | 32732, | - | BL 30-SEP-93 | LM | 90009 | 21-OCT-93 | LEISHMANIA | JW 11/12 | - | NR 2X.VOL |
| Z000722 | 32733, | - | BL 30-SEP-93 | LM | 90009 | 21-OCT-93 | LEISHMANIA | JW 11/12 | - | NR 2X.VOL |

| Spec ID | Patient Name | PCR Assay Results: LM | | | | PCR Assay Results: JW 14 | | | | PCR Assay Results: JW | | | |
|---------|--------------|-----------------------|-------------------------|-------|-------|--------------------------|------------|----------|--------|-----------------------|-----|----------|--|
| | | FPC + SSN | Spec Received Type Date | Study | Panel | Assay Date | Virus | Primer | Tube # | Tube # | Int | Comments | |
| 2000723 | 32734, | - | BL 30-SEP-93 | LM | 90009 | 21-OCT-93 | LEISHMANIA | JW 11/12 | - | - | NR | 2X.VOL | |
| 2000724 | 32735, | - | BL 30-SEP-93 | LM | 90009 | 21-OCT-93 | LEISHMANIA | JW 11/12 | - | - | NR | 2X.VOL | |
| 2000725 | 32736, | - | BL 30-SEP-93 | LM | 90009 | 21-OCT-93 | LEISHMANIA | JW 11/12 | - | - | NR | 2X.VOL | |
| 2000726 | 32737, | - | BL 30-SEP-93 | LM | 90009 | 21-OCT-93 | LEISHMANIA | JW 11/12 | - | - | NR | 2X.VOL | |
| 2000727 | 32738, | - | BL 30-SEP-93 | LM | 90009 | 21-OCT-93 | LEISHMANIA | JW 11/12 | - | - | NR | 2X.VOL | |
| 2000728 | 32739, | - | BL 30-SEP-93 | LM | 90009 | 21-OCT-93 | LEISHMANIA | JW 11/12 | - | - | NR | 2X.VOL | |
| 2000729 | 327310, | - | BL 30-SEP-93 | LM | 90009 | 21-OCT-93 | LEISHMANIA | JW 11/12 | - | - | NR | 2X.VOL | |
| 2000730 | 327311, | - | BL 30-SEP-93 | LM | 90009 | 21-OCT-93 | LEISHMANIA | JW 11/12 | - | - | NR | 2X.VOL | |
| 2000731 | 327312, | - | BL 30-SEP-93 | LM | 90009 | 21-OCT-93 | LEISHMANIA | JW 11/12 | - | - | NR | 2X.VOL | |
| 2000732 | 327313, | - | BL 30-SEP-93 | LM | 90009 | 21-OCT-93 | LEISHMANIA | JW 11/12 | - | - | NR | 2X.VOL | |
| 2000733 | 327314, | - | BL 30-SEP-93 | LM | 90009 | 21-OCT-93 | LEISHMANIA | JW 11/12 | - | - | NR | 2X.VOL | |
| 2000734 | 327315, | - | BL 30-SEP-93 | LM | 90009 | 21-OCT-93 | LEISHMANIA | JW 11/12 | - | - | NR | 2X.VOL | |
| 2000735 | 327316, | - | BL 30-SEP-93 | LM | 90009 | 21-OCT-93 | LEISHMANIA | JW 11/12 | - | - | NR | 2X.VOL | |
| 2000736 | 327317, | - | BL 30-SEP-93 | LM | 90009 | 21-OCT-93 | LEISHMANIA | JW 11/12 | - | - | NR | 2X.VOL | |
| 2000737 | 327318, | - | BL 30-SEP-93 | LM | 90009 | 21-OCT-93 | LEISHMANIA | JW 11/12 | - | - | NR | 2X.VOL | |
| 2000738 | 327319, | - | BL 30-SEP-93 | LM | 90009 | 21-OCT-93 | LEISHMANIA | JW 11/12 | - | - | NR | 2X.VOL | |
| 2000739 | 327320, | - | BL 30-SEP-93 | LM | 90009 | 21-OCT-93 | LEISHMANIA | JW 11/12 | - | - | NR | 2X.VOL | |
| 2000740 | 327321, | - | BL 30-SEP-93 | LM | 90009 | 21-OCT-93 | LEISHMANIA | JW 11/12 | - | - | NR | 2X.VOL | |
| 2000741 | 327322, | - | BL 30-SEP-93 | LM | 90009 | 21-OCT-93 | LEISHMANIA | JW 11/12 | - | - | NR | 2X.VOL | |
| 2000742 | 327323, | - | BL 30-SEP-93 | LM | 90009 | 21-OCT-93 | LEISHMANIA | JW 11/12 | - | - | NR | 2X.VOL | |
| 2000743 | 327324, | - | BL 30-SEP-93 | LM | 90009 | 21-OCT-93 | LEISHMANIA | JW 11/12 | - | - | NR | 2X.VOL | |
| 2000744 | 327325, | - | BL 30-SEP-93 | LM | 90009 | 21-OCT-93 | LEISHMANIA | JW 11/12 | - | - | NR | 2X.VOL | |
| 2000745 | 327326, | - | BL 30-SEP-93 | LM | 90009 | 21-OCT-93 | LEISHMANIA | JW 11/12 | - | - | NR | 2X.VOL | |

PCR Assay Results: LM

Probe JW 14

| Spec ID | Patient Name | Spec Received | | Panel | Assay Date | Virus | Primer | Tube | | Comments |
|---------|--------------|---------------|--------------|-------|------------|-----------|------------|----------|-----|----------------|
| | | FPC + SSN | Type Date | | | | | # 1 | # 2 | |
| Z000746 | 327327, | - | BL 30-SEP-93 | LM | 90009 | 21-OCT-93 | LEISHMANIA | JW 11/12 | - | NR 2X.VOL |
| Z000747 | 327328, | - | BL 30-SEP-93 | LM | 90009 | 21-OCT-93 | LEISHMANIA | JW 11/12 | - | NR 2X.VOL |
| Z000720 | 327331, | - | BL 30-SEP-93 | LM | 90009 | 21-OCT-93 | LEISHMANIA | JW 11/12 | - | JW11-3 ,JW12-1 |
| Z000721 | 327332, | - | BL 30-SEP-93 | LM | 90009 | 21-OCT-93 | LEISHMANIA | JW 11/12 | - | JW11-3 ,JW12-1 |
| Z000722 | 327333, | - | BL 30-SEP-93 | LM | 90009 | 21-OCT-93 | LEISHMANIA | JW 11/12 | - | JW11-3 ,JW12-1 |
| Z000723 | 327334, | - | BL 30-SEP-93 | LM | 90009 | 21-OCT-93 | LEISHMANIA | JW 11/12 | - | JW11-3 ,JW12-1 |
| Z000724 | 327335, | - | BL 30-SEP-93 | LM | 90009 | 21-OCT-93 | LEISHMANIA | JW 11/12 | - | JW11-3 ,JW12-1 |
| Z000725 | 327336, | - | BL 30-SEP-93 | LM | 90009 | 21-OCT-93 | LEISHMANIA | JW 11/12 | - | JW11-3 ,JW12-1 |
| Z000726 | 327337, | - | BL 30-SEP-93 | LM | 90009 | 21-OCT-93 | LEISHMANIA | JW 11/12 | - | JW11-3 ,JW12-1 |
| Z000727 | 327338, | - | BL 30-SEP-93 | LM | 90009 | 21-OCT-93 | LEISHMANIA | JW 11/12 | - | JW11-3 ,JW12-1 |
| Z000728 | 327339, | - | BL 30-SEP-93 | LM | 90009 | 21-OCT-93 | LEISHMANIA | JW 11/12 | - | JW11-3 ,JW12-1 |
| Z000729 | 327340, | - | BL 30-SEP-93 | LM | 90009 | 21-OCT-93 | LEISHMANIA | JW 11/12 | - | JW11-3 ,JW12-1 |
| Z000730 | 327341, | - | BL 30-SEP-93 | LM | 90009 | 21-OCT-93 | LEISHMANIA | JW 11/12 | - | JW11-3 ,JW12-1 |
| Z000731 | 327342, | - | BL 30-SEP-93 | LM | 90009 | 21-OCT-93 | LEISHMANIA | JW 11/12 | - | JW11-3 ,JW12-1 |
| Z000732 | 327343, | - | BL 30-SEP-93 | LM | 90009 | 21-OCT-93 | LEISHMANIA | JW 11/12 | - | JW11-3 ,JW12-1 |
| Z000733 | 327344, | - | BL 30-SEP-93 | LM | 90009 | 21-OCT-93 | LEISHMANIA | JW 11/12 | - | JW11-3 ,JW12-1 |
| Z000734 | 327345, | - | BL 30-SEP-93 | LM | 90009 | 21-OCT-93 | LEISHMANIA | JW 11/12 | - | JW11-3 ,JW12-1 |
| Z000735 | 327346, | - | BL 30-SEP-93 | LM | 90009 | 21-OCT-93 | LEISHMANIA | JW 11/12 | - | JW11-3 ,JW12-1 |
| Z000736 | 327347, | - | BL 30-SEP-93 | LM | 90009 | 21-OCT-93 | LEISHMANIA | JW 11/12 | - | JW11-3 ,JW12-1 |
| Z000737 | 327348, | - | BL 30-SEP-93 | LM | 90009 | 21-OCT-93 | LEISHMANIA | JW 11/12 | - | JW11-3 ,JW12-1 |
| Z000738 | 327349, | - | BL 30-SEP-93 | LM | 90009 | 21-OCT-93 | LEISHMANIA | JW 11/12 | - | JW11-3 ,JW12-1 |
| Z000739 | 327350, | - | BL 30-SEP-93 | LM | 90009 | 21-OCT-93 | LEISHMANIA | JW 11/12 | - | JW11-3 ,JW12-1 |
| Z000740 | 327351, | - | BL 30-SEP-93 | LM | 90009 | 21-OCT-93 | LEISHMANIA | JW 11/12 | - | JW11-3 ,JW12-1 |

PCR Assay Results: LM
Probe JW 14

| Spec ID | Patient Name | Spec Received | | Panel | Assay Date | Virus | Primer | Tube | | Comments | |
|---------|-----------------|----------------|-----|-----------|------------|-------|-----------|------------|------------|----------|----|
| | | FPC + | SSN | | | | | # 1 | # 2 | | |
| 2000741 | 327322, | - | - | BL | 30-SEP-93 | LM | 90009 | 21-OCT-93 | LEISHMANIA | JW 11/12 | - |
| Z000742 | 327323, | - | - | BL | 30-SEP-93 | LM | 90009 | 21-OCT-93 | LEISHMANIA | JW 11/12 | - |
| Z000743 | 327324, | - | - | BL | 30-SEP-93 | LM | 90009 | 21-OCT-93 | LEISHMANIA | JW 11/12 | - |
| Z000744 | 327325, | - | - | BL | 30-SEP-93 | LM | 90009 | 21-OCT-93 | LEISHMANIA | JW 11/12 | - |
| Z000745 | 327326, | - | - | BL | 30-SEP-93 | LM | 90009 | 21-OCT-93 | LEISHMANIA | JW 11/12 | - |
| Z000746 | 327327, | - | - | BL | 30-SEP-93 | LM | 90009 | 21-OCT-93 | LEISHMANIA | JW 11/12 | - |
| Z000747 | 327328, | - | - | BL | 30-SEP-93 | LM | 90009 | 21-OCT-93 | LEISHMANIA | JW 11/12 | - |
| Z000692 | 328710, | - | - | BL | 14-OCT-93 | LM | 90009 | 22-OCT-93 | LEISHMANIA | JW 11/12 | - |
| Z000693 | 328711, | - | - | BL | 14-OCT-93 | LM | 90009 | 22-OCT-93 | LEISHMANIA | JW 11/12 | - |
| Z000694 | 328712, | - | - | BL | 14-OCT-93 | LM | 90009 | 22-OCT-93 | LEISHMANIA | JW 11/12 | - |
| Z000695 | 32871, | - | - | BL | 14-OCT-93 | LM | 90009 | 22-OCT-93 | LEISHMANIA | JW 11/12 | - |
| Z000696 | 32872, | - | - | BL | 14-OCT-93 | LM | 90009 | 22-OCT-93 | LEISHMANIA | JW 11/12 | - |
| Z000697 | 32873, | - | - | BL | 14-OCT-93 | LM | 90009 | 22-OCT-93 | LEISHMANIA | JW 11/12 | - |
| Z000698 | 32874, | - | - | BL | 14-OCT-93 | LM | 90009 | 22-OCT-93 | LEISHMANIA | JW 11/12 | - |
| Z000699 | 32875, | - | - | BL | 14-OCT-93 | LM | 90009 | 22-OCT-93 | LEISHMANIA | JW 11/12 | - |
| Z000704 | 32876, | - | - | BL | 14-OCT-93 | LM | 90009 | 22-OCT-93 | LEISHMANIA | JW 11/12 | - |
| Z000705 | 32877, | - | - | BL | 14-OCT-93 | LM | 90009 | 22-OCT-93 | LEISHMANIA | JW 11/12 | - |
| Z000706 | 32878, | - | - | BL | 14-OCT-93 | LM | 90009 | 22-OCT-93 | LEISHMANIA | JW 11/12 | - |
| Z000707 | 32879, | - | - | BL | 14-OCT-93 | LM | 90009 | 22-OCT-93 | LEISHMANIA | JW 11/12 | - |
| Z000708 | BACHMAN, JOHN | 20-205-42-4875 | TC | 20-OCT-93 | LM | 90009 | 29-OCT-93 | LEISHMANIA | JW 11/12 | + | RE |
| Z000709 | VAUGHAN, GEORGE | 20-543-62-6961 | BL | 21-OCT-93 | LM | 90009 | 29-OCT-93 | LEISHMANIA | JW 11/12 | - | NR |
| Z000710 | VAUGHAN, GEORGE | 20-543-62-6961 | BM | 21-OCT-93 | LM | 90009 | 29-OCT-93 | LEISHMANIA | JW 11/12 | - | NR |
| Z000711 | VAUGHAN, GEORGE | 20-543-62-6961 | BM | 21-OCT-93 | LM | 90009 | 29-OCT-93 | LEISHMANIA | JW 11/12 | - | NR |

| Spec ID | Patient Name | PCR Assay Results: LM | | | | PCR Assay Results: JW 14 | | | | | | |
|---------|------------------|-----------------------|------|-----------|-------|--------------------------|------------|------------|----------|--------|--------|------------|
| | | Spec Received | Type | Date | Study | Panel | Assay Date | Virus | Primer | Tube # | Tube # | Int |
| 26642 | 54F, | - | BL | 25-OCT-93 | LM | 90009 | 29-OCT-93 | LEISHMANIA | JW 11/12 | + | + | RE |
| 26643 | 65F, | - | BL | 25-OCT-93 | LM | 90009 | 29-OCT-93 | LEISHMANIA | JW 11/12 | - | - | NR |
| 26644 | 71F, | - | BL | 25-OCT-93 | LM | 90009 | 29-OCT-93 | LEISHMANIA | JW 11/12 | - | - | NR |
| 26645 | 72F, | - | BL | 25-OCT-93 | LM | 90009 | 29-OCT-93 | LEISHMANIA | JW 11/12 | - | - | NR |
| 26646 | 73/74F, | - | BL | 25-OCT-93 | LM | 90009 | 29-OCT-93 | LEISHMANIA | JW 11/12 | - | - | NR |
| 26647 | 77F, | - | BL | 25-OCT-93 | LM | 90009 | 29-OCT-93 | LEISHMANIA | JW 11/12 | - | - | NR |
| 26648 | 102F, | - | BL | 25-OCT-93 | LM | 90009 | 29-OCT-93 | LEISHMANIA | JW 11/12 | - | - | NR |
| 26716 | VAUGHAN, GEORGE | 20-543-62-6961 | OT | 27-OCT-93 | LM | 90009 | 08-NOV-93 | LEISHMANIA | JW 11/12 | - | - | NR |
| 2000712 | VAUGHAN, GEORGE | 20-543-62-6961 | LI | 01-NOV-93 | LM | 90009 | 08-NOV-93 | LEISHMANIA | JW 11/12 | - | - | NR |
| 26879 | NERONE, MARCUS A | 20-257-17-3841 | BL | 03-NOV-93 | LM | 90009 | 08-NOV-93 | LEISHMANIA | JW 11/12 | - | - | NR |
| 26880 | NERONE, MARCUS A | 20-257-17-3841 | BM | 03-NOV-93 | LM | 90009 | 08-NOV-93 | LEISHMANIA | JW 11/12 | - | - | NR |
| 2000714 | BRANDES, RONALD | 20-317-48-7871 | TC | 17-NOV-93 | LM | 90009 | 22-NOV-93 | LEISHMANIA | JW 11/12 | - | - | NR |
| 2000715 | ELLIOTT, E | - | TC | 17-NOV-93 | LM | 90009 | 22-NOV-93 | LEISHMANIA | JW 11/12 | - | - | NR |
| 2000716 | ELLIOTT, E | - | TC | 17-NOV-93 | LM | 90009 | 22-NOV-93 | LEISHMANIA | JW 11/12 | - | - | NR |
| 27156 | BRANDES, RONALD | 20-317-48-7871 | BL | 17-NOV-93 | LM | 90009 | 22-NOV-93 | LEISHMANIA | JW 11/12 | - | - | NR |
| 27155 | VAUGHAN, GEORGE | 20-543-62-6961 | TC | 18-NOV-93 | LM | 90009 | 22-NOV-93 | LEISHMANIA | JW 11/12 | - | - | NR |
| 27166 | NERONE, MARCUS A | 20-257-17-3841 | BL | 18-NOV-93 | LM | 90009 | 22-NOV-93 | LEISHMANIA | JW 11/12 | - | - | NR |
| 2000714 | BRANDES, RONALD | 20-317-48-7871 | TC | 17-NOV-93 | LM | 90009 | 24-NOV-93 | LEISHMANIA | JW 11/12 | - | - | PL1 |
| 2000715 | ELLIOTT, E | - | TC | 17-NOV-93 | LM | 90009 | 24-NOV-93 | LEISHMANIA | JW 11/12 | - | - | PL1 |
| 2000716 | ELLIOTT, E | - | TC | 17-NOV-93 | LM | 90009 | 24-NOV-93 | LEISHMANIA | JW 11/12 | + | - | IND |
| 27165 | VAUGHAN, GEORGE | 20-543-62-6961 | TC | 18-NOV-93 | LM | 90009 | 24-NOV-93 | LEISHMANIA | JW 11/12 | + | - | PL1, -CONT |
| 27166 | NERONE, MARCUS A | 20-257-17-3841 | BL | 18-NOV-93 | LM | 90009 | 24-NOV-93 | LEISHMANIA | JW 11/12 | - | - | NR |
| 2000714 | BRANDES, RONALD | 20-317-48-7871 | TC | 17-NOV-93 | LM | 90009 | 29-NOV-93 | LEISHMANIA | JW 11/12 | - | - | PL2 |

| Spec ID | Patient Name | PCR Assay Results: LM | | | | PCR Assay Results: JW 14 | | | | PCR Assay Results: JW 14 | | | |
|---------|------------------|-----------------------|-------------------------|-------|-------|--------------------------|------------|----------|----------|--------------------------|----------|-----|----------|
| | | FPC + SSN | Spec Received Type Date | Study | Panel | Assay Date | Virus | Primer | JW 11/12 | Tube # 1 | Tube # 2 | Int | Comments |
| 2000715 | ELLIOTT, E | - | TC 17-NOV-93 | LM | 90009 | 29-NOV-93 | LEISHMANIA | JW 11/12 | - | - | - | NR | PL2 |
| 2000716 | ELLIOTT, E | - | TC 17-NOV-93 | LM | 90009 | 29-NOV-93 | LEISHMANIA | JW 11/12 | - | - | - | NR | PL2 |
| 27165 | VAUGHAN, GEORGE | 20-543-62-6961 | TC 18-NOV-93 | LM | 90009 | 29-NOV-93 | LEISHMANIA | JW 11/12 | - | - | - | NR | PL2 |
| 27166 | NERONE, MARCUS A | 20-257-17-3841 | BL 18-NOV-93 | LM | 90009 | 29-NOV-93 | LEISHMANIA | JW 11/12 | - | - | - | NR | PL2 |
| 2000714 | BRANDES, RONALD | 20-317-48-7871 | TC 17-NOV-93 | LM | 90009 | 29-NOV-93 | LEISHMANIA | JW 11/12 | - | - | - | NR | PL3 |
| 2000715 | ELLIOTT, E | - | TC 17-NOV-93 | LM | 90009 | 29-NOV-93 | LEISHMANIA | JW 11/12 | +/- | + | IND | IND | PL3 |
| 2000716 | ELLIOTT, E | - | TC 17-NOV-93 | LM | 90009 | 29-NOV-93 | LEISHMANIA | JW 11/12 | - | - | - | NR | PL3 |
| 27165 | VAUGHAN, GEORGE | 20-543-62-6961 | TC 18-NOV-93 | LM | 90009 | 29-NOV-93 | LEISHMANIA | JW 11/12 | - | - | - | NR | PL3 |
| 27166 | NERONE, MARCUS A | 20-257-17-3841 | BL 18-NOV-93 | LM | 90009 | 29-NOV-93 | LEISHMANIA | JW 11/12 | - | - | - | NR | PL3 |
| 2000766 | BRANDES, RONALD | 20-317-48-7871 | LM 23-NOV-93 | LM | 90009 | 02-DEC-93 | LEISHMANIA | JW 11/12 | - | + | IND | IND | PL3 |
| 2000767 | BRANDES, RONALD | 20-317-48-7871 | LI 23-NOV-93 | LM | 90009 | 02-DEC-93 | LEISHMANIA | JW 11/12 | - | - | - | NR | PL3 |
| 2000768 | BRANDES, RONALD | 20-317-48-7871 | TC 23-NOV-93 | LM | 90009 | 02-DEC-93 | LEISHMANIA | JW 11/12 | - | - | - | NR | PL3 |
| 2000769 | BRANDES, RONALD | 20-317-48-7871 | TC 23-NOV-93 | LM | 90009 | 02-DEC-93 | LEISHMANIA | JW 11/12 | - | - | - | NR | PL3 |
| 27882 | HAYES, JANES | -380-80-7107 | BL 21-JAN-94 | LM | 90009 | 13-JAN-94 | LEISHMANIA | JW 11/12 | - | - | - | NR | NR |
| 27883 | HAYES, JANES | -380-80-7107 | BM 21-JAN-94 | LM | 90009 | 13-JAN-94 | LEISHMANIA | JW 11/12 | - | - | - | NR | NR |
| 2000771 | 40211, | - | BL 21-JAN-94 | LM | 90009 | 26-JAN-94 | LEISHMANIA | JW 11/12 | - | - | - | NR | NR |
| 2000772 | 40212, | - | BL 21-JAN-94 | LM | 90009 | 26-JAN-94 | LEISHMANIA | JW 11/12 | - | - | - | NR | NR |
| 2000773 | 40213, | - | BL 21-JAN-94 | LM | 90009 | 26-JAN-94 | LEISHMANIA | JW 11/12 | - | - | - | NR | NR |
| 2000774 | 40214, | - | BL 21-JAN-94 | LM | 90009 | 26-JAN-94 | LEISHMANIA | JW 11/12 | - | - | - | NR | NR |
| 2000775 | 40215, | - | BL 21-JAN-94 | LM | 90009 | 26-JAN-94 | LEISHMANIA | JW 11/12 | - | - | - | NR | NR |
| 2000776 | 40216, | - | BL 21-JAN-94 | LM | 90009 | 26-JAN-94 | LEISHMANIA | JW 11/12 | - | - | - | NR | NR |
| 2000777 | 40217, | - | BL 21-JAN-94 | LM | 90009 | 26-JAN-94 | LEISHMANIA | JW 11/12 | - | - | - | NR | NR |
| 2000778 | 40218, | - | BL 21-JAN-94 | LM | 90009 | 26-JAN-94 | LEISHMANIA | JW 11/12 | - | - | - | NR | NR |

PCR Assay Results: LM
Probe JW 14

| Spec ID | Patient Name | FPC + SSN | Spec Received Type Date | Study | Panel | Assay Date | Virus | Primer | Tube # 1 | Tube # 2 | Int | Comments |
|---------|----------------|--------------|-------------------------|-------|-------|------------|------------|----------|----------|----------|-----|----------|
| Z000779 | 402119, | - | BL 21-JAN-94 | LM | 90009 | 26-JAN-94 | LEISHMANIA | JW 11/12 | - | - | NR | |
| Z000780 | 402110, | - | BL 21-JAN-94 | LM | 90009 | 26-JAN-94 | LEISHMANIA | JW 11/12 | - | - | NR | |
| Z000781 | 402111, | - | BL 21-JAN-94 | LM | 90009 | 26-JAN-94 | LEISHMANIA | JW 11/12 | - | - | NR | |
| Z000782 | 402112, | - | BL 21-JAN-94 | LM | 90009 | 26-JAN-94 | LEISHMANIA | JW 11/12 | - | - | NR | |
| Z000783 | 402113, | - | BL 21-JAN-94 | LM | 90009 | 26-JAN-94 | LEISHMANIA | JW 11/12 | - | - | NR | |
| Z000784 | 402114, | - | BL 21-JAN-94 | LM | 90009 | 26-JAN-94 | LEISHMANIA | JW 11/12 | - | - | NR | |
| Z000785 | ZUPEC, JEFFREY | - | BL 24-JAN-94 | LM | 90009 | 26-JAN-94 | LEISHMANIA | JW 11/12 | - | - | NR | |
| Z000786 | ZUPEC, JEFFREY | - | BL 24-JAN-94 | LM | 90009 | 26-JAN-94 | LEISHMANIA | JW 11/12 | - | - | NR | |
| Z000787 | HALLMAN, JAMES | -419-62-6827 | LI 25-JAN-94 | LM | 90009 | 27-JAN-94 | LEISHMANIA | JW 11/12 | - | - | NR | |

| Interpretation Key | Specimen Type |
|---------------------|------------------|
| RE = Reactive | BL = Blood |
| NR = Non-Reactive | LN = Lymphnode |
| ND = Non-Diagnostic | SK = Skin |
| | BM = Bone Marrow |
| | ASP = Aspirate |
| | LI = Liver |
| | CO = Colon |

Appendix II. Manuscript submitted for publication

Nuzum, E., White III, F., Thakur, C., Dietze, R., Wages, J.,
Grogl, M. and Berman, J. 1994. Diagnosis of visceral
leishmaniasis from patient blood using the polymerase chain
reaction. (Submitted to Journal of Infectious Diseases)

FOR: DR. SURYANARAYANA
SRA Technologies

FAX: 301-424-8601

TITLE: Diagnosis of visceral leishmaniasis from patient blood using the
polymerase chain reaction

RUNNING TITLE: Leishmania PCR

Authors: Nuzum E*

White III F**

Thakur C***

Dietze R****

Wages J**

Grogl M*

Berman J*

Institutions: *Division of Experimental Therapeutics

Walter Reed Army Institute of Research

Washington DC 20307-5100

** SRA Technologies, Inc.

Rockville MD 20851

*** Patna Medical College

Patna 800001 India

**** Federal University of Espirito Santo

Vitoria, Espirito Santo, Brazil

FOOTNOTES

Present Affiliations: J Wages

Genelabs Technology

505 Penobscot Dr

Redwood City, CA 94063

F White

Berlex Biosciences

15049 San Pablo Ave

Box 4099

Richmond CA 94804

Address proofs and requests for reprints to:

J Berman

Division of Experimental Therapeutics

Walter Reed Army Institute of Research

Washington DC 20307-5100

TEL: 301-427-5305 FAX: 301-427-6569

ABSTRACT

To diagnose visceral leishmaniasis (kala-azar) using peripheral blood rather than tissue aspirates, a PCR technique was developed for which the detection limit is one Leishmania-infected macrophage in 8 mls blood. For Indian, Kenyan, or Brazilian patients with parasitologically proven kala-azar, 57 of 63 cases prior to treatment had blood that was PCR positive (90% sensitivity). None of 40 uninfected persons had PCR positive blood (100% specificity). 12 of 13 Indian patients successfully treated had negative PCR reactions on their blood 1-6 months post treatment (92%). This PCR procedure is capable of parasitologically diagnosing the vast majority of kala-azar cases pre-therapy, may identify patients who have been successfully treated by chemotherapy, and should substantially obviate the need for invasive tests to diagnose kala-azar.

INTRODUCTION

Visceral leishmaniasis (kala-azar), infection of the liver, spleen, and bone marrow with the Leishmania donovani complex, is a significant parasitic problem in the developing world and, with increased international travel and AIDS, in the developed world [1,2]. The diagnosis of visceral leishmaniasis requires parasitological identification of Leishmania from lesion material. The ability to diagnose visceral leishmaniasis from easily obtained material such as patients' blood would be a major advance. Because of our interest in diagnosing visceralizing Leishmania (tropica) infection in Operation Desert Storm personnel, we devised a polymerase chain reaction (PCR) method to diagnose Leishmania in patients' blood, using L. tropica minicircle kDNA as the basis for the PCR primers. We validated the test with blood from patients with the most prevalent clinical presentation of visceralizing Leishmania, kala-azar.

MATERIALS AND METHODS

PCR primers

20 different PCR primer pairs based on extensive literature [3-9] and DNA sequence database searches of Leishmania minicircle kDNA were synthesized (Synthetic Genetics, San Diego, CA). The primers finally chosen for systematic evaluation were designated JW-11-i and JW-12-i, which were 5' biotinylated to facilitate PCR product capture and analysis. JW-14 was the detection probe, 5' coupled to Horseradish Peroxidase (HRP). "I" = deoxyinosine.

5' primer JW-11-i: 5'-CCTATTTACACCAACCCCIAGTTT-3'

3' primer JW-12-i: 5'-CGGGTAGGGGCGTTCTGCGAAIT-3'

probe JW-14: 5'-ATTGAACGGGGTTCTGTATGCATTTTCGAA-3'

Sample collection and preparation

Peripheral blood was collected in LeucoPREP™ (Becton-Dickinson, Rutherford, NJ) vacutainer tubes that contained a gel matrix, and within 6 hrs spun at 1500-1800 x g for 20 minutes. The suspension of peripheral blood mononuclear cells (PBMC) above the matrix was removed, exposed to 0.1% saponin in 0.6% NaCL to lyse contaminating red cells, centrifuged (300 x g for 15 min), and then resuspended at a concentration of 3 x 10⁷ PBMCs/ml in lysis buffer (50 mM KCl, 10 mM Tris-HCl, pH 8.3, 2.5 mM MgCl₂, 0.45% NP-40, 0.45% Tween 20, 240 ug/ml proteinase k) at 55°C for 1 hr and then at 95°C for 15 min to lyse the mononuclear cells.

PCR amplification

For each sample assayed, 40 µl of lower PCR mix containing 10X PCR buffer (Promega, Madison, WI), MgCl₂, primers, dNTP's, and 0.1 Unit UNG (uracil-N-glycosylase, Epicentre Technologies, Madison, WI) was added to each tube. A single AmpliWax™ bead (Perkin Elmer, Norwalk, CT) was placed in each tube, and the tubes were heated to approximately 70°C for five

minutes to melt the wax bead. After cooling to room temperature, 10 μ l of upper PCR mix containing 10X PCR buffer, 0.1 Unit UNG, and AmpliTaqTM DNA polymerase (Perkin Elmer, Norwalk, CT) was added. Fifty μ l of lysed mononuclear cells, representing an original peripheral blood volume containing 1.5×10^6 PBMCs, was then added. The final reaction volume of 100 μ l contained 1X PCR buffer (10mM Tris-HCl, pH 8.3, 50 mM KCl), 2.5 mM MgCl₂, 1.0 μ M each primer, 200 μ M of each dATP, dCTP, and dGTP (U.S. Biochemicals, Cleveland, OH), 300 μ M dUTP (Epicentre Technologies, Madison, WI), 2.5-5.0 Units AmpliTaqTM DNA polymerase, and 0.2 Unit UNG. Reactions were cycled in a Perkin Elmer model 9600 thermal cycler using the following conditions; 94°C for 5'0", 10 cycles of 97°C for 0'15", 55°C for 1'0", 72°C for 1'0", followed by 30 cycles of 92°C for 0'15", 55°C for 1'0", and 72°C for 1'0". PCR products were held at 72°C or frozen at -20°C until assayed.

PCR product analysis

Reaction products were detected by affinity-based hybridization analysis developed by SRA Technologies using the oligonucleotide probe (JW-14) to sequences bracketed by, but not overlapping, the primers [10,11]. Assay plates (Immulon 4, Dynatech Labs, Chantilly, VA) were coated with 100 μ l of 100 μ g/ml avidin D (Vector Labs, Burlingame, CA) in coating buffer (50 mM Sodium Bicarbonate pH 9.5, 150 mM NaCl, 0.01% Sodium Azide) per well. Ten μ l from each PCR reaction containing biotinylated product DNA was heat-denatured for 5 minutes at 95°C, then transferred to an avidin-coated well containing hybridization solution (5X SSC, 5X Denhardt's, 0.5% SDS, 2% BSA, 50 μ g sheared salmon sperm DNA) and 1 pmol per well of HRP-coupled probe JW14 (Synthetic Genetics, San Diego CA). The reaction mixtures were incubated at 42°C for 20 minutes to allow simultaneous hybridization of the probe to the PCR product and binding of the biotinylated PCR product to the solid substrate. After the solution was discarded, each well was washed 4 times using an automatic microtiter plate washer. A substrate solution of 0.6 mg/ml o-phenylene-diamine dihydrochloride (OPD:

Sigma, St. Louis, MO) in citrate/phosphate buffer, pH 5.5, containing H₂O₂ was then added. The reaction was incubated at room temperature for 10 minutes, stopped by the addition of 1N H₂SO₄ and read at 490nm in a Molecular Devices UVmax microplate reader.

Background in the assay is typically less than 0.06 OD₄₉₀, with a positive signal generally 0.700 OD₄₉₀ or greater. All samples were tested in duplicate reactions with a negative control (all PCR reagents but no DNA). Since 10-20 samples (with 2 experimental and one negative control reaction per sample) were analyzed on each 96-well plate, the mean and standard deviation (SD) for negative control values could be calculated from the 10-20 negative control reactions for each 96-well plate. A sample was defined as positive if the OD₄₉₀ of both experimental reactions was greater than or equal to the mean OD₄₉₀ of the negative controls for that plate plus three SD.

Determination of sensitivity and specificity using laboratory samples

In preliminary work, we found that the DNA equivalence of one promastigote of L. donovani and L. chagasi, as well as of L. tropica (the species for which the primers were originally designed), was detected by this PCR method. When clinical specimens were simulated by infecting the PBMCs of normal volunteers with Leishmania amastigotes, 10 and 5 L. tropica-infected macrophages in 8 mls blood were detected each of 4 times, 1 infected macrophage was detected 3 of 4 times, and uninfected macrophages gave no PCR signal on each of 8 occasions. The absence of PCR product when DNA from >10,000 organisms of other genera (Trypanosoma, Toxoplasma, Plasmodia, Pneumocystis, Histoplasma, Mycobacterium, or Salmonella) were used indicates that this PCR technique is 100% biologically specific.

Clinical data

To determine if this PCR technique could be used to diagnose kala-azar, blood was drawn from 75 Indians, 11 Kenyans, and 10 Brazilians with disease proven by visualization of Leishmania amastigotes in splenic aspirates (Kenyan and Indian patients) or in bone marrow aspirates (Brazilian patients). Blood was also drawn from 5 Indians, 7 Kenyans, 1 Brazilian, and 27 Americans who were not suspected to be infected with Leishmania.

A majority of specimens were drawn pre-therapy (Table 1). Approximately 90% of these were positive for Leishmania kDNA. The percent of PCR-positive samples for the different endemic areas was 80% for Brazil, 90% from India, and 100% from Kenya. There were 11 patients for whom blood was drawn on each of two consecutive days. There was complete

instances, and 2 patients had blood that was PCR negative in both instances.

There was no correlation between PCR results and the important clinical parameter of spleen size. For the two false-negative Brazilian samples, the patients' spleen sizes were 6 and

7 cm below the right costal margin. For the 5 PCR-positive samples in that group, the patients' spleen sizes ranged from 4 to 13 cm (mean = 8.6 cm). The second batch of Indian kala-azar samples contained 3 samples of blood that were negative by PCR. The spleen sizes for these patients ranged from 5 to 11 cm (mean = 8.7 cm). For the 12 PCR-positive samples in that batch, the mean patient spleen size was 6.4 cm.

There were 33 Indian patients for whom blood was drawn during or after therapy (Table 1). These patients were treated either with the classic agent sodium stibogluconate @20 mg/kg/day for 40 days [12] or amphotericin B @1 mg/kg every-other-day for 20 injections [13]. For patients in the first half of therapy, blood was PCR positive in approximately 90% of cases, nearly the same percent as for patients whose blood was taken before therapy. For patients in the second half of therapy, blood was positive in only 37%. In addition, there were 13 patients in whom drug treatment had apparently been successful by clinical criteria (loss of fever, weight gain, decrease in spleen size). By 1-6 months after the end of therapy, blood was positive in 14% to 0% of cases, respectively.

The blood of all 40 healthy volunteers was Leishmania kDNA negative by PCR.

DISCUSSION

We were able to diagnose 90% of cases of parasitologically proven kala-azar by PCR on the patients' peripheral blood. The cases came from the 3 major endemic areas of the world--India, Africa, and Brazil. Since PCR was positive for laboratory samples in which merely one infected macrophage was spiked into 8 mls of blood, the 10% PCR negative samples are thought to be due to biologic false-negativity (the organisms were present in infected organs but were not in the peripheral circulation) rather than to technical false negativity (the organisms were in the blood but were undetected by PCR). Clinical parameters did not differentiate the 90% of patients whose blood was PCR positive from the 10% of patients whose blood was PCR negative, and no patient who was PCR negative in one sample was PCR positive on subsequent samples taken a few days later. We conclude that when blood samples are drawn over a period of a few days, infected macrophages enter the peripheral circulation from diseased organs in 90% but not 100% of patients.

These results represent a substantial clinical advance compared to previous reports on diagnosis of visceral leishmaniasis via PCR. For example, for 7 Indian kala-azar patients prior to treatment for whom the blood was analyzed by another PCR technique, 3 PCR reactions were negative, 2 were positive, one was faintly positive, and one was positive via an alternative detection band [8].

The PCR procedure described herein has potential applicability for the clinical management of kala-azar cases. The 100% specificity indicates that if the blood of a patient suspected of having kala-azar is PCR positive, that patient would not have to undergo invasive organ biopsy for a parasitological diagnosis. The 90% sensitivity indicates that the vast majority of patients with kala-azar will be diagnosed via this technique. For example, it is reasonable to assume clinical judgement is sufficiently accurate so that half of clinically suspected cases are eventually proven to have kala-azar. For every 100 suspected cases, of whom 50 would actually have kala-azar, 45 cases (90%) should be diagnosed on the basis of

blood PCR. Invasive diagnostic tests would only have to be performed on the remaining 55 PCR negative persons to distinguish the 50 who are uninfected from the 5 who would have biological false negative PCR results.

Post therapy, 1 of 13 patients clinically cured of kala-azar was PCR positive in our study, and this patient had blood drawn only 1 month after the end of therapy. The low percent of PCR positivity post therapy suggests that further study of successfully treated kala-azar patients may reveal a time post-therapy when virtually all cases are PCR negative. This PCR technique therefore has the potential to obviate invasive parasitological tests both prior to and post therapy.

REFERENCES

1. Magill AJ, Grogg M, Gasser RA Jr., Sun W, Oster CN. Visceral infection caused by Leishmania tropica in veterans of Operation Desert Storm. *N Engl J Med* 1993;328:1383-7.
2. Berenguer J, Moreno S, Cercenado E, de Quiros B, de la Fuente AG, Bouza E. Visceral leishmaniasis in patients infected with Human Immunodeficiency Virus (HIV). *Ann Int Med* 1989;111:129-132.
3. de Bruijn MHL, Barker DC. Diagnosis of New World leishmaniasis: specific detection of species of the Leishmania braziliensis complex by amplification of kinetoplast DNA. *Acta Trop (Basel)* 1992;52(1):45-58.
4. Smyth AJ, Ghosh A, Hassan MQ, et al. Rapid and sensitive detection of Leishmania kinetoplast DNA from spleen and blood samples of kala-azar patients. *Parasitology* 1992;105:183-192.
5. Lopez M, Inga R, Cangalaya M, et al. Diagnosis of Leishmania using the polymerase chain reaction: a simplified procedure for field work. *Am J Trop Med Hyg* 1993;49(3):348-56.
6. Barker DC, Gibson LJ, Kennedy WPK, Nasser AAAA, Williams RH. The potential of using recombinant DNA species-specific probes for the identification of tropical Leishmania. *Parasitology* 1986;91:S139-S174.
7. Rogers WO, Wirth DF. Kinetoplast DNA minicircles: Regions of extensive sequence divergence. *Proceedings of the National Academy of Sciences U.S.A.* 1987;84:565-569.
8. Smith DF, Searle S, Ready PD, Gramiccia M, Ben-Ismail R. A kinetoplast DNA probe diagnostic for Leishmania major: sequence homologies between regions of Leishmania minicircles. *Mol Biochem Parasitol* 1989;37:213-224.

9. Schoone GJ, Van Eys GJJM, Ligthart GS, et al. Detection and identification of Leishmania parasites by in situ hybridization with total and recombinant DNA probes. *Exp Parasitol* 1991;73:345-353.
10. Syvanen A-C, Bengtstrom M, Tenhunen J, Soderlund H. Quantification of polymerase chain reaction products by affinity-based hybrid collection. *Nucleic Acids Research* 1988;16:11327-11338.
11. Keller GH, Huang D-P, Manak MM. Detection of human immunodeficiency virus type 1 DNA by polymerase chain reaction amplification and capture hybridization in microtiter wells. *Journal of Clinical Microbiology* 1991;29:638-641.
12. Thakur CP, Kumar M, Kumar P, Mishra BN, Pandey AK. Rationalisation of regimens of treatment of kala-azar with sodium stibogluconate in India: a randomised study. *Br Med J* 1988;296:1557-61.
13. Thakur CP, Sinha GP, Sharma V, Pandey AK, Kumar M, Verma BB. Evaluation of amphotericin B as a first line drug in comparison to sodium stibogluconate in the treatment of fresh cases of kala-azar. *Indian J Med Res* 1993;97:170-5.

TABLE 1: POLYMERASE CHAIN REACTION RESULTS FOR KALA AZAR PATIENTS

Table depicts countries from which batches of patient samples were obtained, time in relation to treatment that blood for PCR was obtained [Pretreatment (pre-RX); in the first half of treatment (< 0.5 RX); in the second half of treatment (0.5-1.0 RX); or 1, 2, or 6 months after treatment] and PCR results (+ or -). The total number of PCR+ and PCR- results for each country and for all countries are also shown.

**POLYMERASE CHAIN REACTION RESULTS (+ OR -) FOR EACH PATIENT
AT THE FOLLOWING TIMES WITH RESPECT TO THERAPY**

| COUNTRY/ BATCH # | PRE | < 0.5 | 0.5-1.0 | 1 MONTH | 2 MONTH | 6 MONTH |
|---------------------------------|--------------|-------|---------|---------|---------|---------|
| | RX | RX | RX | POST RX | POST RX | POST RX |
| INDIA #1 | | | | | | |
| positive | 3 | 5 | 1 | [none] | [none] | [none] |
| negative | 0 | 0 | 2 | [none] | [none] | [none] |
| INDIA #2 | | | | | | |
| positive | 12 | 4 | 1 | [none] | 0 | [none] |
| negative | 3 | 0 | 0 | [none] | 1 | [none] |
| INDIA #3 | | | | | | |
| positive | 23 | 2 | 1 | 1 | 0 | 0 |
| negative | 1 | 1 | 5 | 6 | 3 | 2 |
| INDIA | TOTAL | | | | | |
| positive | 38 | 11 | 3 | 1 | 0 | 0 |
| negative | 4 | 1 | 5 | 6 | 4 | 2 |
| KENYA | TOTAL | | | | | |
| positive | 11 | | | | | |
| negative | 0 | | | | | |
| BRAZIL #1 | | | | | | |
| positive | 5 | | | | | |
| negative | 0 | | | | | |
| BRAZIL #2 | | | | | | |
| positive | 3 | | | | | |
| negative | 2 | | | | | |
| BRAZIL | TOTAL | | | | | |
| positive | 8 | | | | | |
| negative | 2 | | | | | |
| TOTALS FOR ALL COUNTRIES | | | | | | |
| positive | 57 | 11 | 3 | 1 | 0 | 0 |
| negative | 6 | 1 | 5 | 6 | 4 | 2 |
| % positive | 90 | 92 | 37 | 14 | 0 | 0 |